CONTENTS BY TOPIC INDEX TO VOLUME 12

This table is a cumulative topical listing of all the articles contained in Volume 12. The topics are arranged in alphabetical order so that papers dealing with the same subjects are grouped together. Each article may be listed under a maximum of three topics.

Ab initio calculation
Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$ . . . K. C. Mishra *et al.* 2183

Ablation
Excimer laser ablation of aluminum nitride . . . Janet K. Lumpp *et al.* 218

Acoustic properties
Propagation of acoustic waves in periodic and random two-dimensional composite media . . . J. O. Vasseur *et al.* 2207

Adhesion
Surface composites: A new class of engineered materials . . . Rajiv Singh *et al.* 769
A simple technique for measuring the adhesion of brittle films to ductile substrates with application to diamond-coated titanium . . . Joost J. Vlassak *et al.* 1900
Thermal wave imaging of indented diamond coated WC . . . Albert Feldman 1911
Investigation of a new fracture mechanics specimen for thin film adhesion measurement . . . Maarten P. de Boer *et al.* 2673
Adhesion mechanisms of copper films deposited onto laser-irradiated alumina . . . Jae-Won Park *et al.* 3174

Adsorption
Adsorption of poly(vinyl butyral) in nonaqueous ferrite suspensions . . . Jau-Ho Jean *et al.* 1062

Aerogel
Neural net formulations for organically modified, hydrophobic silica aerogel . . . David Noever *et al.* 1837

Aging
Aging characteristics of a hybrid sol-gel $Pb(Zr,Ti)O_3$ precursor solution . . . Timothy J. Boyle *et al.* 1022
Factors controlling carbon retention in $YBa_2Cu_3O_{7-\delta}$ . . . Evelyne Cazy *et al.* 1451
Aging of the Inconel 718 alloy between 500 and 750 °C . . . C. Slama *et al.* 2298
Studies on age-hardening characteristics of ceramic particle/matrix interfaces in Al–Cu–SiC_p composites using ultra low-load-dynamic microhardness measurements . . . B. Dutta *et al.* 2773

Alloys, intermetallic
Martensite transition in rapidly solidified Ti_3Al–2Nb alloy . . . R. Xu *et al.* 5
Short-range ordering of Cu_3Au above T_c in the topmost 80 A of a (001) face . . . M. Kimura *et al.* 75
Fractal morphologies from decomposition of Fe–Ni–Invar alloys . . . Q. Li *et al.* 83
Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics . . . D. Farkas *et al.* 93
Internal friction and Mössbauer study of C–Cr associates in MANET steel . . . P. Gondi *et al.* 296
Deformation-induced planar defects in Al–Cu–Fe quasicrystals . . . J. E. Shield *et al.* 300
High temperature x-ray and calorimetric studies of phase transformations in quasicrystalline Ti–Zr–Ni alloys . . . R. M. Stroud *et al.* 434
Crystallographic structure of S' precipitates in Al–Li–Cu–Mg alloys . . . J. I. Pérez-Landazábal *et al.* 577
Characterization of the disproportionated NdFeCoZrB alloy by means of electron microscopy . . . Jian-rong Gao *et al.* 581
Influence of elemental B addition on the heat-treated cast structures of Ti–47Al–2Cr–(2–4)Nb alloys . . . J. Y. Jung *et al.* 665
Characterization of mechanical nanocrystallization process of amorphous Fe–Mo–Si–B alloy by transmission Mössbauer spectroscopy . . . X. D. Liu *et al.* 681
Amorphization mechanisms of $NiZr_2$ by ball-milling . . . D. Galy *et al.* 688
Plastic deformation of oxide scales at elevated temperatures . . . Yifan Zhang *et al.* 697
Grain refinement mechanism in undercooled $Cu_{30}Ni_{70}$ . . . J. Z. Xiao *et al.* 873
Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying . . . J. Y. Huang *et al.* 936
Similarities and differences in the microstructure of attritor-milled Fe–Al–N compositions . . . J. C. Rawers *et al.* 947
The spreading kinetics of $Ag–28Cu_{(L)}$ on $nickel_{(S)}$: Part II. Area of spread on surfaces plated with electrolytic Ni . . . Douglas A. Weirauch Jr. *et al.* 953
The synthesis of $NbSi_2$ by mechanical alloying . . . Taiping Lou *et al.* 1172
Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular extrusion . . . Stephane Ferrasse *et al.* 1253
Optical properties of potassium acid phthalate . . . Davide Comoretto *et al.* 1262
Formation kinetics of nanocrystalline Fe–4 wt.% Al solid solution during ball milling . . . H. G. Jiang *et al.* 1429
Phase formation and thermodynamics of unstable Cu–Cr alloys . . . C. Michaelsen *et al.* 1463
Stoichiometric icosahedral phase in the Zn–Mg–Y system . . . A. P. Tsai *et al.* 1468
Microstructures of two-phase Ti–Cr alloys containing the $TiCr_2$ Laves phase intermetallic . . . Katherine C. Chen *et al.* 1472
A study of micropyretic reactions in the Mo–Si–Al ternary system . . . Ming Fu 1481
High energy ball-milled Ti_2RuFe electrocatalyst for hydrogen evolution in the chlorate industry . . . Marco Blouin *et al.* 1492
The reaction between a TiNi shape memory thin film and silicon . . . Susanne Stemmer *et al.* 1734
Deformation characteristics of quasicrystalline Al–Cu–Fe alloys . . . J. E. Shield *et al.* 2043
Characterization of low-cycle fatigue damage in Inconel 718 by laser light scanning . . . K. J. C. Chou *et al.* 2048

CONTENTS BY TOPIC INDEX TO VOLUME 12

This table is a cumulative topical listing of all the articles contained in Volume 12. The topics are arranged in alphabetical order so that papers dealing with the same subjects are grouped together. Each article may be listed under a maximum of three topics.

Ab initio calculation
Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$ . . . K. C. Mishra *et al.* 2183

Ablation
Excimer laser ablation of aluminum nitride . . . Janet K. Lumpp *et al.* 218

Acoustic properties
Propagation of acoustic waves in periodic and random two-dimensional composite media . . . J. O. Vasseur *et al.* 2207

Adhesion
Surface composites: A new class of engineered materials . . . Rajiv Singh *et al.* 769
A simple technique for measuring the adhesion of brittle films to ductile substrates with application to diamond-coated titanium . . . Joost J. Vlassak *et al.* 1900
Thermal wave imaging of indented diamond coated WC . . . Albert Feldman 1911
Investigation of a new fracture mechanics specimen for thin film adhesion measurement . . . Maarten P. de Boer *et al.* 2673
Adhesion mechanisms of copper films deposited onto laser-irradiated alumina . . . Jae-Won Park *et al.* 3174

Adsorption
Adsorption of poly(vinyl butyral) in nonaqueous ferrite suspensions . . . Jau-Ho Jean *et al.* 1062

Aerogel
Neural net formulations for organically modified, hydrophobic silica aerogel . . . David Noever *et al.* 1837

Aging
Aging characteristics of a hybrid sol-gel $Pb(Zr,Ti)O_3$ precursor solution . . . Timothy J. Boyle *et al.* 1022
Factors controlling carbon retention in $YBa_2Cu_3O_{7-\delta}$ . . . Evelyne Cazy *et al.* 1451
Aging of the Inconel 718 alloy between 500 and 750 °C . . . C. Slama *et al.* 2298
Studies on age-hardening characteristics of ceramic particle/matrix interfaces in Al–Cu–SiC_p composites using ultra low-load-dynamic microhardness measurements . . . B. Dutta *et al.* 2773

Alloys, intermetallic
Martensite transition in rapidly solidified Ti_3Al–2Nb alloy . . . R. Xu *et al.* 5
Short-range ordering of Cu_3Au above T_c in the topmost 80 A of a (001) face . . . M. Kimura *et al.* 75
Fractal morphologies from decomposition of Fe–Ni–Invar alloys . . . Q. Li *et al.* 83
Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics . . . D. Farkas *et al.* 93
Internal friction and Mössbauer study of C–Cr associates in MANET steel . . . P. Gondi *et al.* 296
Deformation-induced planar defects in Al–Cu–Fe quasicrystals . . . J. E. Shield *et al.* 300
High temperature x-ray and calorimetric studies of phase transformations in quasicrystalline Ti–Zr–Ni alloys . . . R. M. Stroud *et al.* 434
Crystallographic structure of S' precipitates in Al–Li–Cu–Mg alloys . . . J. I. Pérez-Landazábal *et al.* 577
Characterization of the disproportionated NdFeCoZrB alloy by means of electron microscopy . . . Jian-rong Gao *et al.* 581
Influence of elemental B addition on the heat-treated cast structures of Ti–47Al–2Cr–(2–4)Nb alloys . . . J. Y. Jung *et al.* 665
Characterization of mechanical nanocrystallization process of amorphous Fe–Mo–Si–B alloy by transmission Mössbauer spectroscopy . . . X. D. Liu *et al.* 681
Amorphization mechanisms of $NiZr_2$ by ball-milling . . . D. Galy *et al.* 688
Plastic deformation of oxide scales at elevated temperatures . . . Yifan Zhang *et al.* 697
Grain refinement mechanism in undercooled $Cu_{30}Ni_{70}$ . . . J. Z. Xiao *et al.* 873
Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying . . . J. Y. Huang *et al.* 936
Similarities and differences in the microstructure of attritor-milled Fe–Al–N compositions . . . J. C. Rawers *et al.* 947
The spreading kinetics of $Ag–28Cu_{(L)}$ on $nickel_{(S)}$: Part II. Area of spread on surfaces plated with electrolytic Ni . . . Douglas A. Weirauch Jr. *et al.* 953
The synthesis of $NbSi_2$ by mechanical alloying . . . Taiping Lou *et al.* 1172
Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular extrusion . . . Stephane Ferrasse *et al.* 1253
Optical properties of potassium acid phthalate . . . Davide Comoretto *et al.* 1262
Formation kinetics of nanocrystalline Fe–4 wt.% Al solid solution during ball milling . . . H. G. Jiang *et al.* 1429
Phase formation and thermodynamics of unstable Cu–Cr alloys . . . C. Michaelsen *et al.* 1463
Stoichiometric icosahedral phase in the Zn–Mg–Y system . . . A. P. Tsai *et al.* 1468
Microstructures of two-phase Ti–Cr alloys containing the $TiCr_2$ Laves phase intermetallic . . . Katherine C. Chen *et al.* 1472
A study of micropyretic reactions in the Mo–Si–Al ternary system . . . Ming Fu 1481
High energy ball-milled Ti_2RuFe electrocatalyst for hydrogen evolution in the chlorate industry . . . Marco Blouin *et al.* 1492
The reaction between a TiNi shape memory thin film and silicon . . . Susanne Stemmer *et al.* 1734
Deformation characteristics of quasicrystalline Al–Cu–Fe alloys . . . J. E. Shield *et al.* 2043
Characterization of low-cycle fatigue damage in Inconel 718 by laser light scanning . . . K. J. C. Chou *et al.* 2048

The growth of decagonal Al–Co–Ni single crystals as a function of chemical composition . . . B. Zhang *et al.* 2274
Correlation between energy transfers and solid state reactions induced by mechanical alloying on the $Mo_{33}Si_{66}$ system . . . L. Liu *et al.* 2281
Thermal cycling effects in high temperature Cu–Al–Ni–Mn–B shape memory alloys . . . J. Font *et al.* 2288
Aging of the Inconel 718 alloy between 500 and 750 °C . . . C. Slama *et al.* 2298
Superplastic behavior of a kappa carbide material (Fe_3AlC_x) . . . Woo-Jin Kim *et al.* 2317
Electrical and microstructural characteristics of Ge/Cu ohmic contacts to *n*-type GaAs . . . M. O. Aboelfotoh *et al.* 2325
Shear faults and dislocation core structures in B2 CoAl . . . C. Vailhé *et al.* 2559
Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy . . . J. F. Lei *et al.* 2571
Equation of state of polycrystalline $Ni_{50}Al_{50}$ . . . J. W. Otto *et al.* 3106
A time-resolved x-ray diffraction study of Ti_5Si_3 product formation during combustion synthesis . . . C. R. Kachelmyer *et al.* 3230
Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system . . . Jagdish Prasad *et al.* 3241
Improving the wear resistance of Al–Si alloy by ion implantation . . . Y. Itoh *et al.* 3246

Alloys, semiconductor

The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon . . . K. Schonenberg *et al.* 364
Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature . . . L. Filipozzi *et al.* 1711

Annealing

Short-range ordering of Cu_3Au above T_c in the topmost 80 A of a (001) face . . . M. Kimura *et al.* 75
Periodic fluctuation of Ba/Nd ratio in single crystals of high-J_c $NdBa_2Cu_3O_{7-\delta}$ superconductor . . . Tsukasa Hirayama *et al.* 293
Bi–Sr–Ca–Cu–O superconducting thin plates prepared by glass-ceramic processing: Dependence of T_c on the thickness . . . Toshihiro Kasuga *et al.* 332
High temperature x-ray and calorimetric studies of phase transformations in quasicrystalline Ti–Zr–Ni alloys . . . R. M. Stroud *et al.* 434
Investigation of the interface reactions of Ti thin films with AlN substrate . . . Xiangjun He *et al.* 846
Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition . . . Bruce J. Hinds *et al.* 1214
Sol-gel processing of nanocrystalline haematite thin films . . . L. Armelao *et al.* 1441
Phase coexistence and critical temperatures of the $(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ phase under partial pressures of oxygen between 10^{-3} and 0.21 bar with and without additions of silver . . . M. Däumling *et al.* 1445
The viscosity of germanium during substrate relaxation upon thermal anneal . . . Sara E. Rosenberg *et al.* 1706
Secondary phase formation and microstructural development in the interaction between $SrBi_2Ta_2O_9$ films and $Pt/Ti/SiO_2/Si$ substrates . . . Chung-Hsin Lu *et al.* 2104
Effects of gravity on processing heavy metal fluoride fibers . . . Dennis S. Tucker *et al.* 2223
Aging of the Inconel 718 alloy between 500 and 750 °C . . . C. Slama *et al.* 2298
Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2 . . . W. Wong-Ng *et al.* 2855
Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate . . . J. A. Parrell *et al.* 2997
Vortex dynamics during N-S and S-N transitions of Y–Ba–Cu–O superconductors under the effect of temperature gradient and thermal cycling . . . I. Kirschner *et al.* 3090

Atomic diffusion

X-ray photoelectron spectroscopy characterization of barium titanate ceramics prepared by the citric route. Residual carbon study . . . C. Miot *et al.* 2388

Atomic force microscopy

Plastic deformation of oxide scales at elevated temperatures . . . Yifan Zhang *et al.* 697
Local cross-sectional profiling of multilayer thin films with an atomic force microscope for layer thickness determination . . . J. R. LaGraff *et al.* 1935

Attrition

Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying . . . L. L. Ye *et al.* 616
Characterization of mechanical nanocrystallization process of amorphous Fe–Mo–Si–B alloy by transmission Mössbauer spectroscopy . . . X. D. Liu *et al.* 681
Amorphization mechanisms of $NiZr_2$ by ball-milling . . . D. Galy *et al.* 688
Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying . . . J. Y. Huang *et al.* 936

Similarities and differences in the microstructure of attritor-milled Fe–Al–N compositions . . . J. C. Rawers *et al.* 947
The synthesis of $NbSi_2$ by mechanical alloying . . . Taiping Lou *et al.* 1172
Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling . . . Anna Corrias *et al.* 2767
Erratum: "Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying" [J. Mater. Res. **12**, 616–618 (1997)] . . . L. L. Ye *et al.* 2815

Auger electron spectroscopy (AES)

Auger valence electron spectra in Ca-silicides . . . S. Abe *et al.* 407

Biomedical materials

Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels . . . Ján Majling *et al.* 198

Bonding

Microstructure and strength of Al-sapphire interface by means of the surface activated bonding method . . . T. Akatsu *et al.* 852
Joining of AlN to Cu using In-base active brazing fillers . . . Dae Huh *et al.* 1048
Bonding behavior of Cu/CuO thick film on a low-firing ceramic substrate . . . Sang-Jin Lee *et al.* 2411

Casting

Microstructure of nitrate polycrystals solidified under ultrasonic vibration . . . Naoya Enomoto *et al.* 371

Catalytic materials

Laser-assisted formation of metallic oxide microtubes . . . László Nánai *et al.* 283
Oxide nanotubes prepared using carbon nanotubes as templates . . . B. C. Satishkumar *et al.* 604
Preparation of TiO_2-based powders with high photocatalytic activities . . . Tomoko Kasuga *et al.* 607
Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder . . . L. E. Depero *et al.* 1376
Superparamagnetic particles in ZSM-5–type ferrisilicates . . . A. López *et al.* 1519
Morphological investigations on mesostructured metal oxides . . . V. Weidenhof *et al.* 1634
Schwertmannite: A unique mineral, contains a replaceable ligand, transforms to jarosites, hematites, and/or basic iron sulfate . . . R. Joseph Barham 2751
Photo-oxidatively self-cleaning transparent titanium dioxide films on soda lime glass: The deleterious effect of sodium contamination and its prevention . . . Y. Paz *et al.* 2759

Ceramics

The crossover of preferred orientation in TiN film growth: A real time x-ray scattering study . . . J. H. Je *et al.* 9
Stabilization of lead lithium iron tungstate with adding barium titanate . . . Chung-Hsin Lu *et al.* 13
Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses . . . F. Malengreau *et al.* 175
Low temperature synthesis of lead titanate by a hydrothermal method . . . Jooho Moon *et al.* 189
Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels . . . Ján Majling *et al.* 198
High temperature strength of silicon nitride ceramics with ytterbium silicon oxynitride . . . Toshiyuki Nishimura *et al.* 203
Residual surface stress by localized contact-creep . . . Sujanto Widjaja *et al.* 210
Excimer laser ablation of aluminum nitride . . . Janet K. Lumpp *et al.* 218
Change of the weak-field properties of $Pb(ZrTi)O_3$ piezoceramics with compressive uniaxial stresses and its links to the effect of dopants on the stability of the polarizations in the materials . . . Q. M. Zhang *et al.* 226
Computer simulations of interactions between ultrafine alumina particles produced by an arc discharge . . . M. H. Teng *et al.* 235
Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia . . . G. Fagherazzi *et al.* 318
Composition of SiCN crystals consisting of a predominantly carbon-nitride network . . . D. M. Bhusari *et al.* 322
Chemical synthesis of a new tin dioxide based (SnO_2 : Co, Al, Nb) varistor . . . P. N. Santhosh *et al.* 326
Analysis of SCS-6 silicon carbide fibers by Fourier transform infrared spectroscopy . . . S. Krishnamurthy 329
Particle aggregation in alumina aerogels . . . S. Keysar *et al.* 430
Modification of the phase transition temperatures in titania doped with various cations . . . R. Rodríguez-Talavera *et al.* 439
Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films . . . R. W. Schwartz *et al.* 444
Determination of displacement vector on 180° domain boundary and polarization arrangements in lead titanate crystals . . . Chen-Chia Chou *et al.* 457
Measurement of solid state diffusion coefficients by a temperature-programmed method . . . Rajat Kapoor *et al.* 467
Linear free energy relationships in solid state diffusion processes . . . Rajat Kapoor *et al.* 474
Superplastic forming of an α-phase rich silicon nitride . . . Tanguy Rouxel *et al.* 480

Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2-11.3 mol % Y_2O_3 . . . P.C. Rivas *et al.* **493**
Interactions between lead oxide and ceramic substrates for thick film technology . . . Massimo Bersani *et al.* **501**
Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition . . . B.W. Lee *et al.* **509**
Ordering and microwave dielectric properties of $Ba(Ni_{1/3}Nb_{1/3})O_3$ ceramics . . . In-Tae Kim *et al.* **518**
Dielectric properties of barium titanium niobates . . . G.L. Roberts *et al.* **526**
Influence of texture on the switching behavior of $Pb(Zr_{0.70}Ti_{0.30})O_3$ sol-gel derived thin films . . . Keith G. Brooks *et al.* **531**
Preparation of epitaxial $La_{1-x}Sr_xMnO_3$ films on $SrTiO_3(001)$ by dipping-pyrolysis process . . . T. Manabe *et al.* **541**
Waveguide refractometry as a probe of thin film optical uniformity . . . B.G. Potter Jr. *et al.* **546**
Gas-phase coating of TiO_2 with SiO_2 in a continuous flow hot-wall aerosol reactor . . . Quint H. Powell *et al.* **552**
Very high pressure sintering of cBN fine particles coated with $TiN-TiB_2$ layer formed by disproportionation reaction in molten salts . . . Haruo Yoshida *et al.* **585**
Coexistence of 1 : 2 and 1 : 1 long-range ordering types in La-modified $Ba(Mg_{0.33}Ta_{0.67})O_3$ ceramics . . . Hyuk-Joon Youn *et al.* **589**
Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces . . . J. Hoffmann *et al.* **593**
Sol-gel derived $Ba(Mg_{1/3}Ta_{2/3})O_3$ thin films: Preparation and structure . . . Ji Zhou *et al.* **596**
Phase transformation in $Sr_{1-x}Ba_xNb_2O_6$ ceramics . . . Xiaoli Wang **600**
High pressure compaction of nanosize ceramic powders . . . M.R. Gallas *et al.* **764**
Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors . . . R. Alexandrescu *et al.* **774**
$SrBi_2Ta_2O_9$ thin films made by liquid source metal-organic chemical vapor deposition . . . Yongfei Zhu *et al.* **783**
Microstructural characterization of a titanium-tungsten oxide gas sensor . . . Matteo Ferroni *et al.* **793**
Extended x-ray absorption fine structure study of incorporation of Bi and Pb atoms into the crystal structure of $Ba_{4.5}Nd_9Ti_{18}O_{54}$ . . . M. Valant *et al.* **799**
Combustion synthesis of Si_3N_4 powder . . . Wei-Chang Lee *et al.* **805**
Effects of electroless nickel plating on resistivity-temperature characteristics of $(Ba_{1-x}Pb_x)TiO_3$ thermistor . . . Chen Wanping *et al.* **877**
Microstructure of ruthenium dioxide films grown on $\alpha-Al_2O_3$ (0001), $\alpha-Al_2O_3$ ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering . . . Q. Wang *et al.* **984**
In situ sputter deposition of $PbTiO_3$ thin films on different substrates: Influence of the growth temperature and the sputtered lead flux on the perovskite phase formation . . . B. Jaber *et al.* **997**
Deposition process and property of silica films containing organic groups from aqueous solution of alkoxides . . . Junrok Oh *et al.* **1008**
Sol-gel synthesis of $LaAlO_3$; Epitaxial growth of $LaAlO_3$ thin films on $SrTiO_3$ (100) . . . Shara S. Shoup *et al.* **1017**
Aging characteristics of a hybrid sol-gel $Pb(Zr,Ti)O_3$ precursor solution . . . Timothy J. Boyle *et al.* **1022**
Electrically controlled flame synthesis of nanophase TiO_2, SiO_2, and SnO_2 powders . . . Srinivas Vemury *et al.* **1031**
A study on the microstructure of preferred orientation of lead zirconate titanate (PZT) thin films . . . Chang Jung Kim *et al.* **1043**
Joining of AlN to Cu using In-base active brazing fillers . . . Dae Huh *et al.* **1048**
High strength, electrically conductive pore-free TiO_2 ceramics made by hot isostatic pressing . . . Yukio Kishi *et al.* **1056**
Adsorption of poly(vinyl butyral) in nonaqueous ferrite suspensions . . . Jau-Ho Jean *et al.* **1062**
Hydrothermal synthesis of heteroepitaxial $Pb(Zr_xTi_{1-x})O_3$ thin films at 90–150 °C . . . A.T. Chien *et al.* **1176**
Domain structure of epitaxial $PbTiO_3$ films grown on vicinal (001) $SrTiO_3$ . . . C.D. Theis *et al.* **1297**
Heteroepitaxial growth of lanthanum aluminate films derived from mixed metal nitrates . . . Man Fai Ng *et al.* **1306**
Phase formation in molybdenum disilicide powders during in-flight induction plasma treatment . . . Xiaobao Fan *et al.* **1315**
Phase-formation kinetics of xerogel and electrical properties of sol-gel-derived $Ba_xSr_{1-x}TiO_3$ thin films . . . Soo-Ik Jang *et al.* **1327**
The ballistic failure mechanisms and sequence in semi-infinite supported alumina tiles . . . Dov Sherman *et al.* **1335**
Crystal structure and microwave dielectric properties of $M(Nb_xTa_{1-x})_2O_6$ solid solution (M = Mg or Zn) . . . Hyo-Jong Lee *et al.* **1437**
A new microwave dielectric ceramics based on the solid solution system between $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ . . . Seo-Yong Cho *et al.* **1558**
Surface reactions of low-energy carbon ions with boron nitride thin films . . . I. Montero *et al.* **1563**
The effect of excess bismuth on the ferroelectric properties of $SrBi_2Ta_2O_9$ thin films . . . Tze-Chiun Chen *et al.* **1569**
Preparation of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films on Pt/RuO_2 double electrode by a new sol-gel route . . . Seung-Hyun Kim *et al.* **1576**

Determination of local high-frequency dielectric function during the cubic-to-tetragonal phase transformation in barium titanate . . . Kalpana S. Katti *et al.* 1582
Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack . . . A. M. Dhote *et al.* 1589
Structure and properties of carbon nitride films synthesized by low energy ion bombardment . . . Xiao-Ming He *et al.* 1595
Mechanism of 1 : 1 nonstoichiometric short-range ordering in La-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics . . . Kyu-Mann Lee *et al.* 1603
Enhanced diffuse phase transition and defect mechanism of Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics . . . Kyu-Mann Lee *et al.* 1614
Influence of substrate annealing on the epitaxial growth of $BaTiO_3$ thin films by metal-organic chemical vapor deposition . . . Cheol Seong Hwang *et al.* 1625
Morphological investigations on mesostructured metal oxides . . . V. Weidenhof *et al.* 1634
Mathematical modeling of cement paste microstructure by mosaic pattern. Part II. Application . . . Paul D. Tennis *et al.* 1741
The effects of the atmosphere on the surface modification of alumina by pulsed-laser-irradiation . . . Siqi Cao *et al.* 1747
Characterization of nanophase titania particles synthesized using *in situ* steric stabilization . . . A. G. Gaynor *et al.* 1755
Radiation-induced phase transformations in $MgAl_2O_4$ spinel . . . Ning Yu *et al.* 1766
On the role of deformation twinning in domain reorganization and grain reorientation in ferroelastic crystals . . . Peter Müllner *et al.* 1771
The effect of ferroelastic coupling in controlling the abnormal aging behavior in lead magnesium niobate-lead titanate relaxor ferroelectrics . . . Q. M. Zhang *et al.* 1777
Secondary phase formation and microstructural development in the interaction between $SrBi_2Ta_2O_9$ films and $Pt/Ti/SiO_2/Si$ substrates . . . Chung-Hsin Lu *et al.* 2104
Mullite precursor I. Characterization of mullite precursor formed by a reaction of monosilicic acid on aluminum hydroxide . . . Takushi Yokoyama *et al.* 2111
$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part I. Pair-correlation theory of order-disorder phase transition . . . Hyun M. Jang *et al.* 2117
$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part II. Short-range order parameter as a criterion of the distinction between relaxor and normal ferroelectrics . . . Su-Chan Kim *et al.* 2127
Characterization of the induced plastic zone in a single crystal TiN(001) film by nanoindentation and transmission electron microscopy . . . Magnus Odén *et al.* 2134
Structural characterization of Fe_3O_4-NiO superlattices using high-resolution transmission electron microscopy . . . A. Rečnik *et al.* 2143
Variations of structure and dielectric properties on substituting A-site cations for Sr^{2+} in $(Na_{1/2}Bi_{1/2})TiO_3$ . . . Seung-Eek Park *et al.* 2152
Effects of (100)-textured $LaNiO_3$ electrode on the deposition and characteristics of $PbTiO_3$ thin films prepared by rf magnetron sputtering . . . Chii-Ming Wu *et al.* 2158
Structure development studies of $SrBi_2(Ta_{1-x}Nb_x)_9$ thin films . . . Tze-Chiun Chen *et al.* 2165
Electrical properties of ultrafine-grained yttria-stabilized zirconia ceramics . . . Shusheng Jiang *et al.* 2374
Thermal diffusivity maps: Case studies in ceramics . . . Lanhua Wei *et al.* 2381
X-ray photoelectron spectroscopy characterization of barium titanate ceramics prepared by the citric route. Residual carbon study . . . C. Miot *et al.* 2388
Characteristics of TiN film deposited on stellite using reactive magnetron sputter ion plating . . . Min-Ku Lee *et al.* 2393
Deposition of mullite and mullite-like coatings on silicon carbide by dual-source metal plasma immersion . . . Othon R. Monteiro *et al.* 2401
Bonding behavior of Cu/CuO thick film on a low-firing ceramic substrate . . . Sang-Jin Lee *et al.* 2411
Carbothermal synthesis of TaC whiskers via a vapor-liquid-solid growth mechanism . . . M. Johnsson *et al.* 2419
Computer simulation of ferroelastic phase transition in $LaNbO_4$ . . . K. Parlinski *et al.* 2428
Analytical electron microscopy of planar faults in SrO-doped $CaTiO_3$ . . . M. Čeh *et al.* 2438
Low temperature synthesis of ultrafine $Pb(Zr, Ti)O_3$ powder by sol-gel combustion . . . J. Schäfer *et al.* 2518
Crystallization of hafnia and zirconia during the pyrolysis of acetate gels . . . Masatomo Yashima *et al.* 2575
Spinel solid solutions in the systems $MgAl_2O_4-ZnAl_2O_4$ and $MgAl_2O_4-Mg_2TiO_4$ . . . M. A. Petrova *et al.* 2584
Phase instability in ZrO_2-NiAl functionally graded materials . . . Yi-Rong He *et al.* 2589
Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. $ZrO_2-2.5$ mole % Y_2O_3 . . . R. Caruso *et al.* 2594
A structural study of amorphous alkoxide-derived lead titanium complexes . . . Barbara Malič *et al.* 2602
Domain structures in $Pb(Zr, Ti)O_3$ and $PbTiO_3$ thin films . . . L. D. Madsen *et al.* 2612
Processing and characterization of lead magnesium tantalate ceramics . . . Mehmet A. Akbas *et al.* 2617
Elastic properties of tetragonal $PbTiO_3$ single crystals by Brillouin scattering . . . A. G. Kalinichev *et al.* 2623
Impedance spectroscopy of $SrBi_2Ta_2O_9$ and $SrBi_2Nb_2O_9$ ceramics correlation with fatigue behavior . . . Tze-Chiun Chen *et al.* 2628
Estimation of Weibull parameter with a modified weight function . . . B. K. Chandrasekhar 2638
On the fluctuation field in multidomain barium hexaferrite particles . . . J. M. González *et al.* 2643

Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$ . . . Yadong Li *et al.* **2648**
Decomposition behavior of $Ln_2Mn_{4/3}W_{2/3}O_7$ (Ln = Eu and Er) in reducing atmosphere and their thermodynamic properties . . . Taroh Atsumi *et al.* **2651**
Reaction path in the magnesium thermite reaction to synthesize titanium diboride . . . V. Sundaram *et al.* **2657**
Strontium and calcium zirconyl citrates as precursors for the low-temperature synthesis of $SrZrO_3$ and $CaZrO_3$ fine powders . . . M. Rajendran *et al.* **2665**
Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)] . . . R. Alexandrescu *et al.* **2815**
$REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors . . . R. Jose *et al.* **2976**
Crystallization behavior and microstructure of lithium-calcium aluminogermanate glasses . . . Moo-Chin Wang **3158**
The standard molar enthalpies of formation of α–Si_3N_4 and β–Si_3N_4 by combustion calorimetry in fluorine, and the enthalpy of the α-to-β transition at the temperature 298.15 K . . . P. A. G. O'Hare *et al.* **3203**
Laser micromachining of Al_2O_3–TiC ceramics . . . V. Oliveira *et al.* **3206**
Preparation of fine-grained MgO and Gd_2O_3 stabilized ZrO_2 thin films by electron beam physical vapor deposition co-evaporation . . . F. Tcheliebou *et al.* **3260**
Microstructure of liquid phase sintered superplastic silicon carbide ceramics . . . Chong-Min Wang *et al.* **3266**
Ultrasound driven aggregation and surface silanol modification in amorphous silica microspheres . . . Sivarajan Ramesh *et al.* **3271**
Hydrothermal synthesis and sintering of nickel and manganese-zinc ferrites . . . Anderson Dias *et al.* **3278**
Preparation and characterization of nanosized zirconium (hydrous) oxide particles . . . Luis A. Pérez-Maqueda *et al.* **3286**
The effect of Cr and La on $MgTiO_3$ and $MgTiO_3$–$CaTiO_3$ microwave dielectric ceramics . . . V. M. Ferreira *et al.* **3293**

Chemical reaction

Preparation and characterization of nanosized zirconium (hydrous) oxide particles . . . Luis A. Pérez-Maqueda *et al.* **3286**

Chemical synthesis

Low temperature synthesis of lead titanate by a hydrothermal method . . . Jooho Moon *et al.* **189**
Chemical synthesis of a new tin dioxide based (SnO_2 : Co, Al, Nb) varistor . . . P. N. Santhosh *et al.* **326**
Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts . . . S. Ayyappan *et al.* **398**
Synthesis of pure amorphous Fe_2O_3 . . . X. Cao *et al.* **402**
Characterization of iron oxide-silica nanocomposites in flames: Part II. Comparison of discrete-sectional model predictions to experimental data . . . Pratim Biswas *et al.* **714**
Hydrothermal synthesis of $PbTiO_3$ films . . . Woo-Seok Cho *et al.* **833**
Deposition process and property of silica films containing organic groups from aqueous solution of alkoxides . . . Junrok Oh *et al.* **1008**
Electrically controlled flame synthesis of nanophase TiO_2, SiO_2, and SnO_2 powders . . . Srinivas Vemury *et al.* **1031**
Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate . . . Anatoly I. Bortun *et al.* **1122**
Synthesis and properties of an aluminum nitride/polyimide nanocomposite prepared by a nonaqueous suspension process . . . Xiaohe Chen *et al.* **1274**
Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder . . . L. E. Depero *et al.* **1376**
Agglomeration of silica spheres under ultrasonication . . . Naoya Enomoto *et al.* **1410**
A novel method for synthesis of carbon nanotubes: Low temperature solid pyrolysis . . . Y. L. Li *et al.* **1678**
Mullite precursor I. Characterization of mullite precursor formed by a reaction of monosilicic acid on aluminum hydroxide . . . Takushi Yokoyama *et al.* **2111**
Crystallization of hafnia and zirconia during the pyrolysis of acetate gels . . . Masatomo Yashima *et al.* **2575**
Reaction path in the magnesium thermite reaction to synthesize titanium diboride . . . V. Sundaram *et al.* **2657**
Strontium and calcium zirconyl citrates as precursors for the low-temperature synthesis of $SrZrO_3$ and $CaZrO_3$ fine powders . . . M. Rajendran *et al.* **2665**
Epitaxial growth of β–SiC thin films on a 6H–SiC substrate using the chemical solution deposition method . . . D. Heimann *et al.* **3099**
Pulsed electrodeposition of diamond-like carbon films . . . Hao Wang *et al.* **3102**
The standard molar enthalpies of formation of α–Si_3N_4 and β–Si_3N_4 by combustion calorimetry in fluorine, and the enthalpy of the α-to-β transition at the temperature 298.15 K . . . P. A. G. O'Hare *et al.* **3203**
Hydrothermal synthesis and sintering of nickel and manganese-zinc ferrites . . . Anderson Dias *et al.* **3278**
In situ formation of $MoSi_2$–SiC through reaction of SiO_2 or Si_3N_4 with Mo and carbon . . . R. V. Krishnarao *et al.* **3322**

A novel polymer electrolyte based on oligo(ethylene glycol) 600, K_2PdCl_4, and $K_3Fe(CN)_6$ . . . . . Vito Di Noto 3393

Chemical vapor deposition (CVD)

Comparison of C_2F_6 and FASi-4 as fluorine dopant sources in plasma enhanced chemical vapor deposited fluorinated silica glass films . . . . . Woo Sik Yoo *et al.* 70
Composition of SiCN crystals consisting of a predominantly carbon-nitride network . . . . . D. M. Bhusari *et al.* 322
Gas-phase coating of TiO_2 with SiO_2 in a continuous flow hot-wall aerosol reactor . . . . . Quint H. Powell *et al.* 552
Evidence of critical scaling behavior during vapor phase synthesis of continuous filament composites . . . . . J. H. Kinney *et al.* 610
Enhanced nucleation density of chemical vapor deposition diamonds by using interlayer . . . . . J. J. Lee *et al.* 657
Model of chemical vapor infiltration using temperature gradients . . . . . Daniel J. Skamser *et al.* 724
Surface composites: A new class of engineered materials . . . . . Rajiv Singh *et al.* 769
Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors . . . . . R. Alexandrescu *et al.* 774
Momentum and thermal boundary-layer thickness in a stagnation flow chemical vapor deposition reactor . . . . . David S. Dandy *et al.* 1112
Electrical and structural properties of $SrTiO_3$ thin films deposited by plasma-enhanced metalorganic chemical vapor deposition . . . . . Nam-Kyeong Kim *et al.* 1160
Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition . . . . . Bruce J. Hinds *et al.* 1214
Optimizing diamond growth for an atmospheric oxyacetylene torch . . . . . Lua'y A. Zeatoun *et al.* 1237
Hot filament assisted diamond growth at low temperatures with oxygen addition . . . . . Z. Li Tolt *et al.* 1344
Nucleation and growth of oriented diamond on Si(100) by bias-assisted chemical vapor deposition . . . . . Mikka Nishitani-Gamo *et al.* 1351
Thermodynamic coupling effect and catalyst effect for the artificial diamond growth . . . . . Ji-Tao Wang *et al.* 1530
Influence of substrate annealing on the epitaxial growth of $BaTiO_3$ thin films by metal-organic chemical vapor deposition . . . . . Cheol Seong Hwang *et al.* 1625
Preparation of semiconductive $SrTiO_3$ thin films by metal-organic chemical vapor deposition and their electrical properties . . . . . Daisuke Nagano *et al.* 1655
Photochemical depassivation of hydrogenated (100) nitrogen surface of cubic boron nitride . . . . . Shojiro Komatsu 1675
Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature . . . . . L. Filipozzi *et al.* 1711
Development of flat, smooth (100) faceted diamond thin films using microwave plasma chemical vapor deposition . . . . . Andrew L. Yee *et al.* 1796
The influence of total pressure in the reactor and carrier gas on the chemical vapor deposition of Al from tri-isobutyl aluminum . . . . . Takakazu Suzuki 1866
A simple technique for measuring the adhesion of brittle films to ductile substrates with application to diamond-coated titanium . . . . . Joost J. Vlassak *et al.* 1900
Low energy ion impact-enhanced growth of cubic boron nitride in a supersonic nitrogen/argon plasma flow . . . . . D. H. Berns *et al.* 2014
Synthesis and magnetic properties of nanostructured maghemite . . . . . D. Vollath *et al.* 2175
A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition . . . . . L. Fayette *et al.* 2686
In situ mass spectrometry during diamond chemical vapor deposition using a low pressure flat flame . . . . . C. A. Wolden *et al.* 2733
Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)] . . . . . R. Alexandrescu *et al.* 2815
Calculated phase diagrams for activated low pressure diamond growth from C–H, C–O, and C–H–O systems . . . . . Ji-Tao Wang *et al.* 3250
Insights into the ion-assisted nucleation of diamond on silicon . . . . . Sean P. McGinnis *et al.* 3354
Diamond nucleation on smooth Si_3N_4-coated substrate . . . . . Ning Xu *et al.* 3373

Coating

Micromechanical and tribological characterization of doped single-crystal silicon and polysilicon films for microelectromechanical systems . . . . . Bharat Bhushan *et al.* 54
X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method . . . . . S. Santucci *et al.* 100
Gas-phase coating of TiO_2 with SiO_2 in a continuous flow hot-wall aerosol reactor . . . . . Quint H. Powell *et al.* 552
Momentum and thermal boundary-layer thickness in a stagnation flow chemical vapor deposition reactor . . . . . David S. Dandy *et al.* 1112
The origin of an anomalous, low 2θ peak in x-ray diffraction spectra of MoS_2 films grown by ion beam assisted deposition . . . . . D. N. Dunn *et al.* 1191
Thermal wave imaging of indented diamond coated WC . . . . . Albert Feldman 1911

Contact area evolution during an indentation process . . . Kangjie Li *et al.* 2064
Deposition of mullite and mullite-like coatings on silicon carbide by dual-source metal plasma immersion . . . Othon R. Monteiro *et al.* 2401
Friction and wear performance of diamond-like carbon, boron carbide, and titanium carbide coatings against glass . . . B. K. Daniels *et al.* 2485
Photo-oxidatively self-cleaning transparent titanium dioxide films on soda lime glass: The deleterious effect of sodium contamination and its prevention . . . Y. Paz *et al.* 2759

Cold working

Solid-state mechanical alloying of plastic crystals . . . J. Font *et al.* 3254

Composites

Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation . . . C. K. H. Wong *et al.* 106
Copper-boron nitride interaction in hot-pressed ceramics . . . Milan Hubáček *et al.* 113
Epitaxial dependence of the melting behavior of In nanoparticles embedded in Al matrices . . . H. W. Sheng *et al.* 119
Synthesis, structure, and gas sensitivity properties of SnO_2–CuO mixture phase obtained by pyrolysis of an aerosol . . . J. Román *et al.* 560
New microstructural model of polymer-ceramic nanocomposite materials . . . C. E. Becze *et al.* 566
Evidence of critical scaling behavior during vapor phase synthesis of continuous filament composites . . . J. H. Kinney *et al.* 610
Carbon nanotubes grown *in situ* by a novel catalytic method . . . A. Peigney *et al.* 613
SiC (SCS-6) fiber reinforced-reaction formed SiC matrix composites: Microstructure and interfacial properties . . . M. Singh *et al.* 706
Characterization of iron oxide-silica nanocomposites in flames: Part II. Comparison of discrete-sectional model predictions to experimental data . . . Pratim Biswas *et al.* 714
Model of chemical vapor infiltration using temperature gradients . . . Daniel J. Skamser *et al.* 724
Effect of Mo microstructure on the critical volume fraction for conduction in Mo-alumina cermets . . . J. F. Kelso *et al.* 738
Chemical vapor deposited SiC (SCS-0) fiber-reinforced strontium aluminosilicate glass-ceramic composites . . . Narottam P. Bansal 745
Role of matrix microstructure in the ultrasonic characterization of fiber-reinforced metal matrix composites . . . S. Krishnamurthy *et al.* 754
Surface composites: A new class of engineered materials . . . Rajiv Singh *et al.* 769
Magnetic properties of graphitically encapsulated nickel nanocrystals . . . J.-H. Hwang *et al.* 1076
Investigation of NiAl–TiB_2 *in situ* composites . . . J. T. Guo *et al.* 1083
Optically transparent polymethyl methacrylate composites made with glass fibers of varying refractive index . . . Seunggu Kang *et al.* 1091
Fatigue of *in situ* reinforced Ti–8.5Al–1B–1Si . . . S. Rangarajan *et al.* 1102
The syntheses of SiC_p/Al nanocomposites under high pressure . . . Haozhe Liu *et al.* 1187
Graphite encapsulated nanocrystals produced using a low carbon : metal ratio . . . Jonathon J. Host *et al.* 1268
Synthesis and properties of an aluminum nitride/polyimide nanocomposite prepared by a nonaqueous suspension process . . . Xiaohe Chen *et al.* 1274
Evaluation of a porous fiber coating in SiC–Si_3N_4 minicomposite . . . Linus U. J. T. Ogbuji 1287
Material characterization in support of the development of an anode substrate for solid oxide fuel cells . . . D. Simwonis *et al.* 1508
Aluminothermic reaction path in the synthesis of a TiB_2–Al_2O_3 composite . . . V. Sundaram *et al.* 1681
Liquid-exchange processing and properties of SiC–Al composites . . . Leszek Hozer *et al.* 1785
High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates . . . L. G. Yu *et al.* 1790
The influence of binders on interfacial failure in sapphire fiber-reinforced NiAl composites . . . Jeffrey I. Eldridge *et al.* 2191
High refractive index materials of iron sulfides and poly(ethylene oxide) . . . Tasoula Kyprianidou-Leodidou *et al.* 2198
Propagation of acoustic waves in periodic and random two-dimensional composite media . . . J. O. Vasseur *et al.* 2207
Critical assessments of accommodation process by liquid phase for superplastic flow in Si_3N_4/Al–Mg–Si metal matrix composites . . . Mamoru Mabuchi *et al.* 2332
Fabrication of multilaminated Si_3N_4–Si_3N_4/TiN composites and its anisotropic fracture behavior . . . Jow-Lay Huang *et al.* 2337
A study of the frequency dependence of the dielectrophoretic effect in thermoset polymers . . . C. P. Bowen *et al.* 2345
Investigation of Si_3N_4–TiN/Si_3N_4–Si_3N_4 trilayer composites with residual surface compression . . . Jow-Lay Huang *et al.* 2357
Melt-infiltration processing of TiC/Ni_3Al composites . . . K. P. Plucknett *et al.* 2515
Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling . . . Anna Corrias *et al.* 2767

Studies on age-hardening characteristics of ceramic particle/matrix interfaces in Al–Cu–SiC_p composites using ultra low-load-dynamic microhardness measurements . . . B. Dutta *et al.* **2773**
Growth and characterization of semiconductor nanoparticles in porous sol-gel films . . . E. J. C. Dawnay *et al.* **3115**
Supercritical fluid infusion of silver into polyimide films of varying chemical composition . . . J. Rosolovsky *et al.* **3127**
New hybrid nanocomposites based on an organophilic clay and poly(styrene-*b*-butadiene) copolymers . . . Michele Laus *et al.* **3134**
Simulation of nacre with TiN/Pt multilayers and a study of their hardness . . . J. L. He *et al.* **3140**
Colloidal processing and mechanical properties of silicon carbide with alumina . . . Yoshihiro Hirata *et al.* **3146**
Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)] . . . L. G. Yu *et al.* **3182**
Alumina platelet reinforced reaction bonded aluminum oxide composites: Textured and random . . . Linan An *et al.* **3300**
Failure behavior of alumina and alumina/silicon carbide nanocomposites with natural and artificial flaws . . . F. Meschke *et al.* **3307**
Ag : Sb and Sb : Ag implantations into high purity silica . . . T. S. Anderson *et al.* **3316**
In situ formation of $MoSi_2$–SiC through reaction of SiO_2 or Si_3N_4 with Mo and carbon . . . R. V. Krishnarao *et al.* **3322**
A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters . . . B. R. Elliott *et al.* **3328**

Compound semiconductors

Chemical stability of $CuInS_2$ in oxygen at 298 K . . . J. Grzanna *et al.* **355**
Vacancy structures on the GaN(0001) surface . . . William E. Packard *et al.* **646**
Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films . . . P. K. Nair *et al.* **651**
Growth of $CuInSe_2$ crystals in Cu-rich Cu–In–Se thin films . . . Takahiro Wada *et al.* **1456**
Photochemical depassivation of hydrogenated (100) nitrogen surface of cubic boron nitride . . . Shojiro Komatsu **1675**
Defect annealing in ion implanted silicon carbide . . . L. Calcagno *et al.* **1727**
Low energy ion impact-enhanced growth of cubic boron nitride in a supersonic nitrogen/argon plasma flow . . . D. H. Berns *et al.* **2014**
Microstructure, electrical properties, and thermal stability of Au-based ohmic contacts to *p*-GaN . . . L. L. Smith *et al.* **2249**
Growth of nanocrystalline PbS within a glass . . . M. Mukherjee *et al.* **2507**
Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method . . . Masayuki Hayashi *et al.* **2552**
Epitaxial growth of β–SiC thin films on a 6H–SiC substrate using the chemical solution deposition method . . . D. Heimann *et al.* **3099**

Computer simulation

Oxygen content and inhomogeneity effects on the electrical properties of $YBa_2Cu_3O_y$ thin films . . . R. Aguiar *et al.* **47**
Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics . . . D. Farkas *et al.* **93**
Chemical stability of $CuInS_2$ in oxygen at 298 K . . . J. Grzanna *et al.* **355**
An analysis for geometrical effects on the cooling performance of $(Bi, Sb)_2Te_3$/$Bi_2(Te, Se)_3$-based thin film thermoelectric modules . . . Il-Ho Kim *et al.* **423**
Momentum and thermal boundary-layer thickness in a stagnation flow chemical vapor deposition reactor . . . David S. Dandy *et al.* **1112**
Impact of boundary nucleation on product grain size distribution . . . W. S. Tong *et al.* **1501**
Mathematical modeling of cement paste microstructure by mosaic pattern. Part II. Application . . . Paul D. Tennis *et al.* **1741**
Thermal stresses in multilevel interconnections: Aluminum lines at different levels . . . Y-L. Shen **2219**
Domain pattern formation in ferroelastic $Pb_3(PO_4)_2$ by computer simulation . . . K. Parlinski *et al.* **2366**
Computer simulation of ferroelastic phase transition in $LaNbO_4$ . . . K. Parlinski *et al.* **2428**
Determination of Young's modulus by spherical indentation . . . N. Huber *et al.* **2459**
Shear faults and dislocation core structures in B2 CoAl . . . C. Vailhé *et al.* **2559**
Does the shear-lag model apply to random fiber networks? . . . V. I. Räisänen *et al.* **2725**
Doping high T_c superconductors with oxygen and metallic atoms: A molecular dynamics study . . . Erich Stoll *et al.* **2901**
Insights into the ion-assisted nucleation of diamond on silicon . . . Sean P. McGinnis *et al.* **3354**

Conductors, metallic

Metallization schemes for dielectric thin film capacitors . . . H. N. Al-Shareef *et al.* **347**

Conductive $LaNiO_3$ electrode grown by pulsed laser ablation on Si substrate . . . . . Li Sun *et al.* **931**
Quantitative analysis of electromigration damage in Al-based conductor lines . . . . . O. Kraft *et al.* **2027**
Void nucleation on a contaminated patch . . . . . B. M. Clemens *et al.* **2038**
Microwave assisted synthesis of technologically important transition metal silicides . . . . . B. Vaidhyanathan *et al.* **3225**

Conductors, transparent

Anomalous behavior of the optical band gap of nanocrystalline zinc oxide thin films . . . . . V. Srikant *et al.* **1425**

Corrosion

Materials reliability issues with coaxial cable systems for the information superhighway . . . . . R. B. Comizzoli *et al.* **857**
Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4 . . . . . J. H. Booske *et al.* **1356**
Resistance of plasma-deposited *a*-C : H/fluorocarbon films to anodic breakdown in aqueous electrolytes . . . . . C. Srividya *et al.* **2099**
Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system . . . . . Jagdish Prasad *et al.* **3241**

Crystal

The characterization of strain, impurity content, and crush strength of synthetic diamond crystals . . . . . Terri L. McCormick *et al.* **253**
Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors . . . . . M. Kambara *et al.* **2873**
Diffusion model for the crystal growth of $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ by the top seeded crystal pulling method . . . . . Minoru Tagami *et al.* **2880**

Crystal (single)

Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts . . . . . S. Honjo *et al.* **880**
Growth and structures of C_{60} shells . . . . . H. Sakuma *et al.* **1545**
Unidirectional partial melting and solidification of SmBCO superconductor . . . . . M. Sumida *et al.* **1979**
Domain pattern formation in ferroelastic $Pb_3(PO_4)_2$ by computer simulation . . . . . K. Parlinski *et al.* **2366**
Determination of equilibrium cations for the $KTiOPO_4$ structure . . . . . Valery I. Chani *et al.* **2470**
Fabrication of NdBCO single crystal oxide superconductor with enhanced superconductive properties . . . . . M. Kambara *et al.* **2866**
A study on magnesium diffusion into $LiNbO_3$ single crystal by x-ray diffraction, differential thermal analysis, and scanning electron microscopy . . . . . Wenxiu Que *et al.* **3380**

Crystal growth

Growth of high-quality $Bi_2Sr_2CaCu_2O_z$ crystal and characterization . . . . . H. Faqir *et al.* **2522**
Surface nucleation, domain growth mechanisms, and factors dominating superconducting properties in seeded melt grown $YBa_2Cu_3O_x$ . . . . . Donglu Shi *et al.* **3036**

Crystallographic structure

Stabilization of lead lithium iron tungstate with adding barium titanate . . . . . Chung-Hsin Lu *et al.* **13**
Short-range ordering of Cu_3Au above T_c in the topmost 80 A of a (001) face . . . . . M. Kimura *et al.* **75**
Structural properties of molecular beam epitaxy grown Ni/Pt superlattices . . . . . W. Staiger *et al.* **161**
Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia . . . . . G. Fagherazzi *et al.* **318**
Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope . . . . . J. F. Mao *et al.* **377**
Determination of displacement vector on 180° domain boundary and polarization arrangements in lead titanate crystals . . . . . Chen-Chia Chou *et al.* **457**
Crystallographic structure of S' precipitates in Al–Li–Cu–Mg alloys . . . . . J. I. Pérez-Landazábal *et al.* **577**
Coexistence of 1 : 2 and 1 : 1 long-range ordering types in La-modified $Ba(Mg_{0.33}Ta_{0.67})O_3$ ceramics . . . . . Hyuk-Joon Youn *et al.* **589**
Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces . . . . . J. Hoffmann *et al.* **593**
Extended x-ray absorption fine structure study of incorporation of Bi and Pb atoms into the crystal structure of $Ba_{4.5}Nd_9Ti_{18}O_{54}$ . . . . . M. Valant *et al.* **799**
Microstructure and strength of Al-sapphire interface by means of the surface activated bonding method . . . . . T. Akatsu *et al.* **852**
Microstructure of ruthenium dioxide films grown on $\alpha-Al_2O_3$ (0001), $\alpha-Al_2O_3$ ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering . . . . . Q. Wang *et al.* **984**
In situ sputter deposition of $PbTiO_3$ thin films on different substrates: Influence of the growth temperature and the sputtered lead flux on the perovskite phase formation . . . . . B. Jaber *et al.* **997**
Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics . . . . . Kui Yao *et al.* **1131**
Preparation of epitaxial $BaTiO_3$ thin films by the dipping-pyrolysis process . . . . . S. Kim *et al.* **1141**
Single crystal growth of cuprates from hydroxide fluxes . . . . . S. A. Sunshine *et al.* **1210**
Effect of lattice mismatch on the epitaxy of sol-gel $LiNbO_3$ thin films . . . . . T. A. Derouin *et al.* **1391**
Growth and structures of C_{60} shells . . . . . H. Sakuma *et al.* **1545**
Investigation of growth conditions of fibrous deposits in carbon arc . . . . . P. Byszewski *et al.* **1551**
Growth of Ti thin films on sapphire substrates . . . . . S. Rao Peddada *et al.* **1856**

	The growth of decagonal Al–Co–Ni single crystals as a function of chemical composition	B. Zhang *et al.*	2274
	Determination of equilibrium cations for the $KTiOPO_4$ structure	Valery I. Chani *et al.*	2470
	Phase indentification and superconductivity transitions in Sr-doped $Pr_{1.85}Ce_{0.15}CuO_{4+\delta}$	A. Varela *et al.*	2526
	Structural studies of diamond thin films grown from dc arc plasma	L. C. Nistor *et al.*	2533
	Synthesis and properties of Tl–Ba–Ca–Cu–O Superconductors	M. P. Siegal *et al.*	2825
	$REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors	R. Jose *et al.*	2976
	Structural characterization of sputter-deposited $LaNiO_3$ thin films on Si substrate by x-ray reflectivity and diffraction	Hsin-Yi Lee *et al.*	3165
	Preparation of fine-grained MgO and Gd_2O_3 stabilized ZrO_2 thin films by electron beam physical vapor deposition co-evaporation	F. Tcheliebou *et al.*	3260
Czochralski growth	Fabrication of NdBCO single crystal oxide superconductor with enhanced superconductive properties	M. Kambara *et al.*	2866
	Diffusion model for the crystal growth of $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ by the top seeded crystal pulling method	Minoru Tagami *et al.*	2880
	Czochralski growth of Yb^{3+} and Pr^{3+} doped Ca-fluoroapatite	A. Caprez *et al.*	3210
Defects	The characterization of strain, impurity content, and crush strength of synthetic diamond crystals	Terri L. McCormick *et al.*	253
	Deformation-induced planar defects in Al–Cu–Fe quasicrystals	J. E. Shield *et al.*	300
	The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon	K. Schonenberg *et al.*	364
	Vacancy structures on the GaN(0001) surface	William E. Packard *et al.*	646
	The origin of an anomalous, low 2θ peak in x-ray diffraction spectra of MoS_2 films grown by ion beam assisted deposition	D. N. Dunn *et al.*	1191
	On the role of deformation twinning in domain reorganization and grain reorientation in ferroelastic crystals	Peter Müllner *et al.*	1771
	Void nucleation on a contaminated patch	B. M. Clemens *et al.*	2038
	Analytical electron microscopy of planar faults in SrO-doped $CaTiO_3$	M. Čeh *et al.*	2438
	Shear faults and dislocation core structures in B2 CoAl	C. Vailhé *et al.*	2559
Dielectric properties	Enhanced diffuse phase transition and defect mechanism of Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics	Kyu-Mann Lee *et al.*	1614
	Compensation phenomena in oil-resin mixtures: A new dielectric approach to percolative processes	O. Pagés *et al.*	2784
Differential scanning calorimetry (DSC)	Crystallization mechanisms of some $Se_{100-x}Te_x$ glassy alloys	Y. Calventus *et al.*	1069
Differential thermal analysis (DTA)	Aluminothermic reaction path in the synthesis of a $TiB_2–Al_2O_3$ composite	V. Sundaram *et al.*	1681
	Glass transformation, heat capacity, and structure of Ge_xSe_{100-x} glasses studied by temperature-modulated differential scanning calorimetry experiments	T. Wagner *et al.*	1892
	Reaction path in the magnesium thermite reaction to synthesize titanium diboride	V. Sundaram *et al.*	2657
Diffusion	Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer	C. Cabral Jr. *et al.*	304
	Measurement of solid state diffusion coefficients by a temperature-programmed method	Rajat Kapoor *et al.*	467
	Interactions between lead oxide and ceramic substrates for thick film technology	Massimo Bersani *et al.*	501
	Boron diffusion into diamond under electric bias	T. Sung *et al.*	1169
	Modeling of peritectic $YBa_2Cu_3O_{7-x}$ growth using transparent organic analogues	R. Terborg *et al.*	2002
	Annealing induced interdiffusion and crystallization in sputtered amorphous Si/Ge multilayers	Zs. Czigány *et al.*	2255
	Thermal diffusivity maps: Case studies in ceramics	Lanhua Wei *et al.*	2381
	An alternative analysis of water vapor and gas transport in polyimide films	H. Ouyang *et al.*	2794
	Interdiffusions and reactions in Cu/TiN/Ti/Si and Cu/TiN/Ti/SiO_2/Si multilayer structures	Sa-Kyun Rha *et al.*	3367
	A study on magnesium diffusion into $LiNbO_3$ single crystal by x-ray diffraction, differential thermal analysis, and scanning electron microscopy	Wenxiu Que *et al.*	3380
Directional freezing	Precipitate size refinement by CeO_2 and Y_2BaCuO_5 additions in directionally solidified $YBa_2Cu_3O_7$	N. Vilalta *et al.*	38
	Chemical analysis in $YBa_2Cu_3O_{7-x}$ melt-textured samples	F. J. Gotor *et al.*	338

Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials . . . J. A. Alarco *et al.* 624
Unidirectional partial melting and solidification of SmBCO superconductor . . . M. Sumida *et al.* 1979
Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applications . . . Wai Lo *et al.* 2889
Directional solidification by appropriate chemically active single crystal seed: An alternative way of generating large superconducting 123 single domain . . . R. Cloots *et al.* 3199

Ductility

Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics . . . D. Farkas *et al.* 93

Elastic properties

Influence of powder characteristics on the properties of green compacts of Bi-2212 powders . . . D.-W. Yuan *et al.* 21
Anharmonicity in metals from the universal energy equation . . . L. A. Girifalco *et al.* 311
Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy . . . A. Rodríguez *et al.* 1698
Percolative composite model for prediction of the properties of nanocrystalline materials . . . Rachman Chaim 1828
Neural net formulations for organically modified, hydrophobic silica aerogel . . . David Noever *et al.* 1837
Determination of elastic modulus of thin layers using nanoindentation . . . J. Menčík *et al.* 2475
Thermal stresses in carbon-coated optical fibers at low temperature . . . Sham-Tsong Shiue *et al.* 2493
Elastic properties of tetragonal $PbTiO_3$ single crystals by Brillouin scattering . . . A. G. Kalinichev *et al.* 2623
Does the shear-lag model apply to random fiber networks? . . . V. I. Räisänen *et al.* 2725
Equation of state of polycrystalline $Ni_{50}Al_{50}$ . . . J. W. Otto *et al.* 3106

Electrical materials

Coexistence of 1 : 2 and 1 : 1 long-range ordering types in La-modified $Ba(Mg_{0.33}Ta_{0.67})O_3$ ceramics . . . Hyuk-Joon Youn *et al.* 589
Microstructural characterization of a titanium-tungsten oxide gas sensor . . . Matteo Ferroni *et al.* 793
A study on the microstructure of preferred orientation of lead zirconate titanate (PZT) thin films . . . Chang Jung Kim *et al.* 1043
Electrical and structural properties of $SrTiO_3$ thin films deposited by plasma-enhanced metalorganic chemical vapor deposition . . . Nam-Kyeong Kim *et al.* 1160
Phase-formation kinetics of xerogel and electrical properties of sol-gel-derived $Ba_xSr_{1-x}TiO_3$ thin films . . . Soo-Ik Jang *et al.* 1327
Enhanced diffuse phase transition and defect mechanism of Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics . . . Kyu-Mann Lee *et al.* 1614
Formation of single-crystal $CoSi_2$ buffer layers on Si(100) substrates by high dose Co ion implantation for the deposition of $YBa_2Cu_3O_{7-x}$ thin films . . . Yijie Li *et al.* 2072
Variations of structure and dielectric properties on substituting A-site cations for Sr^{2+} in $(Na_{1/2}Bi_{1/2})TiO_3$ . . . Seung-Eek Park *et al.* 2152
Effect of rate controlled sintering on microstructure and electrical properties of ZnO doped with bismuth and antimony oxides . . . Gaurav Agarwal *et al.* 2447
Low temperature synthesis of ultrafine $Pb(Zr, Ti)O_3$ powder by sol-gel combustion . . . J. Schäfer *et al.* 2518
Structural characterization of sputter-deposited $LaNiO_3$ thin films on Si substrate by x-ray reflectivity and diffraction . . . Hsin-Yi Lee *et al.* 3165

Electrical properties

Electroluminescence from amorphous-silicon-based switching devices . . . V. A. Kuznetsov *et al.* 17
Oxygen content and inhomogeneity effects on the electrical properties of $YBa_2Cu_3O_y$ thin films . . . R. Aguiar *et al.* 47
Change of the weak-field properties of $Pb(ZrTi)O_3$ piezoceramics with compressive uniaxial stresses and its links to the effect of dopants on the stability of the polarizations in the materials . . . Q. M. Zhang *et al.* 226
Periodic fluctuation of Ba/Nd ratio in single crystals of high-J_c $NdBa_2Cu_3O_{7-\delta}$ superconductor . . . Tsukasa Hirayama *et al.* 293
The oxygen deficiency effect of VO_2 thin films prepared by laser ablation . . . M. Nagashima *et al.* 416
An analysis for geometrical effects on the cooling performance of $(Bi, Sb)_2Te_3$/$Bi_2(Te, Se)_3$-based thin film thermoelectric modules . . . Il-Ho Kim *et al.* 423
Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition . . . B. W. Lee *et al.* 509
Ordering and microwave dielectric properties of $Ba(Ni_{1/3}Nb_{1/3})O_3$ ceramics . . . In-Tae Kim *et al.* 518
Dielectric properties of barium titanium niobates . . . G. L. Roberts *et al.* 526
Influence of texture on the switching behavior of $Pb(Zr_{0.70}Ti_{0.30})O_3$ sol-gel derived thin films . . . Keith G. Brooks *et al.* 531
Preparation of epitaxial $La_{1-x}Sr_xMnO_3$ films on $SrTiO_3(001)$ by dipping-pyrolysis process . . . T. Manabe *et al.* 541
Synthesis, structure, and gas sensitivity properties of SnO_2–CuO mixture phase obtained by pyrolysis of an aerosol . . . J. Román *et al.* 560
Growth of (11*n*) oriented Bi–Ca–Sr–Cu–O films by liquid phase epitaxial method . . . K. K. Raina *et al.* 636

Effect of Mo microstructure on the critical volume fraction for conduction in Mo-alumina cermets . . . J. F. Kelso *et al.* 738
$SrBi_2Ta_2O_9$ thin films made by liquid source metal-organic chemical vapor deposition . . . Yongfei Zhu *et al.* 783
Effects of electroless nickel plating on resistivity-temperature characteristics of $(Ba_{1-x}Pb_x)TiO_3$ thermistor . . . Chen Wanping *et al.* 877
Conductive $LaNiO_3$ electrode grown by pulsed laser ablation on Si substrate . . . Li Sun *et al.* 931
Direct current electrical conductivity of Versicon™ blended in poly(vinyl chloride) . . . Rodney Speel *et al.* 1183
Pulsed laser deposition and characterization of conductive RuO_2 thin films . . . A. Iembo *et al.* 1433
Crystal structure and microwave dielectric properties of $M(Nb_xTa_{1-x})_2O_6$ solid solution (M = Mg or Zn) . . . Hyo-Jong Lee *et al.* 1437
A new microwave dielectric ceramics based on the solid solution system between $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ . . . Seo-Yong Cho *et al.* 1558
The effect of excess bismuth on the ferroelectric properties of $SrBi_2Ta_2O_9$ thin films . . . Tze-Chiun Chen *et al.* 1569
Preparation of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films on Pt/RuO_2 double electrode by a new sol-gel route . . . Seung-Hyun Kim *et al.* 1576
Determination of local high-frequency dielectric function during the cubic-to-tetragonal phase transformation in barium titanate . . . Kalpana S. Katti *et al.* 1582
Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack . . . A. M. Dhote *et al.* 1589
Mechanism of 1 : 1 nonstoichiometric short-range ordering in La-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics . . . Kyu-Mann Lee *et al.* 1603
Preparation of semiconductive $SrTiO_3$ thin films by metal-organic chemical vapor deposition and their electrical properties . . . Daisuke Nagano *et al.* 1655
Polyimide degradation induced by irradiation with N^+ ions . . . V. Švorčík *et al.* 1661
Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature . . . L. Filipozzi *et al.* 1711
The effect of ferroelastic coupling in controlling the abnormal aging behavior in lead magnesium niobate-lead titanate relaxor ferroelectrics . . . Q. M. Zhang *et al.* 1777
Effects of (100)-textured $LaNiO_3$ electrode on the deposition and characteristics of $PbTiO_3$ thin films prepared by rf magnetron sputtering . . . Chii-Ming Wu *et al.* 2158
Microstructure, electrical properties, and thermal stability of Au-based ohmic contacts to *p*-GaN . . . L. L. Smith *et al.* 2249
Electrical and microstructural characteristics of Ge/Cu ohmic contacts to *n*-type GaAs . . . M. O. Aboelfotoh *et al.* 2325
A study of the frequency dependence of the dielectrophoretic effect in thermoset polymers . . . C. P. Bowen *et al.* 2345
Electrical properties of ultrafine-grained yttria-stabilized zirconia ceramics . . . Shusheng Jiang *et al.* 2374
Growth of nanocrystalline PbS within a glass . . . M. Mukherjee *et al.* 2507
Impedance spectroscopy of $SrBi_2Ta_2O_9$ and $SrBi_2Nb_2O_9$ ceramics correlation with fatigue behavior . . . Tze-Chiun Chen *et al.* 2628
Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$ . . . Yadong Li *et al.* 2648
Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire . . . A. Goyal *et al.* 2924
Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition . . . S. R. Foltyn *et al.* 2941
$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules . . . S. Afonso *et al.* 2947
Nanostructured high-temperature superconductors: Creation of strong-pinning columnar defects in nanorod/superconductor composites . . . Peidong Yang *et al.* 2981
Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate . . . J. A. Parrell *et al.* 2997
Losses in ac of BSCCO-2223 superconducting monofilament and multifilament tapes at power frequencies . . . S. Mench *et al.* 3085
Superconducting properties and structural stability of $Bi_2Sr_2CaCu_2O_{8+\delta}$ compound prepared by electrochemical reduction in protogenic electrolyte . . . Motohide Matsuda *et al.* 3214
A novel polymer electrolyte based on oligo(ethylene glycol) 600, K_2PdCl_4, and $K_3Fe(CN)_6$ . . . Vito Di Noto 3393

Electrochemical processing

Superconducting properties and structural stability of $Bi_2Sr_2CaCu_2O_{8+\delta}$ compound prepared by electrochemical reduction in protogenic electrolyte . . . Motohide Matsuda *et al.* 3214

Electrochemical synthesis

Investigation of the novel charge transfer complex Cd-*TCNQ* . . . A. Arena *et al.* 1693

Electromigration

Quantitative analysis of electromigration damage in Al-based conductor lines . . . O. Kraft *et al.* 2027

Electron irradiation

Electron-irradiation-induced nucleation and growth in amorphous $LaPO_4$, $ScPO_4$, and zircon . . . A. Meldrum *et al.* 1816

Electronic materials

Stabilization of lead lithium iron tungstate with adding barium titanate . . . . . Chung-Hsin Lu *et al.* 13
Electroluminescence from amorphous-silicon-based switching devices . . . . . V. A. Kuznetsov *et al.* 17
Low-load indentation behavior of HfN thin films deposited by reactive rf sputtering . . . . . R. Nowak *et al.* 64
X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method . . . . . S. Santucci *et al.* 100
Excimer laser ablation of aluminum nitride . . . . . Janet K. Lumpp *et al.* 218
Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer . . . . . C. Cabral Jr. *et al.* 304
Chemical synthesis of a new tin dioxide based (SnO_2 : Co, Al, Nb) varistor . . . . . P. N. Santhosh *et al.* 326
Metallization schemes for dielectric thin film capacitors . . . . . H. N. Al-Shareef *et al.* 347
Selective chemical etching of hexagonal boron nitride compared to cubic boron nitride . . . . . Stephen J. Harris *et al.* 412
Interactions between lead oxide and ceramic substrates for thick film technology . . . . . Massimo Bersani *et al.* 501
Ordering and microwave dielectric properties of $Ba(Ni_{1/3}Nb_{1/3})O_3$ ceramics . . . . . In-Tae Kim *et al.* 518
Synthesis, structure, and gas sensitivity properties of SnO_2–CuO mixture phase obtained by pyrolysis of an aerosol . . . . . J. Román *et al.* 560
Role of antimony sulfide buffer layers in the growth of ferroelectric antimony sulfo-iodide thin films . . . . . N. Solayappan *et al.* 825
Hydrothermal synthesis of $PbTiO_3$ films . . . . . Woo-Seok Cho *et al.* 833
A four-point bending technique for studying subcritical crack growth in thin films and at interfaces . . . . . Qing Ma 840
Investigation of the interface reactions of Ti thin films with AlN substrate . . . . . Xiangjun He *et al.* 846
Materials reliability issues with coaxial cable systems for the information superhighway . . . . . R. B. Comizzoli *et al.* 857
Joining of AlN to Cu using In-base active brazing fillers . . . . . Dae Huh *et al.* 1048
Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics . . . . . Kui Yao *et al.* 1131
Preparation of epitaxial $BaTiO_3$ thin films by the dipping-pyrolysis process . . . . . S. Kim *et al.* 1141
In situ growth of fatigue-free $SrBi_2Ta_2O_9$ films by pulsed laser ablation . . . . . Hung-Ming Yang *et al.* 1145
Preparation and characterization of $BaTiO_3$ thin films on MgO-buffered Si(100) substrates by RF sputtering . . . . . Sangsub Kim *et al.* 1152
Excimer laser deposition of *c*-axis oriented $Pb(Zr, Ti)O_3$ thin films on silicon substrates with direct-current glow discharge . . . . . Lirong Zheng *et al.* 1179
Hot filament assisted diamond growth at low temperatures with oxygen addition . . . . . Z. Li Tolt *et al.* 1344
Nucleation and growth of oriented diamond on Si(100) by bias-assisted chemical vapor deposition . . . . . Mikka Nishitani-Gamo *et al.* 1351
Pulsed laser deposition and characterization of conductive RuO_2 thin films . . . . . A. Iembo *et al.* 1433
Influence of substrate annealing on the epitaxial growth of $BaTiO_3$ thin films by metal-organic chemical vapor deposition . . . . . Cheol Seong Hwang *et al.* 1625
Preparation of semiconductive $SrTiO_3$ thin films by metal-organic chemical vapor deposition and their electrical properties . . . . . Daisuke Nagano *et al.* 1655
Thermochemistry and electrical contact properties at the interface between semiconducting $BaTiO_3$ and (Au–Ti) electrodes . . . . . David P. Cann *et al.* 1685
The effect of ferroelastic coupling in controlling the abnormal aging behavior in lead magnesium niobate-lead titanate relaxor ferroelectrics . . . . . Q. M. Zhang *et al.* 1777
Structure and surface morphology of highly conductive RuO_2 films grown on MgO by oxygen-plasma-assisted molecular beam epitaxy . . . . . Y. Gao *et al.* 1844
Thermal stresses in multilevel interconnections: Aluminum lines at different levels . . . . . Y-L. Shen 2219
Micro-Raman analysis of residual stresses and phase transformations in crystalline silicon under microindentation . . . . . G. Lucazeau *et al.* 2262
Electrical and microstructural characteristics of Ge/Cu ohmic contacts to *n*-type GaAs . . . . . M. O. Aboelfotoh *et al.* 2325
A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition . . . . . L. Fayette *et al.* 2686
The nature of residues following the ashing of arsenic implanted photoresist . . . . . Clifton W. Draper *et al.* 2799
$REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors . . . . . R. Jose *et al.* 2976
Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system . . . . . Jagdish Prasad *et al.* 3241
The effect of Cr and La on $MgTiO_3$ and $MgTiO_3$–$CaTiO_3$ microwave dielectric ceramics . . . . . V. M. Ferreira *et al.* 3293
Insights into the ion-assisted nucleation of diamond on silicon . . . . . Sean P. McGinnis *et al.* 3354
Interdiffusions and reactions in Cu/TiN/Ti/Si and Cu/TiN/Ti/SiO_2/Si multilayer structures . . . . . Sa-Kyun Rha *et al.* 3367
Diamond nucleation on smooth Si_3N_4-coated substrate . . . . . Ning Xu *et al.* 3373
Pulsed laser deposition of carbon nitride thin films in nitrogen gas ambient . . . . . Masayuki Okoshi *et al.* 3376

Electronic properties

Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation . . . C. K. H. Wong *et al.* 106
Investigation of the novel charge transfer complex Cd-*TCNQ* . . . A. Arena *et al.* 1693
Influence of nanostructure size on the luminescence behavior of silicon nanoparticle thin films . . . A. A. Seraphin *et al.* 3386

Electronic structure

Trapping levels in hydrothermal and solution grown bismuth titanium oxide . . . D. Eirug Davies *et al.* 308
Auger valence electron spectra in Ca-silicides . . . S. Abe *et al.* 407
Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2-11.3 mol % Y_2O_3 . . . P. C. Rivas *et al.* 493
Excess Li ions in a small graphite cluster . . . M. Nakadaira *et al.* 1367
Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder . . . L. E. Depero *et al.* 1376
Spectroscopic study of Na–TCNQ in a poly(ethylene oxide) matrix (TCNQ = 7, 7′, 8, and 8′ tetracyanoquinodimethane) . . . A. Arena *et al.* 1405
Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides . . . M. D. Giardina *et al.* 2009
The thermopower of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ in a comparative study of effects of Ba-site doping versus chain-Cu-site doping . . . B. Fisher *et al.* 2907

Elemental semiconductors

Micromechanical and tribological characterization of doped single-crystal silicon and polysilicon films for microelectromechanical systems . . . Bharat Bhushan *et al.* 54
Metal-nonmetal transition and resistivity of silicon implanted with bismuth . . . E. Abramof *et al.* 641
Grain size dependence of mechanical properties in nanocrystalline selenium . . . K. Lu *et al.* 923
Boron diffusion into diamond under electric bias . . . T. Sung *et al.* 1169
Optimizing diamond growth for an atmospheric oxyacetylene torch . . . Lua'y A. Zeatoun *et al.* 1237
Influence of Ar impurities on optical refractive index of sputter deposited a–Si films . . . Hiroki Takahashi *et al.* 1722
Annealing induced interdiffusion and crystallization in sputtered amorphous Si/Ge multilayers . . . Zs. Czigány *et al.* 2255
Micro-Raman analysis of residual stresses and phase transformations in crystalline silicon under microindentation . . . G. Lucazeau *et al.* 2262
Rapid thermal recrystallization of amorphous silicon films . . . G. D. Beshkov *et al.* 2511
Structural studies of diamond thin films grown from dc arc plasma . . . L. C. Nistor *et al.* 2533
On the formation of solid state crystallized intrinsic polycrystalline germanium thin films . . . Zhiguo Meng *et al.* 2548
Nano-sclerometry measurements of superhard materials and diamond hardness using scanning force microscope with the ultrahard fullerite C_{60} tip . . . V. Blank *et al.* 3109
Scanning and transmission electron microscopies of single-crystal silicon microworn/machined using atomic force microscopy . . . Vilas N. Koinkar *et al.* 3219

Energy storage materials

In situ x-ray investigation of hydrogen charging in thin film bimetallic electrodes . . . Najeh M. Jisrawi *et al.* 2091

Environmentally protective management

Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate . . . Anatoly I. Bortun *et al.* 1122

Environmentally protective materials

Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition . . . William J. Weber *et al.* 1946

Etching

Selective chemical etching of hexagonal boron nitride compared to cubic boron nitride . . . Stephen J. Harris *et al.* 412

Extrusion

Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular extrusion . . . Stephane Ferrasse *et al.* 1253

Fatigue

Fatigue of *in situ* reinforced Ti–8.5Al–1B–1Si . . . S. Rangarajan *et al.* 1102
Characterization of low-cycle fatigue damage in Inconel 718 by laser light scanning . . . K. J. C. Chou *et al.* 2048
Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy . . . J. F. Lei *et al.* 2571

Filamentary

Balance of graphite deposition and multishell carbon nanotube growth in the carbon arc discharge . . . P. M. Ajayan *et al.* 244
Analysis of SCS-6 silicon carbide fibers by Fourier transform infrared spectroscopy . . . S. Krishnamurthy 329
Effect of filament architecture on magnetic flux distributions in multifilamentary $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x/Ag$ composites . . . Debra L. Kaiser *et al.* 3074

Flux growth

Single crystal growth of cuprates from hydroxide fluxes . . . S. A. Sunshine *et al.* 1210

Forging

Superplastic forming of an α-phase rich silicon nitride . . . Tanguy Rouxel *et al.* 480

Glasses

The structural characterization of amorphous thin films and coatings in their as-deposited state using x-rays at shallow angles of incidence . . . J. S. Rigden *et al.* 264
Crystallization mechanisms of some $Se_{100-x}Te_x$ glassy alloys . . . Y. Calventus *et al.* 1069
Glass transformation, heat capacity, and structure of Ge_xSe_{100-x} glasses studied by temperature-modulated differential scanning calorimetry experiments . . . T. Wagner *et al.* 1892
Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition . . . William J. Weber *et al.* 1946
Effects of gravity on processing heavy metal fluoride fibers . . . Dennis S. Tucker *et al.* 2223
Thermal stresses in carbon-coated optical fibers at low temperature . . . Sham-Tsong Shiue *et al.* 2493
Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry . . . S. Bruynooghe *et al.* 2779

Glasses, metallic

A transmission electron microscopy investigation of inverse melting in $Nb_{45}Cr_{55}$ . . . W. Sinkler *et al.* 1872
Anodic film formation on a sputter-deposited amorphous Al–40 at.% Sm alloy . . . H. Habazaki *et al.* 1885

Hardness testing

Low-load indentation behavior of HfN thin films deposited by reactive rf sputtering . . . R. Nowak *et al.* 64
Hardness and modulus properties in ion-beam-modified amorphous carbon: Temperature and dose rate dependences . . . Deok-Hyung Lee *et al.* 2057
An alternative method for penetration depth determination in nanoindentation measurements . . . J. Woirgard *et al.* 2455
Studies on age-hardening characteristics of ceramic particle/matrix interfaces in Al–Cu–SiC_p composites using ultra low-load-dynamic microhardness measurements . . . B. Dutta *et al.* 2773
Nano-sclerometry measurements of superhard materials and diamond hardness using scanning force microscope with the ultrahard fullerite C_{60} tip . . . V. Blank *et al.* 3109
The mechanical behavior of a passivating surface under potentiostatic control . . . D. F. Bahr *et al.* 3345

Hot isostatic pressing (HIP)

High strength, electrically conductive pore-free TiO_2 ceramics made by hot isostatic pressing . . . Yukio Kishi *et al.* 1056
Ac irreversibility line of bismuth-based high temperature superconductors . . . A. Mehdaoui *et al.* 2226

Hot pressing

Copper-boron nitride interaction in hot-pressed ceramics . . . Milan Hubáček *et al.* 113
Chemical vapor deposited SiC (SCS-0) fiber-reinforced strontium aluminosilicate glass-ceramic composites . . . Narottam P. Bansal 745

Hydrothermal

Hydrothermal synthesis of heteroepitaxial $Pb(Zr_xTi_{1-x})O_3$ thin films at 90–150 °C . . . A. T. Chien *et al.* 1176

Infrared (IR) spectroscopy

Analysis of SCS-6 silicon carbide fibers by Fourier transform infrared spectroscopy . . . S. Krishnamurthy 329
Low energy ion impact-enhanced growth of cubic boron nitride in a supersonic nitrogen/argon plasma flow . . . D. H. Berns *et al.* 2014
Schwertmannite: A unique mineral, contains a replaceable ligand, transforms to jarosites, hematites, and/or basic iron sulfate . . . R. Joseph Barham 2751

Insulators

Comparison of C_2F_6 and FASi-4 as fluorine dopant sources in plasma enhanced chemical vapor deposited fluorinated silica glass films . . . Woo Sik Yoo *et al.* 70

Internal friction

Internal friction and Mössbauer study of C–Cr associates in MANET steel . . . P. Gondi *et al.* 296

Ion beam irradiation

Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation . . . Jun-Sik Cho *et al.* 277

	Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition	Y. Iijima *et al.*	2913
Ion implantation	The intercalation of Ar into C_{60} films	G. E. Gadd *et al.*	1
	Metal-nonmetal transition and resistivity of silicon implanted with bismuth	E. Abramof *et al.*	641
	Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4	J. H. Booske *et al.*	1356
	Lattice site and photoluminescence of erbium implanted in $\alpha-Al_2O_3$	G. N. van den Hoven *et al.*	1401
	Surface reactions of low-energy carbon ions with boron nitride thin films	I. Montero *et al.*	1563
	A high-resolution electron microscopy study of blue-light emitting $\beta-SiC$ nanoparticles in C^+-implanted silicon	Y. H. Gao *et al.*	1640
	Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate	Michael V. Swain *et al.*	1917
	Hardness and modulus properties in ion-beam-modified amorphous carbon: Temperature and dose rate dependences	Deok-Hyung Lee *et al.*	2057
	Formation of single-crystal $CoSi_2$ buffer layers on Si(100) substrates by high dose Co ion implantation for the deposition of $YBa_2Cu_3O_{7-x}$ thin films	Yijie Li *et al.*	2072
	Improving the wear resistance of Al–Si alloy by ion implantation	Y. Itoh *et al.*	3246
	Ag : Sb and Sb : Ag implantations into high purity silica	T. S. Anderson *et al.*	3316
Ion irradiation	Polyimide degradation induced by irradiation with N^+ ions	V. Švorčík *et al.*	1661
	Radiation-induced phase transformations in $MgAl_2O_4$ spinel	Ning Yu *et al.*	1766
Kinetic properties	The spreading kinetics of $Ag-28Cu_{(L)}$ on $nickel_{(S)}$: Part II. Area of spread on surfaces plated with electrolytic Ni	Douglas A. Weirauch Jr. *et al.*	953
	In situ mass spectrometry during diamond chemical vapor deposition using a low pressure flat flame	C. A. Wolden *et al.*	2733
Kinetics	Camber development during cofiring Ag-based low-dielectric-constant ceramic package	Jau-Ho Jean *et al.*	2743
Laser ablation	*In situ* growth of fatigue-free $SrBi_2Ta_2O_9$ films by pulsed laser ablation	Hung-Ming Yang *et al.*	1145
Laser irradiation	Response of silicon carbide to high-intensity laser irradiation in a high-pressure inert gas atmosphere	L. Y. Sadler *et al.*	147
	The effects of the atmosphere on the surface modification of alumina by pulsed-laser-irradiation	Siqi Cao *et al.*	1747
	Adhesion mechanisms of copper films deposited onto laser-irradiated alumina	Jae-Won Park *et al.*	3174
Layered structure	Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation	C. K. H. Wong *et al.*	106
	Reactive phase formation in sputter-deposited Ni/Al multilayer thin films	K. Barmak *et al.*	133
	Structural properties of molecular beam epitaxy grown Ni/Pt superlattices	W. Staiger *et al.*	161
	Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer	C. Cabral Jr. *et al.*	304
	Uniformity and interfaces in ion-beam deposited Al/Ni multilayers	A. S. Edelstein *et al.*	385
	Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate	Anatoly I. Bortun *et al.*	1122
	The reaction between a TiNi shape memory thin film and silicon	Susanne Stemmer *et al.*	1734
	Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition	K. Järrendahl *et al.*	1806
	A simple technique for measuring the adhesion of brittle films to ductile substrates with application to diamond-coated titanium	Joost J. Vlassak *et al.*	1900
	Observations of dislocations in Cu/Nb nanolayer composites after deformation	Y-C. Lu *et al.*	1939
	Structural characterization of Fe_3O_4-NiO superlattices using high-resolution transmission electron microscopy	A. Rečnik *et al.*	2143
	Annealing induced interdiffusion and crystallization in sputtered amorphous Si/Ge multilayers	Zs. Czigány *et al.*	2255
	Fabrication of multilaminated $Si_3N_4-Si_3N_4/TiN$ composites and its anisotropic fracture behavior	Jow-Lay Huang *et al.*	2337
	Camber development during cofiring Ag-based low-dielectric-constant ceramic package	Jau-Ho Jean *et al.*	2743
	$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules	S. Afonso *et al.*	2947
	Simulation of nacre with TiN/Pt multilayers and a study of their hardness	J. L. He *et al.*	3140

Liquid phase epitaxy (LPE)

Growth of (11*n*) oriented Bi–Ca–Sr–Cu–O films by liquid phase epitaxial method . . . K. K. Raina *et al.* **636**

Liquids

Metastable liquid phase separation in undercooled molten $Pd_{40.5}Ni_{40.5}P_{19}$ . . . C. W. Yuen *et al.* **314**

The spreading kinetics of $Ag-28Cu_{(L)}$ on $nickel_{(S)}$: Part II. Area of spread on surfaces plated with electrolytic Ni . . . Douglas A. Weirauch Jr. *et al.* **953**

Compensation phenomena in oil-resin mixtures: A new dielectric approach to percolative processes . . . O. Pagés *et al.* **2784**

Lubricants

The origin of an anomalous, low 2θ peak in x-ray diffraction spectra of MoS_2 films grown by ion beam assisted deposition . . . D. N. Dunn *et al.* **1191**

Friction and wear performance of diamond-like carbon, boron carbide, and titanium carbide coatings against glass . . . B. K. Daniels *et al.* **2485**

Machining

Laser micromachining of Al_2O_3–TiC ceramics . . . V. Oliveira *et al.* **3206**

Magnetic materials

Structural properties of molecular beam epitaxy grown Ni/Pt superlattices . . . W. Staiger *et al.* **161**

Synthesis of pure amorphous Fe_2O_3 . . . X. Cao *et al.* **402**

Characterization of the disproportionated NdFeCoZrB alloy by means of electron microscopy . . . Jian-rong Gao *et al.* **581**

Synthesis and magnetic properties of nanostructured maghemite . . . D. Vollath *et al.* **2175**

Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$ . . . Yadong Li *et al.* **2648**

Effect of Nd content on the magnetic properties and crystallographic alignment of Fe–Nd–B–Al sintered magnets . . . W. Kaszuwara *et al.* **2715**

Magnetic properties

Magnetic properties of graphitically encapsulated nickel nanocrystals . . . J.-H. Hwang *et al.* **1076**

Superparamagnetic particles in ZSM-5–type ferrisilicates . . . A. López *et al.* **1519**

Structural characterization of Fe_3O_4–NiO superlattices using high-resolution transmission electron microscopy . . . A. Rečnik *et al.* **2143**

Ac irreversibility line of bismuth-based high temperature superconductors . . . A. Mehdaoui *et al.* **2226**

Growth of high-quality $Bi_2Sr_2CaCu_2O_z$ crystal and characterization . . . H. Faqir *et al.* **2522**

On the fluctuation field in multidomain barium hexaferrite particles . . . J. M. González *et al.* **2643**

Effect of Nd content on the magnetic properties and crystallographic alignment of Fe–Nd–B–Al sintered magnets . . . W. Kaszuwara *et al.* **2715**

Effect of filament architecture on magnetic flux distributions in multifilamentary $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x/Ag$ composites . . . Debra L. Kaiser *et al.* **3074**

Vortex dynamics during N-S and S-N transitions of Y–Ba–Cu–O superconductors under the effect of temperature gradient and thermal cycling . . . I. Kirschner *et al.* **3090**

Mechanical alloying

High energy ball-milled Ti_2RuFe electrocatalyst for hydrogen evolution in the chlorate industry . . . Marco Blouin *et al.* **1492**

Mechanical properties

Micromechanical and tribological characterization of doped single-crystal silicon and polysilicon films for microelectromechanical systems . . . Bharat Bhushan *et al.* **54**

Low-load indentation behavior of HfN thin films deposited by reactive rf sputtering . . . R. Nowak *et al.* **64**

High temperature strength of silicon nitride ceramics with ytterbium silicon oxynitride . . . Toshiyuki Nishimura *et al.* **203**

Residual surface stress by localized contact-creep . . . Sujanto Widjaja *et al.* **210**

Superplastic forming of an α-phase rich silicon nitride . . . Tanguy Rouxel *et al.* **480**

Chemical vapor deposited SiC (SCS-0) fiber-reinforced strontium aluminosilicate glass-ceramic composites . . . Narottam P. Bansal **745**

Role of matrix microstructure in the ultrasonic characterization of fiber-reinforced metal matrix composites . . . S. Krishnamurthy *et al.* **754**

High pressure compaction of nanosize ceramic powders . . . M. R. Gallas *et al.* **764**

A four-point bending technique for studying subcritical crack growth in thin films and at interfaces . . . Qing Ma **840**

The fracture toughness of polysilicon microdevices: A first report . . . R. Ballarini *et al.* **915**

Grain size dependence of mechanical properties in nanocrystalline selenium . . . K. Lu *et al.* **923**

Analysis of ball-indentation load-depth data: Part I. Determining elastic modulus . . . B. Taljat *et al.* **965**

High strength, electrically conductive pore-free TiO_2 ceramics made by hot isostatic pressing . . . Yukio Kishi *et al.* **1056**

Investigation of $NiAl-TiB_2$ *in situ* composites . . . J. T. Guo *et al.* **1083**

The ballistic failure mechanisms and sequence in semi-infinite supported alumina tiles . . . Dov Sherman *et al.* 1335
Structure and properties of carbon nitride films synthesized by low energy ion bombardment . . . Xiao-Ming He *et al.* 1595
Influence of substitutional nitrogen in synthetic saw-grade diamond on crystal strength . . . W. E. Jackson *et al.* 1646
The viscosity of germanium during substrate relaxation upon thermal anneal . . . Sara E. Rosenberg *et al.* 1706
Liquid-exchange processing and properties of SiC–Al composites . . . Leszek Hozer *et al.* 1785
Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate . . . Michael V. Swain *et al.* 1917
Observations of dislocations in Cu/Nb nanolayer composites after deformation . . . Y-C. Lu *et al.* 1939
Deformation characteristics of quasicrystalline Al–Cu–Fe alloys . . . J. E. Shield *et al.* 2043
Hardness and modulus properties in ion-beam-modified amorphous carbon: Temperature and dose rate dependences . . . Deok-Hyung Lee *et al.* 2057
Contact area evolution during an indentation process . . . Kangjie Li *et al.* 2064
Characterization of the induced plastic zone in a single crystal TiN(001) film by nanoindentation and transmission electron microscopy . . . Magnus Odén *et al.* 2134
The influence of binders on interfacial failure in sapphire fiber-reinforced NiAl composites . . . Jeffrey I. Eldridge *et al.* 2191
Thermal stresses in multilevel interconnections: Aluminum lines at different levels . . . Y-L. Shen 2219
Two interferometric methods for the mechanical characterization of thin films by bulging tests. Application to single crystal of silicon . . . E. Bonnotte *et al.* 2234
Micro-Raman analysis of residual stresses and phase transformations in crystalline silicon under microindentation . . . G. Lucazeau *et al.* 2262
Superplastic behavior of a kappa carbide material (Fe_3AlC_x) . . . Woo-Jin Kim *et al.* 2317
Critical assessments of accommodation process by liquid phase for superplastic flow in Si_3N_4/Al–Mg–Si metal matrix composites . . . Mamoru Mabuchi *et al.* 2332
Fabrication of multilaminated Si_3N_4–Si_3N_4/TiN composites and its anisotropic fracture behavior . . . Jow-Lay Huang *et al.* 2337
Investigation of Si_3N_4–TiN/Si_3N_4–Si_3N_4 trilayer composites with residual surface compression . . . Jow-Lay Huang *et al.* 2357
Characteristics of TiN film deposited on stellite using reactive magnetron sputter ion plating . . . Min-Ku Lee *et al.* 2393
An alternative method for penetration depth determination in nanoindentation measurements . . . J. Woirgard *et al.* 2455
Determination of Young's modulus by spherical indentation . . . N. Huber *et al.* 2459
Friction and wear performance of diamond-like carbon, boron carbide, and titanium carbide coatings against glass . . . B. K. Daniels *et al.* 2485
Estimation of Weibull parameter with a modified weight function . . . B. K. Chandrasekhar 2638
Nanoindentation measurements of amorphous carbon coatings . . . Ashok V. Kulkarni *et al.* 2707
Impression recovery of PMMA . . . Fuqian Yang *et al.* 2809
Nano-sclerometry measurements of superhard materials and diamond hardness using scanning force microscope with the ultrahard fullerite C_{60} tip . . . V. Blank *et al.* 3109
New hybrid nanocomposites based on an organophilic clay and poly(styrene-*b*-butadiene) copolymers . . . Michele Laus *et al.* 3134
Simulation of nacre with TiN/Pt multilayers and a study of their hardness . . . J. L. He *et al.* 3140
Scanning and transmission electron microscopies of single-crystal silicon microworn/machined using atomic force microscopy . . . Vilas N. Koinkar *et al.* 3219
Improving the wear resistance of Al–Si alloy by ion implantation . . . Y. Itoh *et al.* 3246
Alumina platelet reinforced reaction bonded aluminum oxide composites: Textured and random . . . Linan An *et al.* 3300
Failure behavior of alumina and alumina/silicon carbide nanocomposites with natural and artificial flaws . . . F. Meschke *et al.* 3307

Melt infiltration

SiC (SCS-6) fiber reinforced-reaction formed SiC matrix composites: Microstructure and interfacial properties . . . M. Singh *et al.* 706
Melt-infiltration processing of TiC/Ni_3Al composites . . . K. P. Plucknett *et al.* 2515

Metal-insulator transition

Metal-nonmetal transition and resistivity of silicon implanted with bismuth . . . E. Abramof *et al.* 641

Metalorganic chemical vapor deposition (MOCVD)

$SrBi_2Ta_2O_9$ thin films made by liquid source metal-organic chemical vapor deposition . . . Yongfei Zhu *et al.* 783

Metals

Reactive phase formation in sputter-deposited Ni/Al multilayer thin films . . . K. Barmak *et al.* 133
Anharmonicity in metals from the universal energy equation . . . L. A. Girifalco *et al.* 311

Metastable liquid phase separation in undercooled molten $Pd_{40.5}Ni_{40.5}P_{19}$ . . . C. W. Yuen *et al.* 314
Uniformity and interfaces in ion-beam deposited Al/Ni multilayers . . . A. S. Edelstein *et al.* 385
Effect of calcium modification on the microstructure and oxidation property of submicron spherical palladium powders . . . Shenglei Che *et al.* 392
Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts . . . S. Ayyappan *et al.* 398
Microstructure and strength of Al-sapphire interface by means of the surface activated bonding method . . . T. Akatsu *et al.* 852
Materials reliability issues with coaxial cable systems for the information superhighway . . . R. B. Comizzoli *et al.* 857
Analysis of ball-indentation load-depth data: Part I. Determining elastic modulus . . . B. Taljat *et al.* 965
The thermal stability of thin copper films deposited on $TiO_2(110)$ studied by scanning tunneling microscopy . . . D. L. Carroll *et al.* 975
Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4 . . . J. H. Booske *et al.* 1356
Growth of Ti thin films on sapphire substrates . . . S. Rao Peddada *et al.* 1856
The influence of total pressure in the reactor and carrier gas on the chemical vapor deposition of Al from tri-isobutyl aluminum . . . Takakazu Suzuki 1866
Observations of dislocations in Cu/Nb nanolayer composites after deformation . . . Y-C. Lu *et al.* 1939
Void nucleation in passivated interconnect lines: Effects of site geometries, interfaces, and interface flaws . . . R. J. Gleixner *et al.* 2081
In situ x-ray investigation of hydrogen charging in thin film bimetallic electrodes . . . Najeh M. Jisrawi *et al.* 2091
Preparation of nanocrystalline copper by electrodeposition . . . S. Bandyopadhyay *et al.* 2719
Adhesion mechanisms of copper films deposited onto laser-irradiated alumina . . . Jae-Won Park *et al.* 3174
The mechanical behavior of a passivating surface under potentiostatic control . . . D. F. Bahr *et al.* 3345

Microstructural

Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts . . . S. Honjo *et al.* 880

Microstructural properties

Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers . . . Dongxia Shi *et al.* 2543

Microstructure

The crossover of preferred orientation in TiN film growth: A real time x-ray scattering study . . . J. H. Je *et al.* 9
X-ray diffraction line broadening effects in $MBa_2Cu_3O_{7-\delta}$ (M = Y, Gd) thin films . . . P. Scardi *et al.* 28
Precipitate size refinement by CeO_2 and Y_2BaCuO_5 additions in directionally solidified $YBa_2Cu_3O_7$ . . . N. Vilalta *et al.* 38
Copper-boron nitride interaction in hot-pressed ceramics . . . Milan Hubáček *et al.* 113
The structural characterization of amorphous thin films and coatings in their as-deposited state using x-rays at shallow angles of incidence . . . J. S. Rigden *et al.* 264
Bi–Sr–Ca–Cu–O superconducting thin plates prepared by glass-ceramic processing: Dependence of T_c on the thickness . . . Toshihiro Kasuga *et al.* 332
Microstructure of nitrate polycrystals solidified under ultrasonic vibration . . . Naoya Enomoto *et al.* 371
Uniformity and interfaces in ion-beam deposited Al/Ni multilayers . . . A. S. Edelstein *et al.* 385
Particle aggregation in alumina aerogels . . . S. Keysar *et al.* 430
New microstructural model of polymer-ceramic nanocomposite materials . . . C. E. Becze *et al.* 566
Characterization of the disproportionated NdFeCoZrB alloy by means of electron microscopy . . . Jian-rong Gao *et al.* 581
Very high pressure sintering of cBN fine particles coated with TiN–TiB_2 layer formed by disproportionation reaction in molten salts . . . Haruo Yoshida *et al.* 585
Carbon nanotubes grown *in situ* by a novel catalytic method . . . A. Peigney *et al.* 613
Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials . . . J. A. Alarco *et al.* 624
SiC (SCS-6) fiber reinforced-reaction formed SiC matrix composites: Microstructure and interfacial properties . . . M. Singh *et al.* 706
Microstructural characterization of a titanium-tungsten oxide gas sensor . . . Matteo Ferroni *et al.* 793
Grain refinement mechanism in undercooled $Cu_{30}Ni_{70}$ . . . J. Z. Xiao *et al.* 873
In situ measurements of texture and phase development in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes . . . T. R. Thurston *et al.* 891
Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying . . . J. Y. Huang *et al.* 936
Similarities and differences in the microstructure of attritor-milled Fe–Al–N compositions . . . J. C. Rawers *et al.* 947
The syntheses of SiC_p/Al nanocomposites under high pressure . . . Haozhe Liu *et al.* 1187
Two-stage sintering of dense superconducting $YBa_2Cu_4O_8$ ceramics . . . Motohide Matsuda *et al.* 1205
Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular extrusion . . . Stephane Ferrasse *et al.* 1253

Graphite encapsulated nanocrystals produced using a low carbon : metal ratio . . . Jonathon J. Host *et al.* 1268
Domain structure of epitaxial $PbTiO_3$ films grown on vicinal (001) $SrTiO_3$ . . . C. D. Theis *et al.* 1297
Microstructures of two-phase Ti–Cr alloys containing the $TiCr_2$ Laves phase intermetallic . . . Katherine C. Chen *et al.* 1472
Material characterization in support of the development of an anode substrate for solid oxide fuel cells . . . D. Simwonis *et al.* 1508
The effect of arc parameters on the growth of carbon nanotubes . . . J. M. Lauerhaas *et al.* 1536
Morphological investigations on mesostructured metal oxides . . . V. Weidenhof *et al.* 1634
Mathematical modeling of cement paste microstructure by mosaic pattern. Part II. Application . . . Paul D. Tennis *et al.* 1741
The effects of the atmosphere on the surface modification of alumina by pulsed-laser-irradiation . . . Siqi Cao *et al.* 1747
High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates . . . L. G. Yu *et al.* 1790
Development of flat, smooth (100) faceted diamond thin films using microwave plasma chemical vapor deposition . . . Andrew L. Yee *et al.* 1796
Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition . . . K. Järrendahl *et al.* 1806
Scanning tunneling microscopy and atomic force microscopy investigation of organic tetracyanoquinodimethane thin films . . . H. J. Gao *et al.* 1942
Refinement of Nd-422 phase trapped in a $Nd_{1+\delta}Ba_{2-\delta}Cu_3O_{7-y}$ superconducting matrix . . . F. Frangi *et al.* 1990
Secondary phase formation and microstructural development in the interaction between $SrBi_2Ta_2O_9$ films and $Pt/Ti/SiO_2/Si$ substrates . . . Chung-Hsin Lu *et al.* 2104
Effect of rate controlled sintering on microstructure and electrical properties of ZnO doped with bismuth and antimony oxides . . . Gaurav Agarwal *et al.* 2447
Domain structures in $Pb(Zr, Ti)O_3$ and $PbTiO_3$ thin films . . . L. D. Madsen *et al.* 2612
Processing and characterization of lead magnesium tantalate ceramics . . . Mehmet A. Akbas *et al.* 2617
Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors . . . M. Kambara *et al.* 2873
Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applications . . . Wai Lo *et al.* 2889
Doping high T_c superconductors with oxygen and metallic atoms: A molecular dynamics study . . . Erich Stoll *et al.* 2901
Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition . . . Y. Iijima *et al.* 2913
The effect of ion milling on the morphology of ramp-type Josephson junctions . . . Dave H. A. Blank *et al.* 2952
Structure of grain boundaries: Correlation to supercurrent transport in textured $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ bulk material . . . Y. Yan *et al.* 3009
From meandering to straight grain boundaries: Improving the structures of artificially induced grain boundaries in superconducting $YBa_2Cu_3O_y$ bicrystals . . . Xiao-Feng Zhang *et al.* 3029
Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)] . . . L. G. Yu *et al.* 3182
Directional solidification by appropriate chemically active single crystal seed: An alternative way of generating large superconducting 123 single domain . . . R. Cloots *et al.* 3199
Microstructure of liquid phase sintered superplastic silicon carbide ceramics . . . Chong-Min Wang *et al.* 3266
Ultrasound driven aggregation and surface silanol modification in amorphous silica microspheres . . . Sivarajan Ramesh *et al.* 3271
Hydrothermal synthesis and sintering of nickel and manganese-zinc ferrites . . . Anderson Dias *et al.* 3278

Molecular beam epitaxy (MBE)

Structure and surface morphology of highly conductive RuO_2 films grown on MgO by oxygen-plasma-assisted molecular beam epitaxy . . . Y. Gao *et al.* 1844

Mössbauer effect

Internal friction and Mössbauer study of C–Cr associates in MANET steel . . . P. Gondi *et al.* 296

Nanocrystal

The syntheses of $\overline{SiC}_p$/Al nanocomposites under high pressure . . . Haozhe Liu *et al.* 1187
Formation kinetics of nanocrystalline Fe–4 wt.% Al solid solution during ball milling . . . H. G. Jiang *et al.* 1429
A high-resolution electron microscopy study of blue-light emitting β–SiC nanoparticles in C^+-implanted silicon . . . Y. H. Gao *et al.* 1640
Defect annealing in ion implanted silicon carbide . . . L. Calcagno *et al.* 1727

Nanofiber

The effect of arc parameters on the growth of carbon nanotubes . . . J. M. Lauerhaas *et al.* 1536
Carbothermal synthesis of TaC whiskers via a vapor-liquid-solid growth mechanism . . . M. Johnsson *et al.* 2419

Nanoindentation

Contact area evolution during an indentation process . . . Kangjie Li *et al.* 2064

Determination of elastic modulus of thin layers using nanoindentation . . . J. Menčík *et al.* **2475**
Investigation of a new fracture mechanics specimen for thin film adhesion measurement . . . Maarten P. de Boer *et al.* **2673**

Nanophase

Epitaxial dependence of the melting behavior of In nanoparticles embedded in Al matrices . . . H. W. Sheng *et al.* **119**
Computer simulations of interactions between ultrafine alumina particles produced by an arc discharge . . . M. H. Teng *et al.* **235**
Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts . . . S. Ayyappan *et al.* **398**
Synthesis of pure amorphous Fe_2O_3 . . . X. Cao *et al.* **402**
New microstructural model of polymer-ceramic nanocomposite materials . . . C. E. Becze *et al.* **566**
Oxide nanotubes prepared using carbon nanotubes as templates . . . B. C. Satishkumar *et al.* **604**
Carbon nanotubes grown *in situ* by a novel catalytic method . . . A. Peigney *et al.* **613**
High pressure compaction of nanosize ceramic powders . . . M. R. Gallas *et al.* **764**
Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors . . . R. Alexandrescu *et al.* **774**
Grain size dependence of mechanical properties in nanocrystalline selenium . . . K. Lu *et al.* **923**
Electrically controlled flame synthesis of nanophase TiO_2, SiO_2, and SnO_2 powders . . . Srinivas Vemury *et al.* **1031**
Magnetic properties of graphitically encapsulated nickel nanocrystals . . . J.-H. Hwang *et al.* **1076**
Optical properties of potassium acid phthalate . . . Davide Comoretto *et al.* **1262**
Graphite encapsulated nanocrystals produced using a low carbon : metal ratio . . . Jonathon J. Host *et al.* **1268**
Synthesis and properties of an aluminum nitride/polyimide nanocomposite prepared by a nonaqueous suspension process . . . Xiaohe Chen *et al.* **1274**
Sol-gel processing of nanocrystalline haematite thin films . . . L. Armelao *et al.* **1441**
High energy ball-milled Ti_2RuFe electrocatalyst for hydrogen evolution in the chlorate industry . . . Marco Blouin *et al.* **1492**
Superparamagnetic particles in ZSM-5–type ferrisilicates . . . A. López *et al.* **1519**
Characterization of nanophase titania particles synthesized using *in situ* steric stabilization . . . A. G. Gaynor *et al.* **1755**
Percolative composite model for prediction of the properties of nanocrystalline materials . . . Rachman Chaim **1828**
Synthesis and magnetic properties of nanostructured maghemite . . . D. Vollath *et al.* **2175**
High refractive index materials of iron sulfides and poly(ethylene oxide) . . . Tasoula Kyprianidou-Leodidou *et al.* **2198**
Electrical properties of ultrafine-grained yttria-stabilized zirconia ceramics . . . Shusheng Jiang *et al.* **2374**
Growth of nanocrystalline PbS within a glass . . . M. Mukherjee *et al.* **2507**
Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method . . . Masayuki Hayashi *et al.* **2552**
Preparation of nanocrystalline copper by electrodeposition . . . S. Bandyopadhyay *et al.* **2719**
Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling . . . Anna Corrias *et al.* **2767**
Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)] . . . R. Alexandrescu *et al.* **2815**
Nanostructured high-temperature superconductors: Creation of strong-pinning columnar defects in nanorod/superconductor composites . . . Peidong Yang *et al.* **2981**
New hybrid nanocomposites based on an organophilic clay and poly(styrene-*b*-butadiene) copolymers . . . Michele Laus *et al.* **3134**
Ultrasound driven aggregation and surface silanol modification in amorphous silica microspheres . . . Sivarajan Ramesh *et al.* **3271**
Preparation and characterization of nanosized zirconium (hydrous) oxide particles . . . Luis A. Pérez-Maqueda *et al.* **3286**
Influence of nanostructure size on the luminescence behavior of silicon nanoparticle thin films . . . A. A. Seraphin *et al.* **3386**

Nanotube

A novel method for synthesis of carbon nanotubes: Low temperature solid pyrolysis . . . Y. L. Li *et al.* **1678**

Neutron scattering

Fractal morphologies from decomposition of Fe–Ni–Invar alloys . . . Q. Li *et al.* **83**

Optical materials

Effect of heat treatment on formation of sol-gel (Pb, La)TiO_3 films for optical application . . . Junmo Koo *et al.* **812**
Vapor-deposited $CaWO_4$ phosphor . . . P. F. Carcia *et al.* **1385**
Effect of lattice mismatch on the epitaxy of sol-gel $LiNbO_3$ thin films . . . T. A. Derouin *et al.* **1391**
Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$ . . . K. C. Mishra *et al.* **2183**
Growth and characterization of semiconductor nanoparticles in porous sol-gel films . . . E. J. C. Dawnay *et al.* **3115**

	Czochralski growth of Yb^{3+} and Pr^{3+} doped Ca-fluoroapatite	A. Caprez *et al.*	3210
Optical properties	Waveguide refractometry as a probe of thin film optical uniformity	B. G. Potter Jr. *et al.*	546
	Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films	P. K. Nair *et al.*	651
	Synthesis and characterization of sol-gel derived hexa-aluminate phosphors	D. Ravichandran *et al.*	819
	Optically transparent polymethyl methacrylate composites made with glass fibers of varying refractive index	Seunggu Kang *et al.*	1091
	Lattice site and photoluminescence of erbium implanted in α–Al_2O_3	G. N. van den Hoven *et al.*	1401
	Anomalous behavior of the optical band gap of nanocrystalline zinc oxide thin films	V. Srikant *et al.*	1425
	Influence of Ar impurities on optical refractive index of sputter deposited a–Si films	Hiroki Takahashi *et al.*	1722
	Defect annealing in ion implanted silicon carbide	L. Calcagno *et al.*	1727
	Structure development studies of $SrBi_2(Ta_{1-x}Nb_x)_2$ thin films	Tze-Chiun Chen *et al.*	2165
	Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$	K. C. Mishra *et al.*	2183
	High refractive index materials of iron sulfides and poly(ethylene oxide)	Tasoula Kyprianidou-Leodidou *et al.*	2198
	Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method	Masayuki Hayashi *et al.*	2552
	Preparation of nanocrystalline copper by electrodeposition	S. Bandyopadhyay *et al.*	2719
	Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry	S. Bruynooghe *et al.*	2779
	Supercritical fluid infusion of silver into polyimide films of varying chemical composition	J. Rosolovsky *et al.*	3127
	Ag : Sb and Sb : Ag implantations into high purity silica	T. S. Anderson *et al.*	3316
Optical spectroscopy	The characterization of strain, impurity content, and crush strength of synthetic diamond crystals	Terri L. McCormick *et al.*	253
	Czochralski growth of Yb^{3+} and Pr^{3+} doped Ca-fluoroapatite	A. Caprez *et al.*	3210
Optoelectronic materials	Trapping levels in hydrothermal and solution grown bismuth titanium oxide	D. Eirug Davies *et al.*	308
	Synthesis and characterization of sol-gel derived hexa-aluminate phosphors	D. Ravichandran *et al.*	819
	A high-resolution electron microscopy study of blue-light emitting β–SiC nanoparticles in C^+-implanted silicon	Y. H. Gao *et al.*	1640
	Preparation of highly oriented polycrystalline AlN thin films on glass, deposited at oblique-angle incidence	A. Rodríguez-Navarro *et al.*	1689
	Development of preferred orientation in polycrystalline AlN thin films deposited by rf sputtering system at low temperature	A. Rodríguez-Navarro *et al.*	1850
	Determination of equilibrium cations for the $KTiOPO_4$ structure	Valery I. Chani *et al.*	2470
	Thermal stresses in carbon-coated optical fibers at low temperature	Sham-Tsong Shiue *et al.*	2493
	Pulsed laser deposition of $KNbO_3$ thin films	M. J. Martín *et al.*	2699
	A study on magnesium diffusion into $LiNbO_3$ single crystal by x-ray diffraction, differential thermal analysis, and scanning electron microscopy	Wenxiu Que *et al.*	3380
	Influence of nanostructure size on the luminescence behavior of silicon nanoparticle thin films	A. A. Seraphin *et al.*	3386
Oxidation	Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation	Jun-Sik Cho *et al.*	277
	Effect of calcium modification on the microstructure and oxidation property of submicron spherical palladium powders	Shenglei Che *et al.*	392
	Plastic deformation of oxide scales at elevated temperatures	Yifan Zhang *et al.*	697
	Evaluation of a porous fiber coating in SiC–Si_3N_4 minicomposite	Linus U. J. T. Ogbuji	1287
	Anodic film formation on a sputter-deposited amorphous Al–40 at. % Sm alloy	H. Habazaki *et al.*	1885
	Photo-oxidatively self-cleaning transparent titanium dioxide films on soda lime glass: The deleterious effect of sodium contamination and its prevention	Y. Paz *et al.*	2759
Passivation	Development of a reliable materials base for superconducting electronics	JiPing Zhou *et al.*	2958
	The mechanical behavior of a passivating surface under potentiostatic control	D. F. Bahr *et al.*	3345
Phase transformation	Martensite transition in rapidly solidified Ti_3Al–2Nb alloy	R. Xu *et al.*	5

Fractal morphologies from decomposition of Fe–Ni–Invar alloys . . . Q. Li *et al.* **83**
Epitaxial dependence of the melting behavior of In nanoparticles embedded in Al matrices . . . H. W. Sheng *et al.* **119**
Finite size corrections for the Johnson–Mehl–Avrami–Kolmogorov equation . . . L. E. Levine *et al.* **124**
Reactive phase formation in sputter-deposited Ni/Al multilayer thin films . . . K. Barmak *et al.* **133**
Response of silicon carbide to high-intensity laser irradiation in a high-pressure inert gas atmosphere . . . L. Y. Sadler *et al.* **147**
Metastable liquid phase separation in undercooled molten $Pd_{40.5}Ni_{40.5}P_{19}$ . . . C. W. Yuen *et al.* **314**
Chemical analysis in $YBa_2Cu_3O_{7-x}$ melt-textured samples . . . F. J. Gotor *et al.* **338**
High temperature x-ray and calorimetric studies of phase transformations in quasicrystalline Ti–Zr–Ni alloys . . . R. M. Stroud *et al.* **434**
Modification of the phase transition temperatures in titania doped with various cations . . . R. Rodríguez-Talavera *et al.* **439**
Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films . . . R. W. Schwartz *et al.* **444**
Phase transformation in $Sr_{1-x}Ba_xNb_2O_6$ ceramics . . . Xiaoli Wang **600**
Influence of elemental B addition on the heat-treated cast structures of Ti–47Al– 2Cr–(2–4)Nb alloys . . . J. Y. Jung *et al.* **665**
Characterization of mechanical nanocrystallization process of amorphous Fe–Mo–Si–B alloy by transmission Mössbauer spectroscopy . . . X. D. Liu *et al.* **681**
Amorphization mechanisms of $NiZr_2$ by ball-milling . . . D. Galy *et al.* **688**
Investigation of the interface reactions of Ti thin films with AlN substrate . . . Xiangjun He *et al.* **846**
Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO . . . M. Reder *et al.* **906**
Crystallization mechanisms of some $Se_{100-x}Te_x$ glassy alloys . . . Y. Calventus *et al.* **1069**
Raman microscopy examination of phase evolution in Bi(Pb)–Sr–Ca–Cu–O superconducting ceramics . . . K. T. Wu *et al.* **1195**
Heteroepitaxial growth of lanthanum aluminate films derived from mixed metal nitrates . . . Man Fai Ng *et al.* **1306**
Phase formation in molybdenum disilicide powders during in-flight induction plasma treatment . . . Xiaobao Fan *et al.* **1315**
Phase coexistence and critical temperatures of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ phase under partial pressures of oxygen between 10^{-3} and 0.21 bar with and without additions of silver . . . M. Däumling *et al.* **1445**
Growth of $CuInSe_2$ crystals in Cu-rich Cu–In–Se thin films . . . Takahiro Wada *et al.* **1456**
Impact of boundary nucleation on product grain size distribution . . . W. S. Tong *et al.* **1501**
The reaction between a TiNi shape memory thin film and silicon . . . Susanne Stemmer *et al.* **1734**
Characterization of nanophase titania particles synthesized using *in situ* steric stabilization . . . A. G. Gaynor *et al.* **1755**
Radiation-induced phase transformations in $MgAl_2O_4$ spinel . . . Ning Yu *et al.* **1766**
Electron-irradiation-induced nucleation and growth in amorphous $LaPO_4$, $ScPO_4$, and zircon . . . A. Meldrum *et al.* **1816**
A transmission electron microscopy investigation of inverse melting in $Nb_{45}Cr_{55}$ . . . W. Sinkler *et al.* **1872**
Modeling of peritectic $YBa_2Cu_3O_{7-x}$ growth using transparent organic analogues . . . R. Terborg *et al.* **2002**
Mullite precursor I. Characterization of mullite precursor formed by a reaction of monosilicic acid on aluminum hydroxide . . . Takushi Yokoyama *et al.* **2111**
$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part I. Pair-correlation theory of order-disorder phase transition . . . Hyun M. Jang *et al.* **2117**
$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part II. Short-range order parameter as a criterion of the distinction between relaxor and normal ferroelectrics . . . Su-Chan Kim *et al.* **2127**
Variations of structure and dielectric properties on substituting A-site cations for Sr^{2+} in $(Na_{1/2}Bi_{1/2})TiO_3$ . . . Seung-Eek Park *et al.* **2152**
Effects of gravity on processing heavy metal fluoride fibers . . . Dennis S. Tucker *et al.* **2223**
Correlation between energy transfers and solid state reactions induced by mechanical alloying on the $Mo_{33}Si_{66}$ system . . . L. Liu *et al.* **2281**
Thermal cycling effects in high temperature Cu–Al–Ni–Mn–B shape memory alloys . . . J. Font *et al.* **2288**
Domain pattern formation in ferroelastic $Pb_3(PO_4)_2$ by computer simulation . . . K. Parlinski *et al.* **2366**
Computer simulation of ferroelastic phase transition in $LaNbO_4$ . . . K. Parlinski *et al.* **2428**
Rapid thermal recrystallization of amorphous silicon films . . . G. D. Beshkov *et al.* **2511**
On the formation of solid state crystallized intrinsic polycrystalline germanium thin films . . . Zhiguo Meng *et al.* **2548**
Crystallization of hafnia and zirconia during the pyrolysis of acetate gels . . . Masatomo Yashima *et al.* **2575**
Spinel solid solutions in the systems $MgAl_2O_4$–$ZnAl_2O_4$ and $MgAl_2O_4$–Mg_2TiO_4 . . . M. A. Petrova *et al.* **2584**
Phase instability in ZrO_2–NiAl functionally graded materials . . . Yi-Rong He *et al.* **2589**

	Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3	R. Caruso *et al.*	2594
	Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2	W. Wong-Ng *et al.*	2855
	The effects of variable oxygen partial pressures during Bi-2223 tape processing	T. G. Holesinger *et al.*	3046
	Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes	Li-jun Wu *et al.*	3055
	Crystallization behavior and microstructure of lithium-calcium aluminogermanate glasses	Moo-Chin Wang	3158
	A time-resolved x-ray diffraction study of Ti_5Si_3 product formation during combustion synthesis	C. R. Kachelmyer *et al.*	3230
	Calculated phase diagrams for activated low pressure diamond growth from C–H, C–O, and C–H–O systems	Ji-Tao Wang *et al.*	3250
	Solid-state mechanical alloying of plastic crystals	J. Font *et al.*	3254
Photo transition	Schwertmannite: A unique mineral, contains a replaceable ligand, transforms to jarosites, hematites, and/or basic iron sulfate	R. Joseph Barham	2751
Photochemical processing	Laser-assisted formation of metallic oxide microtubes	László Nánai *et al.*	283
	The nature of residues following the ashing of arsenic implanted photoresist	Clifton W. Draper *et al.*	2799
Physical vapor deposition (PVD)	The crossover of preferred orientation in TiN film growth: A real time x-ray scattering study	J. H. Je *et al.*	9
	Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses	F. Malengreau *et al.*	175
	The oxygen deficiency effect of VO_2 thin films prepared by laser ablation	M. Nagashima *et al.*	416
	Role of antimony sulfide buffer layers in the growth of ferroelectric antimony sulfo-iodide thin films	N. Solayappan *et al.*	825
	In situ sputter deposition of $PbTiO_3$ thin films on different substrates: Influence of the growth temperature and the sputtered lead flux on the perovskite phase formation	B. Jaber *et al.*	997
	Preparation and characterization of $BaTiO_3$ thin films on MgO-buffered Si(100) substrates by RF sputtering	Sangsub Kim *et al.*	1152
	Excimer laser deposition of *c*-axis oriented $Pb(Zr, Ti)O_3$ thin films on silicon substrates with direct-current glow discharge	Lirong Zheng *et al.*	1179
	Vapor-deposited $CaWO_4$ phosphor	P. F. Carcia *et al.*	1385
	The effect of arc parameters on the growth of carbon nanotubes	J. M. Lauerhaas *et al.*	1536
	Influence of Ar impurities on optical refractive index of sputter deposited a–Si films	Hiroki Takahashi *et al.*	1722
	Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition	K. Järrendahl *et al.*	1806
	Growth of Ti thin films on sapphire substrates	S. Rao Peddada *et al.*	1856
	Characteristics of TiN film deposited on stellite using reactive magnetron sputter ion plating	Min-Ku Lee *et al.*	2393
	Deposition of mullite and mullite-like coatings on silicon carbide by dual-source metal plasma immersion	Othon R. Monteiro *et al.*	2401
	Pulsed laser deposition of $KNbO_3$ thin films	M. J. Martín *et al.*	2699
	Nanoindentation measurements of amorphous carbon coatings	Ashok V. Kulkarni *et al.*	2707
	Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition	S. R. Foltyn *et al.*	2941
	Preparation of fine-grained MgO and Gd_2O_3 stabilized ZrO_2 thin films by electron beam physical vapor deposition co-evaporation	F. Tcheliebou *et al.*	3260
	Pulsed laser deposition of carbon nitride thin films in nitrogen gas ambient	Masayuki Okoshi *et al.*	3376
Plasma deposition	Balance of graphite deposition and multishell carbon nanotube growth in the carbon arc discharge	P. M. Ajayan *et al.*	244
	Resistance of plasma-deposited *a*-C:H/fluorocarbon films to anodic breakdown in aqueous electrolytes	C. Srividya *et al.*	2099
	Effects of (100)-textured $LaNiO_3$ electrode on the deposition and characteristics of $PbTiO_3$ thin films prepared by rf magnetron sputtering	Chii-Ming Wu *et al.*	2158
Plasma spray	Phase formation in molybdenum disilicide powders during in-flight induction plasma treatment	Xiaobao Fan *et al.*	1315
Plating	Effects of electroless nickel plating on resistivity-temperature characteristics of $(Ba_{1-x}Pb_x)TiO_3$ thermistor	Chen Wanping *et al.*	877
Polycrystal	Decomposition behavior of $Ln_2Mn_{4/3}W_{2/3}O_7$ (Ln = Eu and Er) in reducing atmosphere and their thermodynamic properties	Taroh Atsumi *et al.*	2651

Polymers

Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation . . . Jun-Sik Cho *et al.* 277
Direct current electrical conductivity of Versicon™ blended in poly(vinyl chloride) . . . Rodney Speel *et al.* 1183
Spectroscopic study of Na–TCNQ in a poly(ethylene oxide) matrix (TCNQ = 7, 7′, 8, and 8′ tetracyanoquinodimethane) . . . A. Arena *et al.* 1405
Agglomeration of silica spheres under ultrasonication . . . Naoya Enomoto *et al.* 1410
Polyimide degradation induced by irradiation with N^+ ions . . . V. Švorčík *et al.* 1661
Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate . . . Michael V. Swain *et al.* 1917
Scanning tunneling microscopy and atomic force microscopy investigation of organic tetracyanoquinodimethane thin films . . . H. J. Gao *et al.* 1942
An alternative analysis of water vapor and gas transport in polyimide films . . . H. Ouyang *et al.* 2794
The nature of residues following the ashing of arsenic implanted photoresist . . . Clifton W. Draper *et al.* 2799
Impression recovery of PMMA . . . Fuqian Yang *et al.* 2809
A novel polymer electrolyte based on oligo(ethylene glycol) 600, K_2PdCl_4, and $K_3Fe(CN)_6$ . . . Vito Di Noto 3393

Powder

Low temperature synthesis of lead titanate by a hydrothermal method . . . Jooho Moon *et al.* 189
Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia . . . G. Fagherazzi *et al.* 318
Effect of calcium modification on the microstructure and oxidation property of submicron spherical palladium powders . . . Shenglei Che *et al.* 392
Measurement of solid state diffusion coefficients by a temperature-programmed method . . . Rajat Kapoor *et al.* 467
Linear free energy relationships in solid state diffusion processes . . . Rajat Kapoor *et al.* 474
Preparation of TiO_2-based powders with high photocatalytic activities . . . Tomoko Kasuga *et al.* 607
Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying . . . L. L. Ye *et al.* 616
Combustion synthesis of Si_3N_4 powder . . . Wei-Chang Lee *et al.* 805
Adsorption of poly(vinyl butyral) in nonaqueous ferrite suspensions . . . Jau-Ho Jean *et al.* 1062
Agglomeration of silica spheres under ultrasonication . . . Naoya Enomoto *et al.* 1410
Strontium and calcium zirconyl citrates as precursors for the low-temperature synthesis of $SrZrO_3$ and $CaZrO_3$ fine powders . . . M. Rajendran *et al.* 2665
Erratum: "Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying" [J. Mater. Res. **12**, 616–618 (1997)] . . . L. L. Ye *et al.* 2815
Solid-state mechanical alloying of plastic crystals . . . J. Font *et al.* 3254
In situ formation of $MoSi_2$–SiC through reaction of SiO_2 or Si_3N_4 with Mo and carbon . . . R. V. Krishnarao *et al.* 3322
A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters . . . B. R. Elliott *et al.* 3328

Powder metallurgy

Influence of powder characteristics on the properties of green compacts of Bi-2212 powders . . . D.-W. Yuan *et al.* 21
Fatigue of *in situ* reinforced Ti–8.5Al–1B–1Si . . . S. Rangarajan *et al.* 1102
Material characterization in support of the development of an anode substrate for solid oxide fuel cells . . . D. Simwonis *et al.* 1508
Superplastic behavior of a kappa carbide material (Fe_3AlC_x) . . . Woo-Jin Kim *et al.* 2317
Effect of Nd content on the magnetic properties and crystallographic alignment of Fe–Nd–B–Al sintered magnets . . . W. Kaszuwara *et al.* 2715

Powder processing

Optical properties of potassium acid phthalate . . . Davide Comoretto *et al.* 1262
Formation kinetics of nanocrystalline Fe–4 wt. % Al solid solution during ball milling . . . H. G. Jiang *et al.* 1429
A study of micropyretic reactions in the Mo–Si–Al ternary system . . . Ming Fu 1481
Correlation between energy transfers and solid state reactions induced by mechanical alloying on the $Mo_{33}Si_{66}$ system . . . L. Liu *et al.* 2281

Pyrolysis

Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique . . . M. Paranthaman *et al.* 619

Quasicrystal

Deformation-induced planar defects in Al–Cu–Fe quasicrystals . . . J. E. Shield *et al.* 300
Stoichiometric icosahedral phase in the Zn–Mg–Y system . . . A. P. Tsai *et al.* 1468
Deformation characteristics of quasicrystalline Al–Cu–Fe alloys . . . J. E. Shield *et al.* 2043
The growth of decagonal Al–Co–Ni single crystals as a function of chemical composition . . . B. Zhang *et al.* 2274

Radiation effects

Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition . . . William J. Weber *et al.* 1946

Raman spectroscopy

Pulsed electrodeposition of diamond-like carbon films . . . Hao Wang *et al.* 3102

Scanning electron microscopy (SEM)

Balance of graphite deposition and multishell carbon nanotube growth in the carbon arc discharge . . . P. M. Ajayan *et al.* 244

Self-propagating high-temperature synthesis (SHS)

Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying . . . L. L. Ye *et al.* 616
Combustion synthesis of Si_3N_4 powder . . . Wei-Chang Lee *et al.* 805
Investigation of NiAl–TiB_2 *in situ* composites . . . J. T. Guo *et al.* 1083
A study of micropyretic reactions in the Mo–Si–Al ternary system . . . Ming Fu 1481
Aluminothermic reaction path in the synthesis of a TiB_2–Al_2O_3 composite . . . V. Sundaram *et al.* 1681
Erratum: "Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying" [J. Mater. Res. **12**, 616–618 (1997)] . . . L. L. Ye *et al.* 2815
A time-resolved x-ray diffraction study of Ti_5Si_3 product formation during combustion synthesis . . . C. R. Kachelmyer *et al.* 3230

Semiconductors

Enhanced nucleation density of chemical vapor deposition diamonds by using interlayer . . . J. J. Lee *et al.* 657
The fracture toughness of polysilicon microdevices: A first report . . . R. Ballarini *et al.* 915
Investigation of the novel charge transfer complex Cd-*TCNQ* . . . A. Arena *et al.* 1693
Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy . . . A. Rodríguez *et al.* 1698
The viscosity of germanium during substrate relaxation upon thermal anneal . . . Sara E. Rosenberg *et al.* 1706
Two interferometric methods for the mechanical characterization of thin films by bulging tests. Application to single crystal of silicon . . . E. Bonnotte *et al.* 2234

Semimetal

Excess Li ions in a small graphite cluster . . . M. Nakadaira *et al.* 1367

Single crystal

On the role of deformation twinning in domain reorganization and grain reorientation in ferroelastic crystals . . . Peter Müllner *et al.* 1771

Sintering

Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels . . . Ján Majling *et al.* 198
Computer simulations of interactions between ultrafine alumina particles produced by an arc discharge . . . M. H. Teng *et al.* 235
Very high pressure sintering of cBN fine particles coated with TiN–TiB_2 layer formed by disproportionation reaction in molten salts . . . Haruo Yoshida *et al.* 585
Effect of Mo microstructure on the critical volume fraction for conduction in Mo-alumina cermets . . . J. F. Kelso *et al.* 738
Two-stage sintering of dense superconducting $YBa_2Cu_4O_8$ ceramics . . . Motohide Matsuda *et al.* 1205
A new microwave dielectric ceramics based on the solid solution system between $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ . . . Seo-Yong Cho *et al.* 1558
Effect of rate controlled sintering on microstructure and electrical properties of ZnO doped with bismuth and antimony oxides . . . Gaurav Agarwal *et al.* 2447
Processing and characterization of lead magnesium tantalate ceramics . . . Mehmet A. Akbas *et al.* 2617
Impedance spectroscopy of $SrBi_2Ta_2O_9$ and $SrBi_2Nb_2O_9$ ceramics correlation with fatigue behavior . . . Tze-Chiun Chen *et al.* 2628
Camber development during cofiring Ag-based low-dielectric-constant ceramic package . . . Jau-Ho Jean *et al.* 2743
Colloidal processing and mechanical properties of silicon carbide with alumina . . . Yoshihiro Hirata *et al.* 3146
Microwave assisted synthesis of technologically important transition metal silicides . . . B. Vaidhyanathan *et al.* 3225

Sol-gel

X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method . . . S. Santucci *et al.* 100
Particle aggregation in alumina aerogels . . . S. Keysar *et al.* 430
Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films . . . R. W. Schwartz *et al.* 444
Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2-11.3 mol % Y_2O_3 . . . P. C. Rivas *et al.* 493
Sol-gel derived $Ba(Mg_{1/3}Ta_{2/3})O_3$ thin films: Preparation and structure . . . Ji Zhou *et al.* 596
Oxide nanotubes prepared using carbon nanotubes as templates . . . B. C. Satishkumar *et al.* 604
Preparation of TiO_2-based powders with high photocatalytic activities . . . Tomoko Kasuga *et al.* 607

Effect of heat treatment on formation of sol-gel $(Pb, La)TiO_3$ films for optical application . . . Junmo Koo *et al.* **812**
Synthesis and characterization of sol-gel derived hexa-aluminate phosphors . . . D. Ravichandran *et al.* **819**
Sol-gel synthesis of $LaAlO_3$; Epitaxial growth of $LaAlO_3$ thin films on $SrTiO_3$ (100) . . . Shara S. Shoup *et al.* **1017**
Aging characteristics of a hybrid sol-gel $Pb(Zr, Ti)O_3$ precursor solution . . . Timothy J. Boyle *et al.* **1022**
A study on the microstructure of preferred orientation of lead zirconate titanate (PZT) thin films . . . Chang Jung Kim *et al.* **1043**
Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics . . . Kui Yao *et al.* **1131**
Phase-formation kinetics of xerogel and electrical properties of sol-gel-derived $Ba_xSr_{1-x}TiO_3$ thin films . . . Soo-Ik Jang *et al.* **1327**
Effect of lattice mismatch on the epitaxy of sol-gel $LiNbO_3$ thin films . . . T. A. Derouin *et al.* **1391**
Sol-gel processing of nanocrystalline haematite thin films . . . L. Armelao *et al.* **1441**
The effect of excess bismuth on the ferroelectric properties of $SrBi_2Ta_2O_9$ thin films . . . Tze-Chiun Chen *et al.* **1569**
Preparation of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films on Pt/RuO_2 double electrode by a new sol-gel route . . . Seung-Hyun Kim *et al.* **1576**
Neural net formulations for organically modified, hydrophobic silica aerogel . . . David Noever *et al.* **1837**
Low temperature synthesis of ultrafine $Pb(Zr, Ti)O_3$ powder by sol-gel combustion . . . J. Schäfer *et al.* **2518**
Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3 . . . R. Caruso *et al.* **2594**
A structural study of amorphous alkoxide-derived lead titanium complexes . . . Barbara Malič *et al.* **2602**
Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry . . . S. Bruynooghe *et al.* **2779**
Growth and characterization of semiconductor nanoparticles in porous sol-gel films . . . E. J. C. Dawnay *et al.* **3115**
Crystallization behavior and microstructure of lithium-calcium aluminogermanate glasses . . . Moo-Chin Wang **3158**
Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)] . . . L. G. Yu *et al.* **3182**
The effect of Cr and La on $MgTiO_3$ and $MgTiO_3$–$CaTiO_3$ microwave dielectric ceramics . . . V. M. Ferreira *et al.* **3293**

Stress/strain relationship measurements

Change of the weak-field properties of $Pb(ZrTi)O_3$ piezoceramics with compressive uniaxial stresses and its links to the effect of dopants on the stability of the polarizations in the materials . . . Q. M. Zhang *et al.* **226**

Structural materials

Evidence of critical scaling behavior during vapor phase synthesis of continuous filament composites . . . J. H. Kinney *et al.* **610**
Model of chemical vapor infiltration using temperature gradients . . . Daniel J. Skamser *et al.* **724**
Analysis of ball-indentation load-depth data: Part I. Determining elastic modulus . . . B. Taljat *et al.* **965**
High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates . . . L. G. Yu *et al.* **1790**
Development of flat, smooth (100) faceted diamond thin films using microwave plasma chemical vapor deposition . . . Andrew L. Yee *et al.* **1796**
Investigation of Si_3N_4–TiN/Si_3N_4–Si_3N_4 trilayer composites with residual surface compression . . . Jow-Lay Huang *et al.* **2357**
Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers . . . Dongxia Shi *et al.* **2543**
Estimation of Weibull parameter with a modified weight function . . . B. K. Chandrasekhar **2638**
Does the shear-lag model apply to random fiber networks? . . . V. I. Räisänen *et al.* **2725**
Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)] . . . L. G. Yu *et al.* **3182**

Superconductors

Influence of powder characteristics on the properties of green compacts of Bi-2212 powders . . . D.-W. Yuan *et al.* **21**
X-ray diffraction line broadening effects in $MBa_2Cu_3O_{7-\delta}$ (M = Y, Gd) thin films . . . P. Scardi *et al.* **28**
Precipitate size refinement by CeO_2 and Y_2BaCuO_5 additions in directionally solidified $YBa_2Cu_3O_7$ . . . N. Vilalta *et al.* **38**
Oxygen content and inhomogeneity effects on the electrical properties of $YBa_2Cu_3O_y$ thin films . . . R. Aguiar *et al.* **47**

Periodic fluctuation of Ba/Nd ratio in single crystals of high-J_c $NdBa_2Cu_3O_{7-\delta}$ superconductor . . . Tsukasa Hirayama *et al.* 293
Bi–Sr–Ca–Cu–O superconducting thin plates prepared by glass-ceramic processing: Dependence of T_c on the thickness . . . Toshihiro Kasuga *et al.* 332
Chemical analysis in $YBa_2Cu_3O_{7-x}$ melt-textured samples . . . F. J. Gotor *et al.* 338
Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique . . . M. Paranthaman *et al.* 619
Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials . . . J. A. Alarco *et al.* 624
Growth of (11*n*) oriented Bi–Ca–Sr–Cu–O films by liquid phase epitaxial method . . . K. K. Raina *et al.* 636
Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts . . . S. Honjo *et al.* 880
In situ measurements of texture and phase development in $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes . . . T. R. Thurston *et al.* 891
Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO . . . M. Reder *et al.* 906
Raman microscopy examination of phase evolution in Bi(Pb)–Sr–Ca–Cu–O superconducting ceramics . . . K. T. Wu *et al.* 1195
Two-stage sintering of dense superconducting $YBa_2Cu_4O_8$ ceramics . . . Motohide Matsuda *et al.* 1205
Single crystal growth of cuprates from hydroxide fluxes . . . S. A. Sunshine *et al.* 1210
Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition . . . Bruce J. Hinds*et al.* 1214
Phase coexistence and critical temperatures of the $(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ phase under partial pressures of oxygen between 10^{-3} and 0.21 bar with and without additions of silver . . . M. Däumling *et al.* 1445
Factors controlling carbon retention in $YBa_2Cu_3O_{7-\delta}$ . . . Evelyne Cazy *et al.* 1451
Local cross-sectional profiling of multilayer thin films with an atomic force microscope for layer thickness determination . . . J. R. LaGraff *et al.* 1935
Unidirectional partial melting and solidification of SmBCO superconductor . . . M. Sumida *et al.* 1979
Refinement of Nd-422 phase trapped in a $Nd_{1+\delta}Ba_{2-\delta}Cu_3O_{7-y}$ superconducting matrix . . . F. Frangi *et al.* 1990
Modeling of peritectic $YBa_2Cu_3O_{7-x}$ growth using transparent organic analogues . . . R. Terborg *et al.* 2002
Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides . . . M. D. Giardina *et al.* 2009
Ac irreversibility line of bismuth-based high temperature superconductors . . . A. Mehdaoui *et al.* 2226
Growth of high-quality $Bi_2Sr_2CaCu_2O_z$ crystal and characterization . . . H. Faqir *et al.* 2522
Phase indentification and superconductivity transitions in Sr-doped $Pr_{1.85}Ce_{0.15}CuO_{4+\delta}$ . . . A. Varela *et al.* 2526
Synthesis and properties of Tl–Ba–Ca–Cu–O Superconductors . . . M. P. Siegal *et al.* 2825
Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2 . . . W. Wong-Ng *et al.* 2855
Fabrication of NdBCO single crystal oxide superconductor with enhanced superconductive properties . . . M. Kambara *et al.* 2866
Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors . . . M. Kambara *et al.* 2873
Diffusion model for the crystal growth of $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ by the top seeded crystal pulling method . . . Minoru Tagami *et al.* 2880
Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applications . . . Wai Lo *et al.* 2889
Doping high T_c superconductors with oxygen and metallic atoms: A molecular dynamics study . . . Erich Stoll *et al.* 2901
The thermopower of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ in a comparative study of effects of Ba-site doping versus chain-Cu-site doping . . . B. Fisher *et al.* 2907
Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition . . . Y. Iijima *et al.* 2913
Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire . . . A. Goyal *et al.* 2924
Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition . . . S. R. Foltyn *et al.* 2941
$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules . . . S. Afonso *et al.* 2947
The effect of ion milling on the morphology of ramp-type Josephson junctions . . . Dave H. A. Blank *et al.* 2952
Development of a reliable materials base for superconducting electronics . . . JiPing Zhou *et al.* 2958
Nanostructured high-temperature superconductors: Creation of strong-pinning columnar defects in nanorod/superconductor composites . . . Peidong Yang *et al.* 2981
Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate . . . J. A. Parrell *et al.* 2997

Structure of grain boundaries: Correlation to supercurrent transport in textured $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ bulk material . . . Y. Yan *et al.* **3009**
From meandering to straight grain boundaries: Improving the structures of artificially induced grain boundaries in superconducting $YBa_2Cu_3O_y$ bicrystals . . . Xiao-Feng Zhang *et al.* **3029**
Surface nucleation, domain growth mechanisms, and factors dominating superconducting properties in seeded melt grown $YBa_2Cu_3O_x$ . . . Donglu Shi *et al.* **3036**
The effects of variable oxygen partial pressures during Bi-2223 tape processing . . . T.G. Holesinger *et al.* **3046**
Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes . . . Li-jun Wu *et al.* **3055**
Effect of filament architecture on magnetic flux distributions in multifilamentary $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$/Ag composites . . . Debra L. Kaiser *et al.* **3074**
Losses in ac of BSCCO-2223 superconducting monofilament and multifilament tapes at power frequencies . . . S. Mench *et al.* **3085**
Vortex dynamics during N-S and S-N transitions of Y–Ba–Cu–O superconductors under the effect of temperature gradient and thermal cycling . . . I. Kirschner *et al.* **3090**
Directional solidification by appropriate chemically active single crystal seed: An alternative way of generating large superconducting 123 single domain . . . R. Cloots *et al.* **3199**
Superconducting properties and structural stability of $Bi_2Sr_2CaCu_2O_{8+\delta}$ compound prepared by electrochemical reduction in protogenic electrolyte . . . Motohide Matsuda *et al.* **3214**

Theory

Finite size corrections for the Johnson–Mehl–Avrami–Kolmogorov equation . . . L.E. Levine *et al.* **124**
Anharmonicity in metals from the universal energy equation . . . L.A. Girifalco *et al.* **311**
Optimizing diamond growth for an atmospheric oxyacetylene torch . . . Lua'y A. Zeatoun *et al.* **1237**
Thermodynamic coupling effect and catalyst effect for the artificial diamond growth . . . Ji-Tao Wang *et al.* **1530**
Percolative composite model for prediction of the properties of nanocrystalline materials . . . Rachman Chaim **1828**
$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part I. Pair-correlation theory of order-disorder phase transition . . . Hyun M. Jang *et al.* **2117**
$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part II. Short-range order parameter as a criterion of the distinction between relaxor and normal ferroelectrics . . . Su-Chan Kim *et al.* **2127**
Propagation of acoustic waves in periodic and random two-dimensional composite media . . . J.O. Vasseur *et al.* **2207**
Calculated phase diagrams for activated low pressure diamond growth from C–H, C–O, and C–H–O systems . . . Ji-Tao Wang *et al.* **3250**
A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters . . . B.R. Elliott *et al.* **3328**

Thermal waves

Thermal wave imaging of indented diamond coated WC . . . Albert Feldman **1911**

Thermally stimulated current

Trapping levels in hydrothermal and solution grown bismuth titanium oxide . . . D. Eirug Davies *et al.* **308**

Thermodynamic properties

Chemical stability of $CuInS_2$ in oxygen at 298 K . . . J. Grzanna *et al.* **355**
Linear free energy relationships in solid state diffusion processes . . . Rajat Kapoor *et al.* **474**
The thermal stability of thin copper films deposited on $TiO_2(110)$ studied by scanning tunneling microscopy . . . D.L. Carroll *et al.* **975**
Phase formation and thermodynamics of unstable Cu–Cr alloys . . . C. Michaelsen *et al.* **1463**
Stoichiometric icosahedral phase in the Zn–Mg–Y system . . . A.P. Tsai *et al.* **1468**
Thermochemistry and electrical contact properties at the interface between semiconducting $BaTiO_3$ and (Au–Ti) electrodes . . . David P. Cann *et al.* **1685**
Glass transformation, heat capacity, and structure of Ge_xSe_{100-x} glasses studied by temperature-modulated differential scanning calorimetry experiments . . . T. Wagner *et al.* **1892**
Void nucleation in passivated interconnect lines: Effects of site geometries, interfaces, and interface flaws . . . R.J. Gleixner *et al.* **2081**
Decomposition behavior of $Ln_2Mn_{4/3}W_{2/3}O_7$ (Ln = Eu and Er) in reducing atmosphere and their thermodynamic properties . . . Taroh Atsumi *et al.* **2651**
The standard molar enthalpies of formation of α–Si_3N_4 and β–Si_3N_4 by combustion calorimetry in fluorine, and the enthalpy of the α-to-β transition at the temperature 298.15 K . . . P.A.G. O'Hare *et al.* **3203**

Thin film

The intercalation of Ar into C_{60} films . . . G.E. Gadd *et al.* **1**
Electroluminescence from amorphous-silicon-based switching devices . . . V.A. Kuznetsov *et al.* **17**
X-ray diffraction line broadening effects in $MBa_2Cu_3O_{7-\delta}$ (M = Y, Gd) thin films . . . P. Scardi *et al.* **28**
Comparison of C_2F_6 and FASi-4 as fluorine dopant sources in plasma enhanced chemical vapor deposited fluorinated silica glass films . . . Woo Sik Yoo *et al.* **70**

Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses . . . F. Malengreau *et al.* 175
Metallization schemes for dielectric thin film capacitors . . . H. N. Al-Shareef *et al.* 347
The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon . . . K. Schonenberg *et al.* 364
Selective chemical etching of hexagonal boron nitride compared to cubic boron nitride . . . Stephen J. Harris *et al.* 412
The oxygen deficiency effect of VO_2 thin films prepared by laser ablation . . . M. Nagashima *et al.* 416
An analysis for geometrical effects on the cooling performance of $(Bi,Sb)_2Te_3/Bi_2(Te,Se)_3$-based thin film thermoelectric modules . . . Il-Ho Kim *et al.* 423
Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition . . . B. W. Lee *et al.* 509
Influence of texture on the switching behavior of $Pb(Zr_{0.70}Ti_{0.30})O_3$ sol-gel derived thin films . . . Keith G. Brooks *et al.* 531
Preparation of epitaxial $La_{1-x}Sr_xMnO_3$ films on $SrTiO_3(001)$ by dipping-pyrolysis process . . . T. Manabe *et al.* 541
Waveguide refractometry as a probe of thin film optical uniformity . . . B. G. Potter Jr. *et al.* 546
Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces . . . J. Hoffmann *et al.* 593
Sol-gel derived $Ba(Mg_{1/3}Ta_{2/3})O_3$ thin films: Preparation and structure . . . Ji Zhou *et al.* 596
Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique . . . M. Paranthaman *et al.* 619
Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films . . . P. K. Nair *et al.* 651
Enhanced nucleation density of chemical vapor deposition diamonds by using interlayer . . . J. J. Lee *et al.* 657
Effect of heat treatment on formation of sol-gel $(Pb,La)TiO_3$ films for optical application . . . Junmo Koo *et al.* 812
Role of antimony sulfide buffer layers in the growth of ferroelectric antimony sulfo-iodide thin films . . . N. Solayappan *et al.* 825
Hydrothermal synthesis of $PbTiO_3$ films . . . Woo-Seok Cho *et al.* 833
A four-point bending technique for studying subcritical crack growth in thin films and at interfaces . . . Qing Ma 840
Conductive $LaNiO_3$ electrode grown by pulsed laser ablation on Si substrate . . . Li Sun *et al.* 931
The thermal stability of thin copper films deposited on $TiO_2(110)$ studied by scanning tunneling microscopy . . . D. L. Carroll *et al.* 975
Microstructure of ruthenium dioxide films grown on $\alpha-Al_2O_3$ (0001), $\alpha-Al_2O_3$ ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering . . . Q. Wang *et al.* 984
Deposition process and property of silica films containing organic groups from aqueous solution of alkoxides . . . Junrok Oh *et al.* 1008
Sol-gel synthesis of $LaAlO_3$; Epitaxial growth of $LaAlO_3$ thin films on $SrTiO_3$ (100) . . . Shara S. Shoup *et al.* 1017
Preparation of epitaxial $BaTiO_3$ thin films by the dipping-pyrolysis process . . . S. Kim *et al.* 1141
In situ growth of fatigue-free $SrBi_2Ta_2O_9$ films by pulsed laser ablation . . . Hung-Ming Yang *et al.* 1145
Preparation and characterization of $BaTiO_3$ thin films on MgO-buffered Si(100) substrates by RF sputtering . . . Sangsub Kim *et al.* 1152
Electrical and structural properties of $SrTiO_3$ thin films deposited by plasma-enhanced metalorganic chemical vapor deposition . . . Nam-Kyeong Kim *et al.* 1160
Hydrothermal synthesis of heteroepitaxial $Pb(Zr_xTi_{1-x})O_3$ thin films at 90–150 °C . . . A. T. Chien *et al.* 1176
Excimer laser deposition of *c*-axis oriented $Pb(Zr,Ti)O_3$ thin films on silicon substrates with direct-current glow discharge . . . Lirong Zheng *et al.* 1179
Domain structure of epitaxial $PbTiO_3$ films grown on vicinal (001) $SrTiO_3$ . . . C. D. Theis *et al.* 1297
Heteroepitaxial growth of lanthanum aluminate films derived from mixed metal nitrates . . . Man Fai Ng *et al.* 1306
Hot filament assisted diamond growth at low temperatures with oxygen addition . . . Z. Li Tolt *et al.* 1344
Nucleation and growth of oriented diamond on Si(100) by bias-assisted chemical vapor deposition . . . Mikka Nishitani-Gamo *et al.* 1351
Vapor-deposited $CaWO_4$ phosphor . . . P. F. Carcia *et al.* 1385
Anomalous behavior of the optical band gap of nanocrystalline zinc oxide thin films . . . V. Srikant *et al.* 1425
Pulsed laser deposition and characterization of conductive RuO_2 thin films . . . A. Iembo *et al.* 1433
Growth of $CuInSe_2$ crystals in Cu-rich Cu–In–Se thin films . . . Takahiro Wada *et al.* 1456
Phase formation and thermodynamics of unstable Cu–Cr alloys . . . C. Michaelsen *et al.* 1463
Impact of boundary nucleation on product grain size distribution . . . W. S. Tong *et al.* 1501
Surface reactions of low-energy carbon ions with boron nitride thin films . . . I. Montero *et al.* 1563
Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack . . . A. M. Dhote *et al.* 1589
Structure and properties of carbon nitride films synthesized by low energy ion bombardment . . . Xiao-Ming He *et al.* 1595
Photochemical depassivation of hydrogenated (100) nitrogen surface of cubic boron nitride . . . Shojiro Komatsu 1675

Preparation of highly oriented polycrystalline AlN thin films on glass, deposited at oblique-angle incidence . . . A. Rodríguez-Navarro *et al.* **1689**
Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy . . . A. Rodríguez *et al.* **1698**
Structure and surface morphology of highly conductive RuO_2 films grown on MgO by oxygen-plasma-assisted molecular beam epitaxy . . . Y. Gao *et al.* **1844**
Development of preferred orientation in polycrystalline AlN thin films deposited by rf sputtering system at low temperature . . . A. Rodríguez-Navarro *et al.* **1850**
The influence of total pressure in the reactor and carrier gas on the chemical vapor deposition of Al from tri-isobutyl aluminum . . . Takakazu Suzuki **1866**
Anodic film formation on a sputter-deposited amorphous Al–40 at.% Sm alloy . . . H. Habazaki *et al.* **1885**
Local cross-sectional profiling of multilayer thin films with an atomic force microscope for layer thickness determination . . . J. R. LaGraff *et al.* **1935**
Quantitative analysis of electromigration damage in Al-based conductor lines . . . O. Kraft *et al.* **2027**
Void nucleation on a contaminated patch . . . B. M. Clemens *et al.* **2038**
Formation of single-crystal $CoSi_2$ buffer layers on Si(100) substrates by high dose Co ion implantation for the deposition of $YBa_2Cu_3O_{7-x}$ thin films . . . Yijie Li *et al.* **2072**
Void nucleation in passivated interconnect lines: Effects of site geometries, interfaces, and interface flaws . . . R. J. Gleixner *et al.* **2081**
Resistance of plasma-deposited *a*-C:H/fluorocarbon films to anodic breakdown in aqueous electrolytes . . . C. Srividya *et al.* **2099**
Structure development studies of $SrBi_2(Ta_{1-x}Nb_x)_9$ thin films . . . Tze-Chiun Chen *et al.* **2165**
Two interferometric methods for the mechanical characterization of thin films by bulging tests. Application to single crystal of silicon . . . E. Bonnotte *et al.* **2234**
Determination of elastic modulus of thin layers using nanoindentation . . . J. Menčík *et al.* **2475**
Rapid thermal recrystallization of amorphous silicon films . . . G. D. Beshkov *et al.* **2511**
Structural studies of diamond thin films grown from dc arc plasma . . . L. C. Nistor *et al.* **2533**
On the formation of solid state crystallized intrinsic polycrystalline germanium thin films . . . Zhiguo Meng *et al.* **2548**
Domain structures in $Pb(Zr, Ti)O_3$ and $PbTiO_3$ thin films . . . L. D. Madsen *et al.* **2612**
Investigation of a new fracture mechanics specimen for thin film adhesion measurement . . . Maarten P. de Boer *et al.* **2673**
A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition . . . L. Fayette *et al.* **2686**
Pulsed laser deposition of $KNbO_3$ thin films . . . M. J. Martín *et al.* **2699**
Nanoindentation measurements of amorphous carbon coatings . . . Ashok V. Kulkarni *et al.* **2707**
In situ mass spectrometry during diamond chemical vapor deposition using a low pressure flat flame . . . C. A. Wolden *et al.* **2733**
An alternative analysis of water vapor and gas transport in polyimide films . . . H. Ouyang *et al.* **2794**
Synthesis and properties of Tl–Ba–Ca–Cu–O Superconductors . . . M. P. Siegal *et al.* **2825**
The effect of ion milling on the morphology of ramp-type Josephson junctions . . . Dave H. A. Blank *et al.* **2952**
Development of a reliable materials base for superconducting electronics . . . JiPing Zhou *et al.* **2958**
Epitaxial growth of β–SiC thin films on a 6H–SiC substrate using the chemical solution deposition method . . . D. Heimann *et al.* **3099**
Pulsed electrodeposition of diamond-like carbon films . . . Hao Wang *et al.* **3102**
Structural characterization of sputter-deposited $LaNiO_3$ thin films on Si substrate by x-ray reflectivity and diffraction . . . Hsin-Yi Lee *et al.* **3165**
Interdiffusions and reactions in Cu/TiN/Ti/Si and Cu/TiN/Ti/SiO_2/Si multilayer structures . . . Sa-Kyun Rha *et al.* **3367**
Diamond nucleation on smooth Si_3N_4-coated substrate . . . Ning Xu *et al.* **3373**
Pulsed laser deposition of carbon nitride thin films in nitrogen gas ambient . . . Masayuki Okoshi *et al.* **3376**

Transmission electron microscopy (TEM)

Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope . . . J. F. Mao *et al.* **377**
Determination of displacement vector on 180° domain boundary and polarization arrangements in lead titanate crystals . . . Chen-Chia Chou *et al.* **457**
Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO . . . M. Reder *et al.* **906**
Microstructures of two-phase Ti–Cr alloys containing the $TiCr_2$ Laves phase intermetallic . . . Katherine C. Chen *et al.* **1472**
Investigation of growth conditions of fibrous deposits in carbon arc . . . P. Byszewski *et al.* **1551**
A transmission electron microscopy investigation of inverse melting in $Nb_{45}Cr_{55}$ . . . W. Sinkler *et al.* **1872**

	Analytical electron microscopy of planar faults in SrO-doped $CaTiO_3$ . . . . . M. Čeh *et al.*	**2438**
	Structure of grain boundaries: Correlation to supercurrent transport in textured $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ bulk material . . . . . Y. Yan *et al.*	**3009**
	From meandering to straight grain boundaries: Improving the structures of artificially induced grain boundaries in superconducting $YBa_2Cu_3O_y$ bicrystals . . . Xiao-Feng Zhang *et al.*	**3029**
Ultrasonication	Microstructure of nitrate polycrystals solidified under ultrasonic vibration . . . . . Naoya Enomoto *et al.*	**371**
Vapor-liquid-solid	Carbothermal synthesis of TaC whiskers via a vapor-liquid-solid growth mechanism . . . . . M. Johnsson *et al.*	**2419**
X-ray diffraction (XRD)	The structural characterization of amorphous thin films and coatings in their as-deposited state using x-rays at shallow angles of incidence . . . . . J. S. Rigden *et al.*	**264**
	Phase transformation in $Sr_{1-x}Ba_xNb_2O_6$ ceramics . . . . . Xiaoli Wang	**600**
	In situ measurements of texture and phase development in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes . . . . . T. R. Thurston *et al.*	**891**
	Equation of state of polycrystalline $Ni_{50}Al_{50}$ . . . . . J. W. Otto *et al.*	**3106**
X-ray photoelectron spectroscopy (XPS)	Spectroscopic study of Na–TCNQ in a poly(ethylene oxide) matrix (TCNQ = 7, 7′, 8, and 8′ tetracyanoquinodimethane) . . . . . A. Arena *et al.*	**1405**

MATERIALS INDEX TO VOLUME 12

This table is a cumulative listing of all the articles in Volume 12 classified according to the specific material(s) for which data and/or calculations are reported. For materials studied in physical combination the type of combinations is indicated using several formats. Components of a true alloy are separated by dashes (i.e., Al–Zn or W–Ti–Cu). In general, the most abundant component is listed first. The notation (AB) or (ABC) is used to denote A_xB_{1-x} or $(A_xB_{1-x})_yC_{1-y}$, respectively, as well as for the more general pseudoalloys and mixtures. Symbols for trace elements are appended to the host material by a colon such as in CdS:Na for sodium-doped cadmium sulfide. Elements within parentheses separated by a comma indicate the simultaneous presence of both as in Si:(Ga, B) for silicon doped with both gallium and boron. A semicolon refers to each item in the set separately so that Al_2O_3:(Cr; Fe) indicates alumina doped with chromium or alumina doped with iron. The intimate juxtaposition of components, such as in thin-film couples, is indicated by a slash as in SiO_2/Si or Au/Ni/Cu. When the allotropic form of a material is vital to its identification, a parenthetic reference is provided [e.g., C(diamond) versus C(graphite)].

Ag

– Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts.–S. Ayyappan, R. Srinivasa Gopalan, G.N. Subbanna, and C.N.R. Rao; **12** (2), 398–401.

Ag/($CaO–SiO_2–B_2O_3$)

– Camber development during cofiring Ag-based low-dielectric-constant ceramic package.–Jau-Ho Jean and Chia-Ruey Chang; **12** (10), 2743–2750.

Ag/polyimide

– Supercritical fluid infusion of silver into polyimide films of varying chemical composition.–J. Rosolovsky, R.K. Boggess, A.F. Rubira, L.T. Taylor, D.M. Stoakley, and A.K. St. Clair; **12** (11), 3127–3133.

(Ag–Cu)/Ni

– The spreading kinetics of $Ag–28Cu_{(L)}$ on $nickel_{(S)}$: Part II. Area of spread on surfaces plated with electrolytic Ni.–Douglas A. Weirauch Jr. and Stephen F. Horvath; **12** (4), 953–964.

Ag–Sb/Si

– Ag:Sb and Sb:Ag implantations into high purity silica.–T.S. Anderson, R.H. Magruder III, L. Kinser, J.E. Wittig, R.A. Zuhr, and D.K. Thomas; **12** (12), 3316–3321.

Al

– The influence of total pressure in the reactor and carrier gas on the chemical vapor deposition of Al from tri-isobutyl aluminum.–Takakazu Suzuki; **12** (7), 1866–1871.

– Quantitative analysis of electromigration damage in Al-based conductor lines.–O. Kraft, J.E. Sanchez Jr., M. Bauer, and E. Arzt; **12** (8), 2027–2037.

– Void nucleation on a contaminated patch.–B.M. Clemens, W.D. Nix, and R.J. Gleixner; **12** (8), 2038–2042.

– Contact area evolution during an indentation process.–Kangjie Li, T.W. Wu, and J.C.M. Li; **12** (8), 2064–2071.

– Void nucleation in passivated interconnect lines: Effects of site geometries, interfaces, and interface flaws.–R.J. Gleixner, B.M. Clemens, and W.D. Nix; **12** (8), 2081–2090.

Al/AlN

– Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4.–J.H. Booske, L. Zhang, W. Wang, K. Mente, N. Zjaba, C. Baum, and J.L. Shohet; **12** (5), 1356–1366.

Al/Al_2O_3 (sapphire)

– Microstructure and strength of Al-sapphire interface by means of the surface activated bonding method.–T. Akatsu, G. Sasaki, N. Hosoda, and T. Suga; **12** (3), 852–856.

Al/Ni

– Reactive phase formation in sputter-deposited Ni/Al multilayer thin films.–K. Barmak, C. Michaelsen, and G. Lucadamo; **12** (1), 133–146.

– Uniformity and interfaces in ion-beam deposited Al/Ni multilayers.–A.S. Edelstein, R.K. Everett, J.H. Perepezko, and M.H. da Silva Bassani; **12** (2), 385–391.

Al/SiO_2

– Thermal stresses in multilevel interconnections: Aluminum lines at different levels.–Y-L. Shen; **12** (9), 2219–2222.

Al–Co–Ni

– The growth of decagonal Al–Co–Ni single crystals as a function of chemical composition.–B. Zhang, M. Estermann, and W. Steurer; **12** (9), 2274–2280.

Al–Cu

– Quantitative analysis of electromigration damage in Al-based conductor lines.–O. Kraft, J.E. Sanchez Jr., M. Bauer, and E. Arzt; **12** (8), 2027–2037.

Al–Cu/SiC

– Studies on age-hardening characteristics of ceramic particle/matrix interfaces in $Al–Cu–SiC_p$ composites using ultra low-load-dynamic microhardness measurements.–B. Dutta and M.K. Surappa; **12** (10), 2773–2778.

Al–Cu–Fe

– Deformation-induced planar defects in Al–Cu–Fe quasicrystals.–J.E. Shield and M.J. Kramer; **12** (2), 300–303.

– Deformation characteristics of quasicrystalline Al–Cu–Fe alloys.–J.E. Shield and M.J. Kramer; **12** (8), 2043–2047.

(Al–Cu–Mg)/Polyvinyl chloride

– Propagation of acoustic waves in periodic and random two-dimensional composite media.–J.O. Vasseur and P.A. Deymier; **12** (8), 2207–2212.

Al–Li–Cu–Mg

– Crystallographic structure of S' precipitates in Al–Li–Cu–Mg alloys.–J.I. Pérez-Landazábal, M.L. Nó, G. Madariaga, and J. San Juan; **12** (3), 577–580.

Al–Mg–Si

– Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular extrusion.–Stephane Ferrasse, Vladimir M. Segal, K. Theodore Hartwig, and Ramon E. Goforth; **12** (5), 1253–1261.

Al–Mn–Si–Pb

– Analysis of ball-indentation load-depth data: Part I. Determining elastic modulus.–B. Taljat, T. Zacharia, and F.M. Haggag; **12** (4), 965–974.

Al–Si

– Improving the wear resistance of Al–Si alloy by ion implantation.–Y. Itoh, H. Azuma, A. Itoh, and T. Hioki; **12** (12), 3246–3249.

Al–Si–Ti

– Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system.–Jagdish Prasad, Oliver M.R. Chyan, Jin-Jian Chen, Min Liu, Ligang Chen, and Fei Xu; **12** (12), 3241–3245.

Al–Sn

– Anodic film formation on a sputter-deposited amorphous Al–40 at.% Sm alloy.–H. Habazaki, P. Skeldon, G.E. Thompson, G.C. Wood, and K. Shimizu; **12** (7), 1885–1891.

Al–Ti–C

– Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying.–L.L. Ye, Z.G. Liu, S.D. Li, M.X. Quan, and Z.Q. Hu; **12** (3), 616–618.

– Erratum: "Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying" [J. Mater. Res. **12**, 616–618 (1997)].–L.L. Ye, Z.G. Liu, S.D. Li, M.X. Quan, and Z.Q. Hu; **12** (10), 2815.

AlN

– Excimer laser ablation of aluminum nitride.–Janet K. Lumpp and Susan D. Allen; **12** (1), 218–225.

– Preparation of highly oriented polycrystalline AlN thin films on glass, deposited at oblique-angle incidence.–A. Rodríguez-Navarro, W. Otaño-Rivera, J.M. García-Ruiz, R. Messier, and L.J. Pilione; **12** (7), 1689–1692.

– Development of preferred orientation in polycrystalline AlN thin films deposited by rf sputtering system at low temperature.–A. Rodriguez-Navarro, W. Otaño-Rivera, J.M. García-Ruiz, R. Messier, and L.J. Pilione; **12** (7), 1850–1855.

AlN/Cu

– Joining of AlN to Cu using In-base active brazing fillers.–Dae Huh and Dae-Hun Kim; **12** (4), 1048–1055.

AlN/polyimide

– Synthesis and properties of an aluminum nitride/polyimide nanocomposite prepared by a nonaqueous suspension process.–Xiaohe Chen and Kenneth E. Gonsalves; **12** (5), 1274–1286.

AlN/Si

– Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses.–F. Malengreau, M. Vermeersch, S. Hagège, R. Sporken, M.D. Lange, and R. Caudano; **12** (1), 175–188.

Al_2O_3

– Residual surface stress by localized contact-creep.–Sujanto Widjaja, Karl Jakus, Revti Atri, John E. Ritter, and Sandeepan Bhattacharya; **12** (1), 210–217.

– Computer simulations of interactions between ultrafine alumina particles produced by an arc discharge.–M.H. Teng, L.D. Marks, and D.L. Johnson; **12** (1), 235–243.

– Oxide nanotubes prepared using carbon nanotubes as templates.–B.C. Satishkumar, A. Govindaraj, Erasmus M. Vogl, Lipika Basumallick, and C.N.R. Rao; **12** (3), 604–606.

– Model of chemical vapor infiltration using temperature gradients.–Daniel J. Skamser, Hamlin M. Jennings, and D. Lynn Johnson; **12** (3), 724–737.

– High pressure compaction of nanosize ceramic powders.–M.R. Gallas, A.R. Rosa, T.H. Costa, and J.A.H. da Jornada; **12** (3), 764–768.

– Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M.P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

– The ballistic failure mechanisms and sequence in semi-infinite supported alumina tiles.–Dov Sherman and D.G. Brandon; **12** (5), 1335–1343.

– The effects of the atmosphere on the surface modification of alumina by pulsed-laser-irradiation.–Siqi Cao, A.J. Pedraza, L.F. Allard, and D.H. Lowndes; **12** (7), 1747–1754.

– Contact area evolution during an indentation process.–Kangjie Li, T.W. Wu, and J.C.M. Li; **12** (8), 2064–2071.

– Thermal diffusivity maps: Case studies in ceramics.–Lanhua Wei and Grady S. White; **12** (9), 2381–2387.

– Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M.P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815.

Al_2O_3(Aerogel)

– Particle aggregation in alumina aerogels.–S. Keysar, Y. De Hazan, Y. Cohen, T. Aboud, and G.S. Grader; **12** (2), 430–433.

Al_2O_3:(Er)

– Lattice site and photoluminescence of erbium implanted in α–Al_2O_3.–G.N. van den Hoven, A. Polman, E. Alves, M.F. da Silva, A.A. Melo, and J.C. Soares; **12** (5), 1401–1404.

Al_2O_3(platelet)/Al_2O_3

– Alumina platelet reinforced reaction bonded aluminum oxide composites: Textured and random.–Linan An, Suxing Wu, Helen M. Chan, Martin P. Harmer, and David G. Brandon; **12** (12), 3300–3306.

Al_2O_3/Cu

– Bonding behavior of Cu/CuO thick film on a low-firing ceramic substrate.–Sang-Jin Lee, Waltraud M. Kriven, Jeong-Hyun Park, and Young-Soo Yoon; **12** (9), 2411–2418.

Al_2O_3/NiAl

– The influence of binders on interfacial failure in sapphire fiber-reinforced NiAl composites.–Jeffrey I. Eldridge, Donald R. Wheeler, Randy R. Bowman, and Andras Korenyi-Both; **12** (8), 2191–2197.

Al_2O_3/SiC

– Failure behavior of alumina and alumina/silicon carbide nanocomposites with natural and artificial flaws.–F. Meschke, P. Alves-Riccardo, G.A. Schneider, and N. Claussen; **12** (12), 3307–3315.

Al_2O_3–Mo

– Effect of Mo microstructure on the critical volume fraction for conduction in Mo-alumina cermets.–J.F. Kelso, R.R. Higgins, and F.J. Krivda; **12** (3), 738–744.

Al_2O_3–TiC

– Laser micromachining of Al_2O_3–TiC ceramics.–V. Oliveira, R. Vilar, O. Conde, and P. Freitas; **12** (12), 3206–3209.

$3Al_2O_3 \cdot 2SiO_2$

– Mullite precursor I. Characterization of mullite precursor formed by a reaction of monosilicic acid on aluminum hydroxide.–Takushi Yokoyama, Keisuki Nishu, Shunsuke Torii, Yoshio Ikeda, and Tokuko Watanabe; **12** (8), 2111–2116.

– Deposition of mullite and mullite-like coatings on silicon carbide by dual-source metal plasma immersion.–Othon R. Monteiro, Zhi Wang, and Ian G. Brown; **12** (9), 2401–2410.

Al_2OC

– Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M.P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

– Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M.P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815.

$AlPO_4$

– Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$.–K.C. Mishra, I. Osterloh, H. Anton, B. Hannebauer, P.C. Schmidt, and K.H. Johnson; **12** (8), 2183–2190.

Aminomethylpentanediol-Tris (hydroxymethyl)

– Solid-state mechanical alloying of plastic crystals.–J. Font, J. Muntasell, E. Cesari, and J. Pons; **12** (12), 3254–3259.

Au

– Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts.–S. Ayyappan, R. Srinivasa Gopalan, G. N. Subbanna, and C. N. R. Rao; **12** (2), 398–401.

Au/GaN

– Microstructure, electrical properties, and thermal stability of Au-based ohmic contacts to *p*-GaN.–L. L. Smith, R. F. Davis, M. J. Kim, R. W. Carpenter, and Y. Huang; **12** (9), 2249–2254.

B–SiC/Si

– A high-resolution electron microscopy study of blue-light emitting β–SiC nanoparticles in C^+-implanted silicon.–Y. H. Gao, Z. Zhang, L. S. Liao, and X. M. Bao; **12** (6), 1640–1645.

$Ba(Fe_2O_x)_6$

– On the fluctuation field in multidomain barium hexaferrite particles.–J. M. González, Anit K. Giri, C. de Julián, M. Vélez, and J. L. Vicent; **12** (10), 2643–2647.

$BaMg_2Al_{16}O_{27}:Eu^{+2}$

– Synthesis and characterization of sol-gel derived hexa-aluminate phosphors.–D. Ravichandran, R. Roy, W. B. White, and S. Erdei; **12** (3), 819–824.

$Ba(Mg,Ta)O_3$

– Coexistence of 1:2 and 1:1 long-range ordering types in La-modified $Ba(Mg_{0.33}Ta_{0.67})O_3$ ceramics.–Hyuk-Joon Youn, Kug-Sun Hong, and Hwan Kim; **12** (3), 589–592.

– Sol-gel derived $Ba(Mg_{1/3}Ta_{2/3})O_3$ thin films: Preparation and structure.–Ji Zhou, Qing-Xin Su, K. M. Moulding, and D. J. Barber; **12** (3), 596–599.

$Ba(Ni,Nb)O_3$

– Ordering and microwave dielectric properties of $Ba(Ni_{1/3}Nb_{2/3})O_3$ ceramics.–In-Tae Kim, Yoon-Ho Kim, and Su Jin Chung; **12** (2), 518–525.

$Ba(Ni,Nb)O_3–Ba(Zn,Nb)O_3$

– A new microwave dielectric ceramics based on the solid solution system between $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$.–Seo-Yong Cho, Hyuk-Joon Youn, Kug-Sun Hong, In-Tae Kim, and Yoon-Ho Kim; **12** (6), 1558–1562.

$BaO–TiO_3–Nb_2O_5$

– Dielectric properties of barium titanium niobates.–G. L. Roberts, R. J. Cava, W. F. Peck Jr., and J. J. Krajewski; **12** (2), 526–530.

$(Ba,Pb)(Nd,Bi)_2(TiO_3)_6$

– Extended x-ray absorption fine structure study of incorporation of Bi and Pb atoms into the crystal structure of $Ba_{4.5}Nd_9Ti_{18}O_{54}$.–M. Valant, I. Arčon, D. Suvorov, A. Kodre, T. Negas, and R. Frahm; **12** (3), 799–804.

$(Ba,Pb)TiO_3/Ni$

– Effects of electroless nickel plating on resistivity-temperature characteristics of $(Ba_{1-x}Pb_x)TiO_3$ thermistor.–Chen Wanping, Li Longtu, and Gui Zhilun; **12** (4), 877–879.

$(Ba,Sr)TiO_3$

– Phase-formation kinetics of xerogel and electrical properties of sol-gel-derived $Ba_xSr_{1-x}TiO_3$ thin films.–Soo-Ik Jang, Byung-Cheul Choi, and Hyun M. Jang; **12** (5), 1327–1334.

$Ba_3Ti_4Nb_4O_{21}$

– Dielectric properties of barium titanium niobates.–G. L. Roberts, R. J. Cava, W. F. Peck Jr., and J. J. Krajewski; **12** (2), 526–530.

$Ba_6Ti_2Nb_8O_{30}$

– Dielectric properties of barium titanium niobates.–G. L. Roberts, R. J. Cava, W. F. Peck Jr., and J. J. Krajewski; **12** (2), 526–530.

$BaTiO_3$

– Determination of local high-frequency dielectric function during the cubic-to-tetragonal phase transformation in barium titanate.–Kalpana S. Katti, Maoxu Qian, Mehmet Sarikaya, and Masuru Miyayama; **12** (6), 1582–1588.

$BaTiO_3:C$

– X-ray photoelectron spectroscopy characterization of barium titanate ceramics prepared by the citric route. Residual carbon study.–C. Miot, E. Husson, C. Proust, R. Erre, and J. P. Coutures; **12** (9), 2388–2392.

$BaTiO_3/(Au–Ti)$

– Thermochemistry and electrical contact properties at the interface between semiconducting $BaTiO_3$ and (Au–Ti) electrodes.–David P. Cann and Clive A. Randall; **12** (7), 1685–1688.

$BaTiO_3/MgO$

– Influence of substrate annealing on the epitaxial growth of $BaTiO_3$ thin films by metal-organic chemical vapor deposition.–Cheol Seong Hwang, Mark D. Vaudin, and Gregory T. Stauf; **12** (6), 1625–1633.

$BaTiO_3/MgO/Si$

– Preparation and characterization of $BaTiO_3$ thin films on MgO-buffered Si(100) substrates by RF sputtering.–Sangsub Kim and Shunichi Hishita; **12** (4), 1152–1159.

$BaTiO_3/SrTiO_3$

– Preparation of epitaxial $BaTiO_3$ thin films by the dipping-pyrolysis process.–S. Kim, T. Manabe, I. Yamaguchi, T. Kumagai, and S. Mizuta; **12** (4), 1141–1144.

$BaTiO_3–Si–B$

– Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics.–Kui Yao, Weiguang Zhu, Liangying Zhang, and Xi Yao; **12** (4), 1131–1140.

$Ba_3(Y_1Cu)_2O_{7-x}$

– Single crystal growth of cuprates from hydroxide fluxes.–S. A. Sunshine, T. Siegrist, and L. F. Schneemeyer; **12** (5), 1210–1213.

BC

– Friction and wear performance of diamond-like carbon, boron carbide, and titanium carbide coatings against glass.–B. K. Daniels, D. W. Brown, and F. M. Kimock; **12** (9), 2485–2492.

BC_3

– Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature.–L. Filipozzi, L. Piraux, A. Marchand, A. Derré, A. Adouard, and M. Kinany-Alaoui; **12** (7), 1711–1721.

Bi–Pb–Sr–Ca–Cu–O

– Losses in ac of BSCCO-2223 superconducting monofilament and multifilament tapes at power frequencies.–S. Mench, M. Lelovic, T. Deis, N. G. Eror, U. Balachandran, and P. Haldar; **12** (11), 3085–3089.

Bi–Pb–Sr–Cu–O

– Raman microscopy examination of phase evolution in Bi(Pb)–Sr–Ca–Cu–O superconducting ceramics.–K. T. Wu, A. K. Fischer, V. A. Maroni, and M. W. Rupich; **12** (5), 1195–1204.

Bi–Sr–Ca–Cu–O

– Bi–Sr–Ca–Cu–O superconducting thin plates prepared by glass-ceramic processing: Dependence of T_c on the thickness.–Toshihiro Kasuga, Koichi Nakamura, Tetsuji Hattori, and Yoshihiro Abe; **12** (2), 332–337.

– Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides.–M. D. Giardina, R. Feduzi, D. Inzaghi, H. Chiba, C. Giori, I. Natali Sora, and V. Dallacasa; **12** (8), 2009–2013.

$Bi_2CaSr_2Cu_2O_x/NdCaO_3$

– Growth of (11*n*) oriented Bi–Ca–Sr–Cu–O films by liquid phase epitaxial method.–K. K. Raina and R. K. Pandey; **12** (3), 636–640.

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$

– Ac irreversibility line of bismuth-based high temperature superconductors.–A. Mehdaoui, J. Beille, D. Berling, B. Loegel, J. G. Noudem, and R. Tournier; **12** (9), 2226–2233.

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$

– Phase coexistence and critical temperatures of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ phase under partial pressures of oxygen between 10^{-3} and 0.21 bar with and without additions of silver.–M. Däumling, R. Maad, A. Jeremie, and R. Flükiger; **12** (6), 1445–1450.

– Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2.–W. Wong-Ng, L. P. Cook, F. Jiang, W. Greenwood, U. Balachandran, and M. Lanagan; **12** (11), 2855–2865.

– Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x/Ag$

– Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate.–J. A. Parrell, D. C. Larbalestier, G. N. Riley Jr., Q. Li, W. L. Carter, R. D. Parrella, and M. Teplitsky; **12** (11), 2997–3008.

– Effect of filament architecture on magnetic flux distributions in multifilamentary $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x/Ag$ composites.–Debra L. Kaiser, Marina Turchinskaya, Gilbert N. Riley Jr., and Craig Christopherson; **12** (11), 3074–3084.

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}/Ag$

– Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes.–Li-jun Wu, Y-L. Wang, Weimin Bian, Yimei Zhu, T. R. Thurston, R. L. Sabatini, P. Haldar, and M. Suenaga; **12** (11), 3055–3073.

$(Bi,Sb)_2Te_3/Bi_2(Se,Te)_3$

– An analysis for geometrical effects on the cooling performance of $(Bi,Sb)_2Te_3/Bi_2(Te,Se)_3$-based thin film thermoelectric modules.–Il-Ho Kim and Dong-Hi Lee; **12** (2), 423–429.

$Bi_2Sr_2CaCu_2O_8$

– Influence of powder characteristics on the properties of green compacts of Bi-2212 powders.–D.-W. Yuan, M. D. Aesoph, and J. Kajuch; **12** (1), 21–27.

– Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

$Bi_2Sr_2CaCu_2O_{8+\delta}$

– Superconducting properties and structural stability of $Bi_2Sr_2CaCu_2O_{8+\delta}$ compound prepared by electrochemical reduction in protogenic electrolyte.–Motohide Matsuda, Hideki Tamada, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (12), 3214–3218.

$Bi_2Sr_2CaCuO_x$

– Growth of high-quality $Bi_2Sr_2CaCu_2O_x$ crystal and characterization.–H. Faqir, G. Vacquier, H. Chiba, M. Kikuchi, Y. Muraoka, and Y. Syono; **12** (10), 2522–2525.

$Bi_2Sr_2CaCu_2O_x$

– Structure of grain boundaries: Correlation to supercurrent transport in textured $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ bulk material.–Y. Yan, M. A. Kirk, and J. E. Evetts; **12** (11), 3009–3028.

$Bi_2Sr_2Ca_2Cu_3O_x$

– Structure of grain boundaries: Correlation to supercurrent transport in textured $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ bulk material.–Y. Yan, M. A. Kirk, and J. E. Evetts; **12** (11), 3009–3028.

– The effects of variable oxygen partial pressures during Bi-2223 tape processing.–T. G. Holesinger, J. F. Bingert, J. O. Willis, V. A. Maroni, A. K. Fischer, and K. T. Wu; **12** (11), 3046–3054.

$Bi_2Sr_3Ca_2Cu_3O_{10}/Ag$

– *In situ* measurements of texture and phase development in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes.–T. R. Thurston, P. Haldar, Y-L. Wang, M. Suenaga, N. M. Jisrawi, and U. Wildgruber; **12** (4), 891–905.

$Bi_{12}TiO_{20}$

– Trapping levels in hydrothermal and solution grown bismuth titanium oxide.–D. Eirug Davies and M. T. Harris; **12** (2), 308–310.

BN

– Selective chemical etching of hexagonal boron nitride compared to cubic boron nitride.–Stephen J. Harris, Anita M. Weiner, Gary L. Doll, and Wen-Jin Meng; **12** (2), 412–415.

– Surface reactions of low-energy carbon ions with boron nitride thin films.–I. Montero and L. Galán; **12** (6), 1563–1568.

BN(cubic)

– Very high pressure sintering of cBN fine particles coated with TiN–TiB_2 layer formed by disproportionation reaction in molten salts.–Haruo Yoshida and Shoichi Kume; **12** (3), 585–588.

– Photochemical depassivation of hydrogenated (100) nitrogen surface of cubic boron nitride.–Shojiro Komatsu; **12** (7), 1675–1677.

Bn/Cu

– Copper-boron nitride interaction in hot-pressed ceramics.–Milan Hubáček, Tadao Sato, and Masanori Ueki; **12** (1), 113–118.

C

– Balance of graphite deposition and multishell carbon nanotube growth in the carbon arc discharge.–P. M. Ajayan, Ph. Redlich, and M. Rühle; **12** (1), 244–252.

– The effect of arc parameters on the growth of carbon nanotubes.–J. M. Lauerhaas, J. Y. Dai, A. A. Setlur, and R. P. H. Chang; **12** (6), 1536–1544.

C_{60}

– Growth and structures of C_{60} shells.–H. Sakuma, M. Tachibana, H. Sugiura, K. Kojima, S. Ito, T. Sekiguchi, and Y. Achiba; **12** (6), 1545–1550.

C(amorphous)

– Hardness and modulus properties in ion-beam-modified amorphous carbon: Temperature and dose rate dependences.–Deok-Hyung Lee, Hyukjae Lee, and Byungwoo Park; **12** (8), 2057–2063.

– Nanoindentation measurements of amorphous carbon coatings.–Ashok V. Kulkarni and Bharat Bhushan; **12** (10), 2707–2714.

C(diamond)

– The characterization of strain, impurity content, and crush strength of synthetic diamond crystals.–Terri L. McCormick, W. E. Jackson, and R. J. Nemanich; **12** (1), 253–263.

– The structural characterization of amorphous thin films and coatings in their as-deposited state using x-rays at shallow angles of incidence.–J. S. Rigden, R. J. Newport, and G. Bushnell-Wye; **12** (1), 264–276.

– Enhanced nucleation density of chemical vapor deposition diamonds by using interlayer.–J. J. Lee, W. S. Yang, and Jung Ho Je; **12** (3), 657–664.

– Momentum and thermal boundary-layer thickness in a stagnation flow chemical vapor deposition reactor.–David S. Dandy and Jungheum Yun; **12** (4), 1112–1121.

– Optimizing diamond growth for an atmospheric oxyacetylene torch.–Lua'y A. Zeatoun and Philip W. Morrison Jr.; **12** (5), 1237–1252.

– Hot filament assisted diamond growth at low temperatures with oxygen addition.–Z. Li Tolt, L. Heatherly, R. E. Clausing, and C. S. Feigerle; **12** (5), 1344–1350.

– Thermodynamic coupling effect and catalyst effect for the artificial diamond growth.–Ji-Tao Wang, Zhong-Qiang Huang, Yong-Zhong Wan, David Wei Zhang, and Hong-Yong Jia; **12** (6), 1530–1535.

– Development of flat, smooth (100) faceted diamond thin films using microwave plasma chemical vapor deposition.–Andrew L. Yee, H.C. Ong, L.M. Stewart, and R.P.H. Chang; **12** (7), 1796–1805.

– Structural studies of diamond thin films grown from dc arc plasma.–L.C. Nistor, J. Van Landuyt, V.G. Ralchenko, A.A. Smolin, K.G. Korotushenko, and E.D. Obraztsova; **12** (10), 2533–2542.

– *In situ* mass spectrometry during diamond chemical vapor deposition using a low pressure flat flame.–C.A. Wolden, R.F. Davis, Z. Sitar, and J.T. Prater; **12** (10), 2733–2742.

– Nano-sclerometry measurements of superhard materials and diamond hardness using scanning force microscope with the ultrahard fullerite C_{60} tip.–V. Blank, M. Popov, N. Lvova, K. Gogolinsky, and V. Reshetov; **12** (11), 3109–3114.

– Calculated phase diagrams for activated low pressure diamond growth from C–H, C–O, and C–H–O systems.–Ji-Tao Wang, Yong-Zhong Wan, David Wei Zhang, Zhi-Jie Liu, and Zhong-Qiang Huang; **12** (12), 3250–3253.

C(diamond-like)

– Friction and wear performance of diamond-like carbon, boron carbide, and titanium carbide coatings against glass.–B.K. Daniels, D.W. Brown, and F.M. Kimock; **12** (9), 2485–2492.

C(diamond-like carbon)

– Pulsed electrodeposition of diamond-like carbon films.–Hao Wang, Ming-Rong Shen, Zhao-Yuan Ning, Chao Ye, and He-Sun Zhu; **12** (11), 3102–3105.

C(graphite)

– Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers.–Dongxia Shi, Ning Liu, Haiqiang Yang, Juning Gao, Yueshan Jiang, Shijin Pang, Xubiao Wu, and Zhen Ji; **12** (10), 2543–2547.

C(nanotubes)

– Investigation of growth conditions of fibrous deposits in carbon arc.–P. Byszewski, K. Ukalski, E. Mizera, and E. Kowalska; **12** (6), 1551–1557.

– A novel method for synthesis of carbon nanotubes: Low temperature solid pyrolysis.–Y.L. Li, Y.D. Yu, and Y. Liang; **12** (7), 1678–1680.

C : H(amorphous)/fluorocarbon

– Resistance of plasma-deposited *a*-C : H/fluorocarbon films to anodic breakdown in aqueous electrolytes.–C. Srividya, M. Sunkara, and S.V. Babu; **12** (8), 2099–2103.

C_{60} : (Au,Y)/Ar

– The intercalation of Ar into C_{60} films.–G.E. Gadd, P.J. Evans, S. Moricca, and M. James; **12** (1), 1–4.

C(diamond) : B

– Boron diffusion into diamond under electric bias.–T. Sung, G. Popovici, M.A. Prelas, R.G. Wilson, and S.K. Loyalka; **12** (5), 1169–1171.

C(graphite) : Li

– Excess Li ions in a small graphite cluster.–M. Nakadaira, R. Saito, T. Kimura, G. Dresselhaus, and M.S. Dresselhaus; **12** (5), 1367–1375.

C(diamond) : N

– Influence of substitutional nitrogen in synthetic saw-grade diamond on crystal strength.–W.E. Jackson and Steven W. Webb; **12** (6), 1646–1654.

C(nanotubes)/Fe/Al_2O_3

– Carbon nanotubes grown *in situ* by a novel catalytic method.–A. Peigney, Ch. Laurent, F. Dobigeon, and A. Rousset; **12** (3), 613–615.

C(diamond)/Si

– Nucleation and growth of oriented diamond on Si(100) by bias-assisted chemical vapor deposition.–Mikka Nishitani-Gamo, Toshihiro Ando, Kazuo Yamamoto, Paul A. Dennig, and Yoichiro Sato; **12** (5), 1351–1355.

– A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition.–L. Fayette, B. Marcus, M. Mermoux, N. Rosman, L. Abello, and G. Lucazeau; **12** (10), 2686–2698.

– Insights into the ion-assisted nucleation of diamond on silicon.–Sean P. McGinnis, Michael A. Kelly, and Stig B. Hagström; **12** (12), 3354–3366.

C(diamond)/Si_2N_4

– Diamond nucleation on smooth Si_3N_4-coated substrate.–Ning Xu, Zhihao Zheng, and Yuancheng Du; **12** (12), 3373–3375.

C(diamond)/Ti

– A simple technique for measuring the adhesion of brittle films to ductile substrates with application to diamond-coated titanium.–Joost J. Vlassak, M.D. Drory, and W.D. Nix; **12** (7), 1900–1910.

C(diamond)/WC

– Thermal wave imaging of indented diamond coated WC.–Albert Feldman; **12** (7), 1911–1916.

C–B–N

– Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature.–L. Filipozzi, L. Piraux, A. Marchand, A. Derré, A. Adouard, and M. Kinany-Alaoui; **12** (7), 1711–1721.

C–BN

– Low energy ion impact-enhanced growth of cubic boron nitride in a supersonic nitrogen/argon plasma flow.–D.H. Berns and M.A. Cappelli; **12** (8), 2014–2026.

C–N

– Pulsed laser deposition of carbon nitride thin films in nitrogen gas ambient.–Masayuki Okoshi, Hiroshi Kumagai, and Koichi Toyoda; **12** (12), 3376–3379.

C_{60}–Tetracyanoquinodimethane

– Scanning tunneling microscopy and atomic force microscopy investigation of organic tetracyanoquinodimethane thin films.–H.J. Gao, H.X. Zhang, Z.Q. Xue, and S.J. Pang; **12** (8), 1942–1945.

$Ca_2Al(OH)_6 \cdot nH_2O$/polyvinylalcohol

– New microstructural model of polymer-ceramic nanocomposite materials.–C.E. Becze and G. Xu; **12** (2), 566–571.

CaO–Y_2O_3–Al_2O_3–SiO_2

– Crystallization behavior and microstructure of lithium-calcium aluminogermanate glasses.–Moo-Chin Wang; **12** (11), 3158–3164.

$Ca_5(PO_4)_3F$: (Pr;Yb;Na)

– Czochralski growth of Yb^{3+} and Pr^{3+} doped Ca-fluoroapatite.–A. Caprez, P. Mikhail, C. Schwecke, and J. Hulliger; **12** (12), 3210–3213.

$Ca_{10}(PO_4)_6(OH)_2$

– Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels.–Ján Majling, Peter Znáik, Angela Palová, Stefan Svetík, Stefan Kovalík, Dinesh K. Agrawal, and Rustum Roy; **12** (1), 198–202.

CaSi

– Auger valence electron spectra in Ca-silicides.–S. Abe, H. Nakayama, T. Nishino, and S. Iida; **12** (2), 407–411.

$CaSi_2$

– Auger valence electron spectra in Ca-silicides.–S. Abe, H. Nakayama, T. Nishino, and S. Iida; **12** (2), 407–411.

$CaTiO_3$–SrO

– Analytical electron microscopy of planar faults in SrO-doped $CaTiO_3$.–M. Čeh, H. Gu, H. Müllejans, and A. Rečnik; **12** (9), 2438–2446.

$CaWO_4$

– Vapor-deposited $CaWO_4$ phosphor.–P. F. Carcia, M. Reilly, C. C. Torardi, M. K. Crawford, C. R. Miao, and B. D. Jones; **12** (5), 1385–1390.

$CaZrO_3$

– Strontium and calcium zirconyl citrates as precursors for the low-temperature synthesis of $SrZrO_3$ and $CaZrO_3$ fine powders.–M. Rajendran and M. Subba Rao; **12** (10), 2665–2672.

Cd–Tetracyanoquinodimethane

– Investigation of the novel charge transfer complex Cd-*TCNQ*.–A. Arena, A. M. Mezzasalma, S. Patanè, and G. Saitta; **12** (7), 1693–1697.

C_3N_4

– Structure and properties of carbon nitride films synthesized by low energy ion bombardment.–Xiao-Ming He, Li Shu, Wen-Zhi Li, and Heng-De Li; **12** (6), 1595–1602.

Co/C

– Graphite encapsulated nanocrystals produced using a low carbon : metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

Co/C(graphite)

– A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters.–B. R. Elliott, J. J. Host, V. P. Dravid, M. H. Teng, and J-H. Hwang; **12** (12), 3328–3344.

Co–Fe–Mn

– Determination of elastic modulus of thin layers using nanoindentation.–J. Menčík, D. Munz, E. Quandt, E. R. Weppelmann, and M. V. Swain; **12** (9), 2475–2484.

CoAl

– Shear faults and dislocation core structures in B2 CoAl.–C. Vailhé and D. Farkas; **12** (10), 2559–2570.

$CoSi_2$

– Formation of single-crystal $CoSi_2$ buffer layers on Si(100) substrates by high dose Co ion implantation for the deposition of $YBa_2Cu_3O_{7-x}$ thin films.–Yijie Li, P. Seidel, F. Machalett, S. Linzen, and F. Schmidl; **12** (8), 2072–2080.

Cr–Nb

– A transmission electron microscopy investigation of inverse melting in $Nb_{45}Cr_{55}$.–W. Sinkler, C. Michaelsen, and R. Bormann; **12** (7), 1872–1884.

Cu

– Analysis of ball-indentation load-depth data: Part I. Determining elastic modulus.–B. Taljat, T. Zacharia, and F. M. Haggag; **12** (4), 965–974.

– Void nucleation on a contaminated patch.–B. M. Clemens, W. D. Nix, and R. J. Gleixner; **12** (8), 2038–2042.

– Preparation of nanocrystalline copper by electrodeposition.–S. Bandyopadhyay and D. Chakravorty; **12** (10), 2719–2724.

Cu/Al_2O_3

– Adhesion mechanisms of copper films deposited onto laser-irradiated alumina.–Jae-Won Park, Anthony J. Pedraza, Douglas H. Lowndes, and William R. Allen; **12** (11), 3174–3181.

Cu/Nb

– Observations of dislocations in Cu/Nb nanolayer composites after deformation.–Y-C. Lu, H. Kung, A. J. Griffin Jr., M. A. Nastasi, and T. E. Mitchell; **12** (8), 1939–1941.

Cu/TiN/Ti/Si

– Interdiffusions and reactions in Cu/TiN/Ti/Si and Cu/TiN/Ti/SiO_2/Si multilayer structures.–Sa-Kyun Rha, Won-Jun Lee, Seung-Yun Lee, Dong-Won Kim, Chong-Ook Park, and Soung-Soon Chun; **12** (12), 3367–3372.

$Cu/TiN/Ti/SiO_2/Si$

– Interdiffusions and reactions in Cu/TiN/Ti/Si and Cu/TiN/Ti/SiO_2/Si multilayer structures.–Sa-Kyun Rha, Won-Jun Lee, Seung-Yun Lee, Dong-Won Kim, Chong-Ook Park, and Soung-Soon Chun; **12** (12), 3367–3372.

Cu/TiO_2

– The thermal stability of thin copper films deposited on TiO_2(110) studied by scanning tunneling microscopy.–D. L. Carroll. M. Wagner, M. Rühle, and D. A. Bonnell; **12** (4), 975–983.

Cu–Al–Ni–Mn–B

– Thermal cycling effects in high temperature Cu–Al–Ni–Mn–B shape memory alloys.–J. Font, J. Muntasell, J. Pons, and E. Cesari; **12** (9), 2288–2297.

Cu–Cr

– Phase formation and thermodynamics of unstable Cu–Cr alloys.–C. Michaelsen, C. Gente, and R. Bormann; **12** (6), 1463–1467.

Cu–In–Se

– Growth of $CuInSe_2$ crystals in Cu-rich Cu–In–Se thin films.–Takahiro Wada, Naoki Kohara, Takayuki Negami, and Mikihiko Nishitani; **12** (6), 1456–1462.

Cu–Ni

– Grain refinement mechanism in undercooled $Cu_{30}Ni_{70}$.–J. Z. Xiao, K. K. Leung, and H. W. Kui; **12** (4), 873–876.

Cu_3Au

– Short-range ordering of Cu_3Au above T_c in the topmost 80 A of a (001) face.–M. Kimura, J. B. Cohen, S. Chandavarkar, and K. Liang; **12** (1), 75–82.

Cu_3BiS_3

– Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films.–P. K. Nair, L. Huang, M. T. S. Nair, Hailin Hu, E. A. Meyers, and R. A. Zingaro; **12** (3), 651–656.

$CuInS_2$

– Chemical stability of $CuInS_2$ in oxygen at 298 K.–J. Grzanna and H. Migge; **12** (2), 355–363.

$DyBa_2Cu_3O_{7-x}$

– Directional solidification by appropriate chemically active single crystal seed: An alternative way of generating large superconducting 123 single domain.–R. Cloots, Fr. Auguste, A. Rulmont, N. Vandewalle, and M. Ausloos; **12** (12), 3199–3202.

Epoxy resin/$BaTiO_3$

– A study of the frequency dependence of the dielectrophoretic effect in thermoset polymers.–C. P. Bowen, T. R. Shrout, R. E. Newnham, and C. A. Randall; **12** (9), 2345–2356.

$Er_2(Mn, W)O_7$

– Decomposition behavior of $Ln_2Mn_{4/3}W_{2/3}O_7$ (Ln = Eu and Er) in reducing atmosphere and their thermodynamic properties.–Taroh Atsumi and Naoki Kamegashira; **12** (10), 2651–2656.

$EuBa_2ZrO_{5.5}$

– $REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors.–R. Jose, Asha M. John, J. Kurian, P. K. Sajith, and J. Koshy; **12** (11), 2976–2980.

$Eu_2(Mn, W)O_7$

– Decomposition behavior of $Ln_2Mn_{4/3}W_{2/3}O_7$ (Ln = Eu and Er) in reducing atmosphere and their thermodynamic properties.–Taroh Atsumi and Naoki Kamegashira; **12** (10), 2651–2656.

Fe

– The mechanical behavior of a passivating surface under potentiostatic control.–D. F. Bahr, J. C. Nelson, N. I. Tymiak, and W. W. Gerberich; **12** (12), 3345–3353.

Fe/C

– Graphite encapsulated nanocrystals produced using a low carbon : metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

Fe/C(graphite)

– A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters.–B. R. Elliott, J. J. Host, V. P. Dravid, M. H. Teng, and J-H. Hwang; **12** (12), 3328–3344.

Fe–Al

– Formation kinetics of nanocrystalline Fe–4 wt. % Al solid solution during ball milling.–H. G. Jiang, R. J. Perez, M. L. Lau, and E. J. Lavernia; **12** (6), 1429–1432.

Fe–Al–C

– Superplastic behavior of a kappa carbide material (Fe_3AlC_x).–Woo-Jin Kim, Oscar A. Ruano, Jeffrey Wolfenstine, Georg Frommeyer, and Oleg D. Sherby; **12** (9), 2317–2324.

Fe–Al–N

– Similarities and differences in the microstructure of attritor-milled Fe–Al–N compositions.–J. C. Rawers and D. Cook; **12** (4), 947–952.

Fe–C–Mn–Ni–Mo

– Analysis of ball-indentation load-depth data: Part I. Determining elastic modulus.–B. Taljat, T. Zacharia, and F. M. Haggag; **12** (4), 965–974.

Fe–Cr–C

– Internal friction and Mössbauer study of C–Cr associates in MANET steel.–P. Gondi, R. Gupta, R. Montanari, G. Principi, and M. E. Tata; **12** (2), 296–299.

Fe–Cu

– Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying.–J. Y. Huang, Y. D. Yu, Y. K. Wu, D. X. Li, and H. Q. Ye; **12** (4), 936–946.

Fe–Mo–Si–B

– Characterization of mechanical nanocrystallization process of amorphous Fe–Mo–Si–B alloy by transmission Mössbauer spectroscopy.–X. D. Liu, F. Q. Guo, K. Lu, and M. Umemoto; **12** (3), 681–687.

Fe–Nb

– Aging of the Inconel 718 alloy between 500 and 750 °C.–C. Slama, C. Servant, and G. Cizeron; **12** (9), 2298–2316.

Fe–Ni

– Fractal morphologies from decomposition of Fe–Ni–Invar alloys.–Q. Li, A. Wiedenmann, and H. Wollenberger; **12** (1), 83–92.

Fe–Si–Mn–Cr–Mo–V–W

– Optical properties of potassium acid phthalate.–Davide Comoretto, Laura Rossi, and Alessandro Borghesi; **12** (5), 1262–1267.

Fe–SiO_2

– Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling.–Anna Corrias, Guido Ennas, Anna Musinu, Giorgio Paschina, and Daniela Zedda; **12** (10), 2767–2772.

FeAl

– Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics.–D. Farkas, S. J. Zhou, C. Vailhé, B. Mutasa, and J. Panova; **12** (1), 93–99.

Fe_2O_3

– Synthesis and magnetic properties of nanostructured maghemite.–D. Vollath, D. V. Szabó, R. D. Taylor, and J. O. Willis; **12** (8), 2175–2182.

Fe_2O_3(amorphous)

– Synthesis of pure amorphous Fe_2O_3.–X. Cao, R. Prozorov, Yu. Koltypin, G. Kataby, I. Felner, and A. Gedanken; **12** (2), 402–406.

Fe_3O_4(haematite)

– Sol-gel processing of nanocrystalline haematite thin films.–L. Armelao, A. Armigliato, R. Bozio, and P. Colombo; **12** (6), 1441–1444.

Fe_3O_4/NiO

– Structural characterization of Fe_3O_4–NiO superlattices using high-resolution transmission electron microscopy.–A. Rečnik, D. L. Carroll, K. A. Shaw, D. M. Lind, and M. Rühle; **12** (8), 2143–2151.

FeO/SiO_2

– Characterization of iron oxide-silica nanocomposites in flames: Part II. Comparison of discrete-sectional model predictions to experimental data.–Pratim Biswas, Chang Yu Wu, Michael R. Zachariah, and Brian McMillin; **12** (3), 714–723.

$Fe_4O_4(OH)_2CO_3 \cdot nH_2O$

– Schwertmannite: A unique mineral, contains a replaceable ligand, transforms to jarosites, hematites, and/or basic iron sulfate.–R. Joseph Barham; **12** (10), 2751–2758.

$Fe_4O_4(OH)_2SO_4 \cdot nH_2O$

– Schwertmannite: A unique mineral, contains a replaceable ligand, transforms to jarosites, hematites, and/or basic iron sulfate.–R. Joseph Barham; **12** (10), 2751–2758.

[FePd(CN)] $(C_{2n}H_{4n+2}O_{n+1})K$

– A novel polymer electrolyte based on oligo(ethylene glycol) 600, K_2PdCl_4, and $K_3Fe(CN)_6$.–Vito Di Noto; **12** (12), 3393–3403.

GaN

– Vacancy structures on the GaN(0001) surface.–William E. Packard, John D. Dow, Kathleen Doverspike, Ray Kaplan, and Ruth Nicolaides; **12** (3), 646–650.

$GdBa_2Cu_3O_{7-x}$

– X-ray diffraction line broadening effects in $MBa_2Cu_3O_{7-\delta}$ (M = Y, Gd) thin films.–P. Scardi, F. C. Matacotta, V. I. Dediu, and L. Correra; **12** (1), 28–37.

Ge

– The viscosity of germanium during substrate relaxation upon thermal anneal.–Sara E. Rosenberg, Cynthia G. Madras, Peter Y. Wong, and Ioannis N. Miaoulis; **12** (7), 1706–1710.

– On the formation of solid state crystallized intrinsic polycrystalline germanium thin films.–Zhiguo Meng, Zhonghe Jin, Bhat A. Gururaj, Paul Chu, Hoi S. Kwok, and Man Wong; **12** (10), 2548–2551.

Ge/Si

– Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition.–K. Järrendahl, I. Ivanov, J-E. Sundgren, G. Radnóczi, Zs. Czigány, and J. E. Greene; **12** (7), 1806–1815.

Ge–Cu

– Electrical and microstructural characteristics of Ge/Cu ohmic contacts to *n*-type GaAs.–M. O. Aboelfotoh, S. Oktyabrsky, J. Narayan, and J. M. Woodall; **12** (9), 2325–2331.

Ge–Se

– Glass transformation, heat capacity, and structure of Ge_xSe_{100-x} glasses studied by temperature-modulated differential scanning calorimetry experiments.–T. Wagner, S. O. Kasap, and Kouji Maeda; **12** (7), 1892–1899.

H_fN/Al_2O_3

– Low-load indentation behavior of HfN thin films deposited by reactive rf sputtering.–R. Nowak, C. L. Li, and S. Maruno; **12** (1), 64–69.

H_fN/Si

– Low-load indentation behavior of HfN thin films deposited by reactive rf sputtering.–R. Nowak, C.L. Li, and S. Maruno; **12** (1), 64–69.

HfO_2

– Crystallization of hafnia and zirconia during the pyrolysis of acetate gels.–Masatomo Yashima, Taka-aki Kato, Masato Kakihana, Mehmet Ali Gulgun, Yohtaro Matsuo, and Masahiro Yoshimura; **12** (10), 2575–2583.

In/Al

– Epitaxial dependence of the melting behavior of In nanoparticles embedded in Al matrices.–H.W. Sheng, G. Ren, L.M. Peng, Z.Q. Hu, and K. Lu; **12** (1), 119–123.

Inconel 718

– Characterization of low-cycle fatigue damage in Inconel 718 by laser light scanning.–K.J.C. Chou and J.C. Earthman; **12** (8), 2048–2056.

$KNbO_3$

– Pulsed laser deposition of $KNbO_3$ thin films.–M.J. Martín, J.E. Alfonso, J. Mendiola, C. Zaldo, D.S. Gill, R.W. Eason, and P.J. Chandler; **12** (10), 2699–2706.

$KTiO(As,P)O_4$

– Determination of equilibrium cations for the $KTiOPO_4$ structure.–Valery I. Chani, Kiyoshi Shimamura, and Tsuguo Fukuda; **12** (9), 2470–2474.

$LaAlO_3$

– Heteroepitaxial growth of lanthanum aluminate films derived from mixed metal nitrates.–Man Fai Ng and Michael J. Cima; **12** (5), 1306–1314.

$LaAlO_3/SrTiO_3$

– Sol-gel synthesis of $LaAlO_3$; Epitaxial growth of $LaAlO_3$ thin films on $SrTiO_3$ (100).–Shara S. Shoup, Mariappan Paranthaman, David B. Beach, E.D. Specht, and Robert K. Williams; **12** (4), 1017–1021.

$LaBa_2(Cu_4Co)_3O_{7-x}$

– The thermopower of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ in a comparative study of effects of Ba-site doping versus chain-Cu-site doping.–B. Fisher, J. Genossar, L. Patlagan, G.M. Reisner, and A. Knizhnik; **12** (11), 2907–2912.

$LaBa_2ZrO_{5.5}$

– $REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors.–R. Jose, Asha M. John, J. Kurian, P.K. Sajith, and J. Koshy; **12** (11), 2976–2980.

$(La,Mg)MnO_3$

– Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X.F. Duan, J.H. Zhang, H.R. Wang, Y.T. Qian, Z. Huang, J. Zhou, S.L. Yuan, W. Liu, and C.F. Zhu; **12** (10), 2648–2650.

$LaNbO_4$

– Computer simulation of ferroelastic phase transition in $LaNbO_4$.–K. Parlinski, Y. Hashi, S. Tsunekawa, and Y. Kawazoe; **12** (9), 2428–2437.

$LaNiO_3$

– Conductive $LaNiO_3$ electrode grown by pulsed laser ablation on Si substrate.–Li Sun, Tao Yu, Yan-Feng Chen, Jun Zhou, and Nai-Ben Ming; **12** (4), 931–935.

$LaNiO_3/Si$

– Structural characterization of sputter-deposited $LaNiO_3$ thin films on Si substrate by x-ray reflectivity and diffraction.–Hsin-Yi Lee and Tai-Bor Wu; **12** (11), 3165–3173.

La_2O_3

– Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$.–K.C. Mishra, I. Osterloh, H. Anton, B. Hannebauer, P.C. Schmidt, and K.H. Johnson; **12** (8), 2183–2190.

$LaPO_4$

– Electron-irradiation-induced nucleation and growth in amorphous $LaPO_4$, $ScPO_4$, and zircon.–A. Meldrum, L.A. Boatner, and R.C. Ewing; **12** (7), 1816–1827.

– Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$.–K.C. Mishra, I. Osterloh, H. Anton, B. Hannebauer, P.C. Schmidt, and K.H. Johnson; **12** (8), 2183–2190.

$(La,Sr)MnO_3/SrTiO_3$

– Preparation of epitaxial $La_{1-x}Sr_xMnO_3$ films on $SrTiO_3(001)$ by dipping-pyrolysis process.–T. Manabe, I. Yamaguchi, W. Kondo, S. Mizuta, and T. Kumagai; **12** (2), 541–545.

$LiNbO_3/Al_2O_3$ (sapphire)

– Effect of lattice mismatch on the epitaxy of sol-gel $LiNbO_3$ thin films.–T.A. Derouin, C.D.E. Lakeman, X.H. Wu, J.S. Speck, and F.F. Lange; **12** (5), 1391–1400.

$LiNbO_3/MgO$

– A study on magnesium diffusion into $LiNbO_3$ single crystal by x-ray diffraction, differential thermal analysis, and scanning electron microscopy.–Wenxiu Que, Siakpiang Lim, Xi Yao, and A.Q. Liu; **12** (12), 3380–3385.

Linseed oil-resin

– Compensation phenomena in oil-resin mixtures: A new dielectric approach to percolative processes.–O. Pagés, A. Lamure, C. Lacabanne, M. Odlyha, and D. Craig; **12** (10), 2784–2793.

$MgAl_2O_3$

– Radiation-induced phase transformations in $MgAl_2O_4$ spinel.–Ning Yu, Ram Devanathan, Kurt E. Sickafus, and Michael Nastasi; **12** (7), 1766–1770.

$MgAl_{11}O_{19}:Ce^{+3},Tb^{+3}$

– Synthesis and characterization of sol-gel derived hexa-aluminate phosphors.–D. Ravichandran, R. Roy, W.B. White, and S. Erdei; **12** (3), 819–824.

$MgAl_2O_x-Mg_2TiO_x$

– Spinel solid solutions in the systems $MgAl_2O_4-ZnAl_2O_4$ and $MgAl_2O_4-Mg_2TiO_4$.–M.A. Petrova, G.A. Mikirticheva, A.S. Novikova, and V.F. Popova; **12** (10), 2584–2588.

$MgAl_2O_4-ZnAl_2O_x$

– Spinel solid solutions in the systems $MgAl_2O_4-ZnAl_2O_4$ and $MgAl_2O_4-Mg_2TiO_4$.–M.A. Petrova, G.A. Mikirticheva, A.S. Novikova, and V.F. Popova; **12** (10), 2584–2588.

$Mg(Nb,Ta)_2O_6$

– Crystal structure and microwave dielectric properties of $M(Nb_x-Ta_{1-x})_2O_6$ solid solution (M = Mg or Zn).–Hyo-Jong Lee, Kug-Sun Hong, and In-Tae Kim; **12** (6), 1437–1440.

$MgO/Bi_2Sr_2Ca_2Cu_3O_y$

– Nanostructured high-temperature superconductors: Creation of strong-pinning columnar defects in nanorod/superconductor composites.–Peidong Yang and Charles M. Lieber; **12** (11), 2981–2996.

$MgO/Bi_2Sr_2CaCu_2P_y$

– Nanostructured high-temperature superconductors: Creation of strong-pinning columnar defects in nanorod/superconductor composites.–Peidong Yang and Charles M. Lieber; **12** (11), 2981–2996.

$MgO/Tl_2Ba_2Ca_2Cu_3O_y$

– Nanostructured high-temperature superconductors: Creation of strong-pinning columnar defects in nanorod/superconductor composites.–Peidong Yang and Charles M. Lieber; **12** (11), 2981–2996.

$MgTiO_3:(Cr;La)$

– The effect of Cr and La on $MgTiO_3$ and $MgTiO_3-CaTiO_3$ microwave dielectric ceramics.–V.M. Ferreira, F. Azough, R. Freer, and J.L. Baptista; **12** (12), 3293–3299.

$MgTiO_3$–$CaTiO_3$: (Cr;La)

– The effect of Cr and La on $MgTiO_3$ and $MgTiO_3$–$CaTiO_3$ microwave dielectric ceramics.–V. M. Ferreira, F. Azough, R. Freer, and J. L. Baptista; **12** (12), 3293–3299.

(Mn, Zn)Fe_2O_4

– Hydrothermal synthesis and sintering of nickel and manganese-zinc ferrites.–Anderson Dias, Vicente Tadeu Lopes Buono and; **12** (12), 3278–3285.

Mo–Si–Al

– A study of micropyretic reactions in the Mo–Si–Al ternary system.–Ming Fu; **12** (6), 1481–1491.

MoS_2

– The origin of an anomalous, low 2θ peak in x-ray diffraction spectra of MoS_2 films grown by ion beam assisted deposition.–D. N. Dunn, L. E. Seitzman, and I. L. Singer; **12** (5), 1191–1194.

$MoSi_2$

– Phase formation in molybdenum disilicide powders during in-flight induction plasma treatment.–Xiaobao Fan, Takamasa Ishigaki, and Yoichiro Sato; **12** (5), 1315–1326.

– Correlation between energy transfers and solid state reactions induced by mechanical alloying on the $Mo_{33}Si_{66}$ system.–L. Liu and M. Magini; **12** (9), 2281–2287.

– Microwave assisted synthesis of technologically important transition metal silicides.–B. Vaidhyanathan and K. J. Rao; **12** (12), 3225–3229.

MoSi–SiC

– *In situ* formation of $MoSi_2$–SiC through reaction of SiO_2 or Si_3N_4 with Mo and carbon.–R. V. Krishnarao, V. V. Ramarao, and Y. R. Mahajan; **12** (12), 3322–3327.

(Na, Bi, Sr)TiO_3

– Variations of structure and dielectric properties on substituting A-site cations for Sr^{2+} in $(Na_{1/2}Bi_{1/2})TiO_3$.–Seung-Eek Park and Kug Sun Hong; **12** (8), 2152–2157.

$NaNO_3$-$Ba(NO_3)$

– Microstructure of nitrate polycrystals solidified under ultrasonic vibration.–Naoya Enomoto, Yasushi Iimura, and Zenbe-e Nakagawa; **12** (2), 371–376.

Nb/Pd

– *In situ* x-ray investigation of hydrogen charging in thin film bimetallic electrodes.–Najeh M. Jisrawi, Harold Wiesmann, M. W. Ruckman, T. R. Thurston, G. Reisfeld, B. M. Ocko, and Myron Strongin; **12** (8), 2091–2098.

Nb/Pd : H

– *In situ* x-ray investigation of hydrogen charging in thin film bimetallic electrodes.–Najeh M. Jisrawi, Harold Wiesmann, M. W. Ruckman, T. R. Thurston, G. Reisfeld, B. M. Ocko, and Myron Strongin; **12** (8), 2091–2098.

$NbSi_2$

– The synthesis of $NbSi_2$ by mechanical alloying.–Taiping Lou, Guojiang Fan, Bingzhe Ding, and Zhuangqi Hu; **12** (5), 1172–1175.

Nd–Ba–Cu–O

– The thermopower of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ in a comparative study of effects of Ba-site doping versus chain-Cu-site doping.–B. Fisher, J. Genossar, L. Patlagan, G. M. Reisner, and A. Knizhnik; **12** (11), 2907–2912.

Nd–Fe–B

– Effect of Nd content on the magnetic properties and crystallographic alignment of Fe–Nd–B–Al sintered magnets.–W. Kaszuwara, M. Leonowicz, and H. A. Davies; **12** (10), 2715–2718.

Nd–Fe–Co–Zr–B

– Characterization of the disproportionated NdFeCoZrB alloy by means of electron microscopy.–Jian-rong Gao, Xiao-ping Song, and Xiao-tian Wang; **12** (3), 581–584.

$NdBa_2Cu_3O_{7-x}$

– Periodic fluctuation of Ba/Nd ratio in single crystals of high-J_c $NdBa_2Cu_3O_{7-\delta}$ superconductor.–Tsukasa Hirayama, Yuichi Ikuhara, Masaru Nakamura, Yasuji Yamada, and Yuh Shiohara; **12** (2), 293–295.

– Refinement of Nd-422 phase trapped in a $Nd_{1+\delta}Ba_{2-\delta}Cu_3O_{7-y}$ superconducting matrix.–F. Frangi, S. I. Yoo, N. Sakai, and M. Murakami; **12** (8), 1990–2001.

$Nd(Ba, Nd)_2Cu_3O_{7-x}$

– Fabrication of NdBCO single crystal oxide superconductor with enhanced superconductive properties.–M. Kambara, X. Yao, M. Nakamura, Y. Shiohara, and T. Umeda; **12** (11), 2866–2872.

Neopentylglycol-Pentaglycerin

– Solid-state mechanical alloying of plastic crystals.–J. Font, J. Muntasell, E. Cesari, and J. Pons; **12** (12), 3254–3259.

Ni

– An alternative method for penetration depth determination in nanoindentation measurements.–J. Woirgard and J-C. Dargenton; **12** (9), 2455–2458.

Ni/C

– Graphite encapsulated nanocrystals produced using a low carbon : metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

Ni/C(graphite)

– A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters.–B. R. Elliott, J. J. Host, V. P. Dravid, M. H. Teng, and J-H. Hwang; **12** (12), 3328–3344.

Ni/Pt

– Structural properties of molecular beam epitaxy grown Ni/Pt superlattices.–W. Staiger, A. Michel, V. Pierron-Bohnes, N. Hermann, and M. C. Cadeville; **12** (1), 161–174.

Ni–Cr–Y

– Plastic deformation of oxide scales at elevated temperatures.–Yifan Zhang, William W. Gerberich, and David A. Shores; **12** (3), 697–705.

Ni–SiO_2

– Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling.–Anna Corrias, Guido Ennas, Anna Musinu, Giorgio Paschina, and Daniela Zedda; **12** (10), 2767–2772.

Ni–ZrO_2

– Material characterization in support of the development of an anode substrate for solid oxide fuel cells.–D. Simwonis, A. Naoumidis, F. J. Dias, J. Linke, and A. Moropoulou; **12** (6), 1508–1518.

NiAl

– Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics.–D. Farkas, S. J. Zhou, C. Vailhé, B. Mutasa, and J. Panova; **12** (1), 93–99.

– Equation of state of polycrystalline $Ni_{50}Al_{50}$.–J. W. Otto, J. K. Vassiliou, and G. Frommeyer; **12** (11), 3106–3108.

Ni_3Al

– Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics.–D. Farkas, S. J. Zhou, C. Vailhé, B. Mutasa, and J. Panova; **12** (1), 93–99.

NiAl/TiC

- High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates.–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, and H. Q. Ye; **12** (7), 1790–1795.
- Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)].–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, H. Q. Ye, J. C. Rao, and Y. Zhou; **12** (11), 3182.

NiAl–TiB_2

- Investigation of NiAl–TiB_2 *in situ* composites.–J. T. Guo and Z. P. Xing; **12** (4), 1083–1090.

$NiFe_2O_x$

- Hydrothermal synthesis and sintering of nickel and manganese-zinc ferrites.–Anderson Dias, Vicente Tadeu Lopes Buono and; **12** (12), 3278–3285.

NiO–CuO–ZnO–Fe_2O_3/polyvinylbutyral

- Adsorption of poly(vinyl butyral) in nonaqueous ferrite suspensions.–Jau-Ho Jean, Shun-Fen Yeh, and Chi-Jen Chen; **12** (4), 1062–1068.

$NiZr_2$

- Amorphization mechanisms of $NiZr_2$ by ball-milling.–D. Galy, L. Chaffron, and G. Martin; **12** (3), 688–696.

nickel/$C_{(graphite)}$

- Magnetic properties of graphitically encapsulated nickel nanocrystals.–J.-H. Hwang, V. P. Dravid, M. H. Teng, J. J. Host, B. R. Elliott, D. L. Johnson, and Thomas O. Mason; **12** (4), 1076–1082.

Paper

- Does the shear-lag model apply to random fiber networks?.–V. I. Räisänen, M. J. Alava, K. J. Niskanen, and R. M. Nieminen; **12** (10), 2725–2732.

(Pb, La)TiO_3

- Effect of heat treatment on formation of sol-gel (Pb, La)TiO_3 films for optical application.–Junmo Koo, Sung-Uk Kim, Dae Sung Yoon, Kwangsoo No, and Byeong-Soo Bae; **12** (3), 812–818.

Pb(Li, Fe, W)O_3–$BaTiO_3$

- Stabilization of lead lithium iron tungstate with adding barium titanate.–Chung-Hsin Lu and Buh-Kuan Fang; **12** (1), 13–16.

Pb(Mg,Nb)O_3

- Mechanism of 1 : 1 nonstoichiometric short-range ordering in La-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics.–Kyu-Mann Lee, Hyun M. Jang, and Woo-Jin Park; **12** (6), 1603–1613.
- Enhanced diffuse phase transition and defect mechanism of Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics.–Kyu-Mann Lee and Hyun M. Jang; **12** (6), 1614–1624.
- The effect of ferroelastic coupling in controlling the abnormal aging behavior in lead magnesium niobate-lead titanate relaxor ferroelectrics.–Q. M. Zhang, J. Zhao, T. R. Shrout, and L. E. Cross; **12** (7), 1777–1784.

Pb(Mg, Ta)O_3

- Processing and characterization of lead magnesium tantalate ceramics.–Mehmet A. Akbas and Peter K. Davies; **12** (10), 2617–2622.

Pb(Mg, W)O_3

- $Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part II. Short-range order parameter as a criterion of the distinction between relaxor and normal ferroelectrics.–Su-Chan Kim and Hyun M. Jang; **12** (8), 2127–2133.

Pb(Nb, Zr, Ti)O_3

- Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack.–A. M. Dhote, S. Madhukar, D. Young, T. Venkatesan, R. Ramesh, C. M. Cotell, and Joseph M. Benedetto; **12** (6), 1589–1594.

PbO/Al_2O_3

- Interactions between lead oxide and ceramic substrates for thick film technology.–Massimo Bersani, Bruno Morten, Marìa Prudenzíati, and Alessandro Gualtíerí; **12** (2), 501–508.

$Pb_3(PO_4)_2$

- Domain pattern formation in ferroelastic $Pb_3(PO_4)_2$ by computer simulation.–K. Parlinski and Y. Kawazoe; **12** (9), 2366–2373.

PbS

- Growth of nanocrystalline PbS within a glass.–M. Mukherjee, A. Datta, and D. Chakravorty; **12** (10), 2507–2510.

Pb(Sc, Nb)O_3

- $Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part I. Pair-correlation theory of order-disorder phase transition.–Hyun M. Jang and Su-Chan Kim; **12** (8), 2117–2126.
- $Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part II. Short-range order parameter as a criterion of the distinction between relaxor and normal ferroelectrics.–Su-Chan Kim and Hyun M. Jang; **12** (8), 2127–2133.

Pb(Sc, Ta)O_3

- $Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part I. Pair-correlation theory of order-disorder phase transition.–Hyun M. Jang and Su-Chan Kim; **12** (8), 2117–2126.

$PbTiO_3$

- Low temperature synthesis of lead titanate by a hydrothermal method.–Jooho Moon, Tuo Li, Clive A. Randall, and James H. Adair; **12** (1), 189–197.
- Determination of displacement vector on 180° domain boundary and polarization arrangements in lead titanate crystals.–Chen-Chia Chou and C. Marvin Wayman; **12** (2), 457–466.
- Hydrothermal synthesis of $PbTiO_3$ films.–Woo-Seok Cho and Masahiro Yoshimura; **12** (3), 833–839.
- *In situ* sputter deposition of $PbTiO_3$ thin films on different substrates: Influence of the growth temperature and the sputtered lead flux on the perovskite phase formation.–B. Jaber, D. Rèmiens, and B. Thierry; **12** (4), 997–1007.
- On the role of deformation twinning in domain reorganization and grain reorientation in ferroelastic crystals.–Peter Müllner and Waltraud M. Kriven; **12** (7), 1771–1776.
- The effect of ferroelastic coupling in controlling the abnormal aging behavior in lead magnesium niobate-lead titanate relaxor ferroelectrics.–Q. M. Zhang, J. Zhao, T. R. Shrout, and L. E. Cross; **12** (7), 1777–1784.
- A structural study of amorphous alkoxide-derived lead titanium complexes.–Barbara Malič, Iztok Arčon, Marija Kosec, and Alojz Kodre; **12** (10), 2602–2611.
- Domain structures in $Pb(Zr, Ti)O_3$ and $PbTiO_3$ thin films.–L. D. Madsen and E. M. Griswold; **12** (10), 2612–2616.
- Elastic properties of tetragonal $PbTiO_3$ single crystals by Brillouin scattering.–A. G. Kalinichev, J. D. Bass, B. N. Sun, and D. A. Payne; **12** (10), 2623–2627.

$PbTiO_3$: (Mg, W)

- Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition.–B. W. Lee, L. P. Cook, P. K. Schenck, W. Wong-Ng, C. K. Chiang, P. S. Brody, and K. W. Bennett; **12** (2), 509–517.

$PbTiO_3$–Si–B

- Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics.–Kui Yao, Weiguang Zhu, Liangying Zhang, and Xi Yao; **12** (4), 1131–1140.

$PbTiO_3$/$LaNiO_3$

- Effects of (100)-textured $LaNiO_3$ electrode on the deposition and characteristics of $PbTiO_3$ thin films prepared by rf magnetron sputtering.–Chii-Ming Wu, Tian-Jue Hong, and Tai-Bor Wu; **12** (8), 2158–2164.

$PbTiO_3/SrTiO_3$

- Domain structure of epitaxial $PbTiO_3$ films grown on vicinal (001) $SrTiO_3$.–C. D. Theis and D. G. Schlom; **12** (5), 1297–1305.

$Pb(Zr, Ti)O_3$

- Change of the weak-field properties of $Pb(ZrTi)O_3$ piezoceramics with compressive uniaxial stresses and its links to the effect of dopants on the stability of the polarizations in the materials.–Q. M. Zhang, Jianzhong Zhao, K. Uchino, and Jiehui Zheng; **12** (1), 226–234.
- Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films.–R. W. Schwartz, J. A. Voigt, B. A. Tuttle, D. A. Payne, T. L. Reichert, and R. S. DaSalla; **12** (2), 444–456.
- Influence of texture on the switching behavior of $Pb(Zr_{0.70}Ti_{0.30})O_3$ sol-gel derived thin films.–Keith G. Brooks, Radosveta D. Klissurska, Pedro Moeckli, and N. Setter; **12** (2), 531–540.
- Waveguide refractometry as a probe of thin film optical uniformity.–B. G. Potter Jr., D. Dimos, and M. B. Sinclair; **12** (2), 546–551.
- Aging characteristics of a hybrid sol-gel $Pb(Zr, Ti)O_3$ precursor solution.–Timothy J. Boyle, Duane B. Dimos, Robert W. Schwartz, Todd M. Alam, Michael B. Sinclair, and Catherine D. Buchheit; **12** (4), 1022–1030.
- A study on the microstructure of preferred orientation of lead zirconate titanate (PZT) thin films.–Chang Jung Kim, Dae Sung Yoon, Joon Sung Lee, Chaun Gi Choi, and Kwangsoo No; **12** (4), 1043–1047.
- Excimer laser deposition of *c*-axis oriented $Pb(Zr, Ti)O_3$ thin films on silicon substrates with direct-current glow discharge.–Lirong Zheng, Xuhong Hu, Pingxiong Yang, W-ping Xu, and Chenglu Lin; **12** (5), 1179–1182.
- Preparation of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films on Pt/RuO_2 double electrode by a new sol-gel route.–Seung-Hyun Kim, Yong-Soo Choi, Chang-Eun Kim, and Young-Jei Oh; **12** (6), 1576–1581.
- $Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part II. Short-range order parameter as a criterion of the distinction between relaxor and normal ferroelectrics.–Su-Chan Kim and Hyun M. Jang; **12** (8), 2127–2133.
- Low temperature synthesis of ultrafine $Pb(Zr, Ti)O_3$ powder by sol-gel combustion.–J. Schäfer, W. Sigmund, S. Roy, and F. Aldinger; **12** (10), 2518–2521.
- Domain structures in $Pb(Zr, Ti)O_3$ and $PbTiO_3$ thin films.–L. D. Madsen and E. M. Griswold; **12** (10), 2612–2616.

$Pb(Zr, Ti)O_3$–Si–B

- Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics.–Kui Yao, Weiguang Zhu, Liangying Zhang, and Xi Yao; **12** (4), 1131–1140.

$Pb(Zr,Ti)O_3/LaAlO_3$

- Hydrothermal synthesis of heteroepitaxial $Pb(Zr_xTi_{1-x})O_3$ thin films at 90–150 °C.–A. T. Chien, J. S. Speck, and F. F. Lange; **12** (5), 1176–1178.

$Pb(Zr,Ti)O_3/SrTiO_3$

- Hydrothermal synthesis of heteroepitaxial $Pb(Zr_xTi_{1-x})O_3$ thin films at 90–150 °C.–A. T. Chien, J. S. Speck, and F. F. Lange; **12** (5), 1176–1178.

Pd

- Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts.–S. Ayyappan, R. Srinivasa Gopalan, G. N. Subbanna, and C. N. R. Rao; **12** (2), 398–401.

Pd : CaO

- Effect of calcium modification on the microstructure and oxidation property of submicron spherical palladium powders.–Shenglei Che, Osamu Sakurai, Hiroshi Funakubo, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (2), 392–397.

Pd–Ni–P

- Metastable liquid phase separation in undercooled molten $Pd_{40.5}Ni_{40.5}P_{19}$.–C. W. Yuen, K. L. Lee, and H. W. Kui; **12** (2), 314–317.

Photoresist

- The nature of residues following the ashing of arsenic implanted photoresist.–Clifton W. Draper, Chuck W. Pearce, Jere T. Glick, Mike Gordon, Gwen E. Olness, and Steven L. Bernasek; **12** (10), 2799–2808.

Polyaniline(Versicon™)-poly(vinyl chloride)

- Direct current electrical conductivity of Versicon™ blended in poly(vinyl chloride).–Rodney Speel and Peter K. LeMaire; **12** (5), 1183–1186.

Polycarbonate

- Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation.–Jun-Sik Cho, Won-Kook Choi, Ki Hyun Yoon, Hyung-Jin Jung, and Seok-Keun Koh; **12** (1), 277–282.

Polycarbonate–arylamine hydrazone

- Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation.–C. K. H. Wong, Y. C. Chan, J. Pfleger, Y. W. Lam, K. M. Leung, and D. S. Chiu; **12** (1), 106–112.

Poly(ethylene oxide)/FeS

- High refractive index materials of iron sulfides and poly(ethylene oxide).–Tasoula Kyprianidou-Leodidou, Hans-Jörg Althaus, Yves Wyser, Daniel Vetter, Michele Büchler, Walter Caseri, and Ulrich W. Suter; **12** (8), 2198–2206.

Poly(ethylene oxide)/FeS_2

- High refractive index materials of iron sulfides and poly(ethylene oxide).–Tasoula Kyprianidou-Leodidou, Hans-Jörg Althaus, Yves Wyser, Daniel Vetter, Michele Büchler, Walter Caseri, and Ulrich W. Suter; **12** (8), 2198–2206.

Polyethylene oxide–NaI–tetracyanoquinodimethane

- Spectroscopic study of Na–TCNQ in a poly(ethylene oxide) matrix (TCNQ = 7,7′,8, and 8′ tetracyanoquinodimethane).–A. Arena, G. Di Marco, M. Lanza, S. Patanè, and G. Saitta; **12** (5), 1405–1409.

Polyethylene terephthalate

- Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation.–Jun-Sik Cho, Won-Kook Choi, Ki Hyun Yoon, Hyung-Jin Jung, and Seok-Keun Koh; **12** (1), 277–282.
- Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate.–Michael V. Swain, Anthony J. Perry, James R. Treglio, Alex Elkind, and J. Derek Demaree; **12** (7), 1917–1926.

Polyimide

- Polyimide degradation induced by irradiation with N^+ ions.–V. Švorčík, I. Miček, V. Rybka, V. Hnatowicz, and F. Černý; **12** (6), 1661–1665.
- An alternative analysis of water vapor and gas transport in polyimide films.–H. Ouyang and Sanboh Lee; **12** (10), 2794–2798.

Polymethyl methacrylate/silica glass

- Optically transparent polymethyl methacrylate composites made with glass fibers of varying refractive index.–Seunggu Kang, Hongy Lin, Delbert E. Day, and James O. Stoffer; **12** (4), 1091–1101.

Polymethylmethacrylate (PMMA)

- Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation.–Jun-Sik Cho, Won-Kook Choi, Ki Hyun Yoon, Hyung-Jin Jung, and Seok-Keun Koh; **12** (1), 277–282.
- Impression recovery of PMMA.–Fuqian Yang and J. C. M. Li; **12** (10), 2809–2814.

Polystyrene

– Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate.–Michael V. Swain, Anthony J. Perry, James R. Treglio, Alex Elkind, and J. Derek Demaree; **12** (7), 1917–1926.

poly(styrene-butadiene)/clay

– New hybrid nanocomposites based on an organophilic clay and poly(styrene-*b*-butadiene) copolymers.–Michele Laus, Oriano Francescangeli, and Franco Sandrolini; **12** (11), 3134–3139.

Polyurethane/$BaTiO_3$

– A study of the frequency dependence of the dielectrophoretic effect in thermoset polymers.–C. P. Bowen, T. R. Shrout, R. E. Newnham, and C. A. Randall; **12** (9), 2345–2356.

Portland cement

– Mathematical modeling of cement paste microstructure by mosaic pattern. Part II. Application.–Paul D. Tennis, Yunping Xi, and Hamlin M. Jennings; **12** (7), 1741–1746.

Pr–Ba–Cu–O

– The effect of ion milling on the morphology of ramp-type Josephson junctions.–Dave H. A. Blank and Horst Rogalla; **12** (11), 2952–2957.

$Pr(Ba,Pr)_2Cu_3O_{7-x}$

– Diffusion model for the crystal growth of $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ by the top seeded crystal pulling method.–Minoru Tagami, Takateru Umeda, and Yuh Shiohara; **12** (11), 2880–2888.

$(Pr,Ce)CuO_{4+x}$

– Phase indentification and superconductivity transitions in Sr-doped $Pr_{1.85}Ce_{0.15}CuO_{4+\delta}$.–A. Varela, M. Vallet-Regí, and J. M. González-Calbet; **12** (10), 2526–2532.

Rh/ZrO_2

– Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder.–L. E. Depero, R. Bertoncello, T. Boni, P. Levrangi, I. Natali Sora, E. Tempesti, and F. Parmigiani; **12** (5), 1376–1384.

RuO_2

– Microstructure of ruthenium dioxide films grown on $\alpha-Al_2O_3$ (0001), $\alpha-Al_2O_3$ ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering.–Q. Wang, Dave Gilmer, Yue Fan, Alfonso Franciosi, D. Fennell Evans, Wayne L. Gladfelter, and Xiao-Feng Zhang; **12** (4), 984–996.

– Pulsed laser deposition and characterization of conductive RuO_2 thin films.–A. Iembo, F. Fuso, E. Arimondo, C. Ciofi, G. Pennelli, G. M. Currò, F. Neri, and M. Allegrini; **12** (6), 1433–1436.

– Structure and surface morphology of highly conductive RuO_2 films grown on MgO by oxygen-plasma-assisted molecular beam epitaxy.–Y. Gao, G. Bai, Y. Liang, G. C. Dunham, and S. A. Chambers; **12** (7), 1844–1849.

SbSI

– Role of antimony sulfide buffer layers in the growth of ferroelectric antimony sulfo-iodide thin films.–N. Solayappan, K. K. Raina, R. K. Pandey, and U. Varshney; **12** (3), 825–832.

$ScPO_4$

– Electron-irradiation-induced nucleation and growth in amorphous $LaPO_4$, $ScPO_4$, and zircon.–A. Meldrum, L. A. Boatner, and R. C. Ewing; **12** (7), 1816–1827.

Se

– Grain size dependence of mechanical properties in nanocrystalline selenium.–K. Lu, H. Y. Zhang, Y. Zhong, and H. J. Fecht; **12** (4), 923–930.

Se–Te

– Crystallization mechanisms of some $Se_{100-x}Te_x$ glassy alloys.–Y. Calventus, S. Suriñach, and M. D. Baró; **12** (4), 1069–1075.

Si

– The fracture toughness of polysilicon microdevices: A first report.–R. Ballarini, R. L. Mullen, Y. Yin, H. Kahn, S. Stemmer, and A. H. Heuer; **12** (4), 915–922.

– Neural net formulations for organically modified, hydrophobic silica aerogel.–David Noever, Laurent Sibille, Raymond Cronise, Subbiah Baskaran, and Arlon Hunt; **12** (7), 1837–1843.

– Two interferometric methods for the mechanical characterization of thin films by bulging tests. Application to single crystal of silicon.–E. Bonnotte, P. Delobelle, L. Bornier, B. Trolard, and G. Tribillon; **12** (9), 2234–2248.

– Micro-Raman analysis of residual stresses and phase transformations in crystalline silicon under microindentation.–G. Lucazeau and L. Abello; **12** (9), 2262–2273.

– Rapid thermal recrystallization of amorphous silicon films.–G. D. Beshkov, D. B. Dimitrov, V. Lazarova, J. Koprinarova, K. Gesheva, and E. Vlaev; **12** (10), 2511–2514.

– Scanning and transmission electron microscopies of single-crystal silicon microworn/machined using atomic force microscopy.–Vilas N. Koinkar and Bharat Bhushan; **12** (12), 3219–3224.

– Influence of nanostructure size on the luminescence behavior of silicon nanoparticle thin films.–A. A. Seraphin, E. Werwa, and K. D. Kolenbrander; **12** (12), 3386–3392.

Si:Bi

– Metal-nonmetal transition and resistivity of silicon implanted with bismuth.–E. Abramof, A. Ferreira da Silva, Bo E. Sernelius, J. P. de Souza, and H. Boudinov; **12** (3), 641–645.

Si:H

– Electroluminescence from amorphous-silicon-based switching devices.–V. A. Kuznetsov and D. Haneman; **12** (1), 17–20.

Si:P

– Micromechanical and tribological characterization of doped single-crystal silicon and polysilicon films for microelectromechanical systems.–Bharat Bhushan and Xiaodong Li; **12** (1), 54–63.

Si/Ge

– Annealing induced interdiffusion and crystallization in sputtered amorphous Si/Ge multilayers.–Zs. Czigány, G. Radnóczi, K. Järrendahl, and J-E. Sundgren; **12** (9), 2255–2261.

Si/Ti

– Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral Jr., L. A. Clevenger, J. M. E. Harper, F. M. d'Heurle, R. A. Roy, K. L. Saenger, G. L. Miles, and R. W. Mann; **12** (2), 304–307.

Si–Ar (amorphous)

– Influence of Ar impurities on optical refractive index of sputter deposited a–Si films.–Hiroki Takahashi, Haruki Kataoka, and Hirotoshi Nagata; **12** (7), 1722–1726.

Si–C–N

– Composition of SiCN crystals consisting of a predominantly carbon-nitride network.–D. M. Bhusari, C. K. Chen, K. H. Chen, T. J. Chuang, L. C. Chen, and M. C. Lin; **12** (2), 322–325.

Si–Ge : B

– Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy.–A. Rodríguez, T. Rodríguez, A. Sanz-Hervás, A. Kling, J. C. Soares, M. F. da Silva, C. Ballesteros, and R. M. Gwilliam; **12** (7), 1698–1705.

(Si–Ge):H

– The structural characterization of amorphous thin films and coatings in their as-deposited state using x-rays at shallow angles of incidence.–J. S. Rigden, R. J. Newport, and G. Bushnell-Wye; **12** (1), 264–276.

Si–Ge/Si

– The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon.–K. Schonenberg, Siu-Wai Chan, D. Harame, M. Gilbert, C. Stanis, and L. Gignac; **12** (2), 364–370.

Si–O–Fe

– Superparamagnetic particles in ZSM-5–type ferrisilicates.–A. López, F.J. Lázaro, J.L. García-Palacios, A. Larrea, Q.A. Pankhurst, C. Martínez, and A. Corma; **12** (6), 1519–1529.

SiC

– Response of silicon carbide to high-intensity laser irradiation in a high-pressure inert gas atmosphere.–L.Y. Sadler and M. Shamsuzzoha; **12** (1), 147–160.

– Defect annealing in ion implanted silicon carbide.–L. Calcagno, M.G. Grimaldi, and P. Musumeci; **12** (7), 1727–1733.

– Epitaxial growth of β–SiC thin films on a 6H–SiC substrate using the chemical solution deposition method.–D. Heimann, T. Wagner, J. Bill, F. Aldinger, and F.F. Lange; **12** (11), 3099–3101.

SiC(fiber)

– Analysis of SCS-6 silicon carbide fibers by Fourier transform infrared spectroscopy.–S. Krishnamurthy; **12** (2), 329–331.

SiC/Al

– The syntheses of SiC_p/Al nanocomposites under high pressure.–Haozhe Liu, Aimin Wang, Luhong Wang, Bingzhe Ding, Zhuangqi Hu, and Hongying Peng; **12** (5), 1187–1190.

– Liquid-exchange processing and properties of SiC–Al composites.–Leszek Hozer, Yet-Ming Chiang, Svetlana Ivanova, and Isa Bar-On; **12** (7), 1785–1789.

SiC/Al_2O_3

– Colloidal processing and mechanical properties of silicon carbide with alumina.–Yoshihiro Hirata, Kouji Hidaka, Hiroaki Matsumura, Yasuo Fukushige, and Soichiro Sameshima; **12** (11), 3146–3157.

SiC/C

– Microstructure of liquid phase sintered superplastic silicon carbide ceramics.–Chong-Min Wang, Mamoru Mitomo, and Hideyuki Emoto; **12** (12), 3266–3270.

SiC/Si

– Liquid-exchange processing and properties of SiC–Al composites.–Leszek Hozer, Yet-Ming Chiang, Svetlana Ivanova, and Isa Bar-On; **12** (7), 1785–1789.

SiC/$SiC_{(fiber)}$

– Evidence of critical scaling behavior during vapor phase synthesis of continuous filament composites.–J.H. Kinney and D.L. Haupt; **12** (3), 610–612.

– SiC (SCS-6) fiber reinforced-reaction formed SiC matrix composites: Microstructure and interfacial properties.–M. Singh, R.M. Dickerson, Forrest A. Olmstead, and J.I. Eldridge; **12** (3), 706–713.

SiC(fiber)/SiC

– Evaluation of a porous fiber coating in SiC–Si_3N_4 minicomposite.–Linus U.J.T. Ogbuji; **12** (5), 1287–1296.

SiC/Si_3N_4

– Thermal diffusivity maps: Case studies in ceramics.–Lanhua Wei and Grady S. White; **12** (9), 2381–2387.

$SiC_{(fiber)}$/Ti–Al–Nb

– Role of matrix microstructure in the ultrasonic characterization of fiber-reinforced metal matrix composites.–S. Krishnamurthy, T.E. Matikas, and P. Karpur; **12** (3), 754–763.

$SiC_{(fiber)}$/Ti–Al–V

– Role of matrix microstructure in the ultrasonic characterization of fiber-reinforced metal matrix composites.–S. Krishnamurthy, T.E. Matikas, and P. Karpur; **12** (3), 754–763.

Si_3N_4

– Superplastic forming of an α-phase rich silicon nitride.–Tanguy Rouxel, Fabrice Rossignol, Jean-Louis Besson, and Paul Goursat; **12** (2), 480–492.

– Combustion synthesis of Si_3N_4 powder.–Wei-Chang Lee and Shyan-Lung Chung; **12** (3), 805–811.

– The standard molar enthalpies of formation of α–Si_3N_4 and β–Si_3N_4 by combustion calorimetry in fluorine, and the enthalpy of the α-to-β transition at the temperature 298.15 K.–P.A.G. O'Hare, Iwona Tomaszkiewicz, and H.J. Seifert; **12** (12), 3203–3205.

Si_3N_4/Al–Mg–Si

– Critical assessments of accommodation process by liquid phase for superplastic flow in Si_3N_4/Al–Mg–Si metal matrix composites.–Mamoru Mabuchi, Hajime Iwasaki, Ha-Guk Jeong, Kenji Hiraga, and Kenji Higashi; **12** (9), 2332–2336.

Si_3N_4/TiN–Si_3N_4

– Fabrication of multilaminated Si_3N_4–Si_3N_4/TiN composites and its anisotropic fracture behavior.–Jow-Lay Huang, Yen-Lon Chang, and Horng-Hwa Lu; **12** (9), 2337–2344.

Si_3N_4/TiN–Si_3N_4/Si_3N_4

– Investigation of Si_3N_4–TiN/Si_3N_4–Si_3N_4 trilayer composites with residual surface compression.–Jow-Lay Huang, Feng-Chi Chou, and Horng-Hwa Lu; **12** (9), 2357–2365.

Si_3N_4–Yb_2O_3–SiO_2

– High temperature strength of silicon nitride ceramics with ytterbium silicon oxynitride.–Toshiyuki Nishimura, Mamoru Mitomo, and Hisayuki Suematsu; **12** (1), 203–209.

SiO_2

– X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method.–S. Santucci, E. Cordeschi, L. Lozzi, M. Passacantando, P. Picozzi, and L. Mancinelli degli Esposti; **12** (1), 100–105.

– Oxide nanotubes prepared using carbon nanotubes as templates.–B.C. Satishkumar, A. Govindaraj, Erasmus M. Vogl, Lipika Basumallick, and C.N.R. Rao; **12** (3), 604–606.

– High pressure compaction of nanosize ceramic powders.–M.R. Gallas, A.R. Rosa, T.H. Costa, and J.A.H. da Jornada; **12** (3), 764–768.

– A four-point bending technique for studying subcritical crack growth in thin films and at interfaces.–Qing Ma; **12** (3), 840–845.

– Electrically controlled flame synthesis of nanophase TiO_2, SiO_2, and SnO_2 powders.–Srinivas Vemury, Sotiris E. Pratsinis, and Lowinn Kibbey; **12** (4), 1031–1042.

– Agglomeration of silica spheres under ultrasonication.–Naoya Enomoto, Shingo Maruyama, and Zenbe-e Nakagawa; **12** (5), 1410–1415.

– An alternative method for penetration depth determination in nanoindentation measurements.–J. Woirgard and J-C. Dargenton; **12** (9), 2455–2458.

– Ultrasound driven aggregation and surface silanol modification in amorphous silica microspheres.–Sivarajan Ramesh, Yuri Koltypin, and Aharon Gedanken; **12** (12), 3271–3277.

SiO_x

– X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method.–S. Santucci, E. Cordeschi, L. Lozzi, M. Passacantando, P. Picozzi, and L. Mancinelli degli Esposti; **12** (1), 100–105.

SiO_2 : CdS

– Growth and characterization of semiconductor nanoparticles in porous sol-gel films.–E.J.C. Dawnay, M.A. Fardad, Mino Green, and E.M. Yeatman; **12** (11), 3115–3126.

SiO_2 : Er^{3+}/Si

– Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry.–S. Bruynooghe, A. Chabli, F. Bertin, F. Pierre, and G. Leflem; **12** (10), 2779–2783.

SiO_2 : F

– Comparison of C_2F_6 and FASi-4 as fluorine dopant sources in plasma enhanced chemical vapor deposited fluorinated silica glass films.–Woo Sik Yoo, Richard Swope, Barbara Sparks, and David Mordo; **12** (1), 70–74.

$SiO_2 : Nd^{3+}/Si$

– Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry.–S. Bruynooghe, A. Chabli, F. Bertin, F. Pierre, and G. Leflem; **12** (10), 2779–2783.

SiO_2/C

– Thermal stresses in carbon-coated optical fibers at low temperature.–Sham-Tsong Shiue and Wen-Hao Lee; **12** (9), 2493–2498.

SiO_2/SiC

– Surface composites: A new class of engineered materials.–Rajiv Singh and James Fitz-Gerald; **12** (3), 769–773.

SiO_2/TiN

– A four-point bending technique for studying subcritical crack growth in thin films and at interfaces.–Qing Ma; **12** (3), 840–845.

SiO_2/TiO_2

– Gas-phase coating of TiO_2 with SiO_2 in a continuous flow hot-wall aerosol reactor.–Quint H. Powell, George P. Fotou, Toivo T. Kodas, Bruce M. Anderson, and Yongxiang Guo; **12** (2), 552–559.

– Growth and characterization of semiconductor nanoparticles in porous sol-gel films.–E. J. C. Dawnay, M. A. Fardad, Mino Green, and E. M. Yeatman; **12** (11), 3115–3126.

$SiO_2–TiO_2$

– The structural characterization of amorphous thin films and coatings in their as-deposited state using x-rays at shallow angles of incidence.–J. S. Rigden, R. J. Newport, and G. Bushnell-Wye; **12** (1), 264–276.

$Si(O,2CH_3)_2$

– Deposition process and property of silica films containing organic groups from aqueous solution of alkoxides.–Junrok Oh, Hiroaki Imai, Hiroshi Hirashima, and Koji Tsukuma; **12** (4), 1008–1016.

$Si(O,2C_6H_5)_2$

– Deposition process and property of silica films containing organic groups from aqueous solution of alkoxides.–Junrok Oh, Hiroaki Imai, Hiroshi Hirashima, and Koji Tsukuma; **12** (4), 1008–1016.

$SmBa_2Cu_3O_{7-x}$

– Unidirectional partial melting and solidification of SmBCO superconductor.–M. Sumida, Y. Nakamura, Y. Shiohara, and T. Umeda; **12** (8), 1979–1989.

– Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors.–M. Kambara, Y. Watanabe, K. Miyake, A. Endo, K. Murata, Y. Shiohara, and T. Umeda; **12** (11), 2873–2879.

SnO_2

– Electrically controlled flame synthesis of nanophase TiO_2, SiO_2, and SnO_2 powders.–Srinivas Vemury, Sotiris E. Pratsinis, and Lowinn Kibbey; **12** (4), 1031–1042.

SnO_2 : (Co,Al,Nb)

– Chemical synthesis of a new tin dioxide based (SnO_2 : Co, Al, Nb) varistor.–P. N. Santhosh, H. S. Potdar, and S. K. Date; **12** (2), 326–328.

SnO_2/CuO

– Synthesis, structure, and gas sensitivity properties of $SnO_2–CuO$ mixture phase obtained by pyrolysis of an aerosol.–J. Román, J. C. Fabian, M. Labeau, G. Delabouglise, and M. Vallet-Regí; **12** (2), 560–565.

$SoSi_2$

– Microwave assisted synthesis of technologically important transition metal silicides.–B. Vaidhyanathan and K. J. Rao; **12** (12), 3225–3229.

Soda glass

– Residual surface stress by localized contact-creep.–Sujanto Widjaja, Karl Jakus, Revti Atri, John E. Ritter, and Sandeepan Bhattacharya; **12** (1), 210–217.

$SrAl_2Si_2O_8/SiC_{(fiber)}$

– Chemical vapor deposited SiC (SCS-0) fiber-reinforced strontium aluminosilicate glass-ceramic composites.–Narottam P. Bansal; **12** (3), 745–753.

$(Sr,Ba)Nb_2O_6$

– Phase transformation in $Sr_{1-x}Ba_xNb_2O_6$ ceramics.–Xiaoli Wang; **12** (3), 600–603.

$SrBi_2Nb_2O_9$

– Impedance spectroscopy of $SrBi_2Ta_2O_9$ and $SrBi_2Nb_2O_9$ ceramics correlation with fatigue behavior.–Tze-Chiun Chen, Chai-Liang Thio, and Seshu B. Desu; **12** (10), 2628–2637.

$SrBi_2(Ta,Nb)_2O_9$

– Structure development studies of $SrBi_2(Ta_{1-x}Nb_x)_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (8), 2165–2174.

$SrBi_2Ta_2O_9$

– $SrBi_2Ta_2O_9$ thin films made by liquid source metal-organic chemical vapor deposition.–Yongfei Zhu, Seshu B. Desu, Tingkai Li, Sasangan Ramanathan, and Masaya Nagata; **12** (3), 783–792.

– *In situ* growth of fatigue-free $SrBi_2Ta_2O_9$ films by pulsed laser ablation.–Hung-Ming Yang, Jian-Shing Luo, and Wen-Tai Lin; **12** (4), 1145–1151.

– The effect of excess bismuth on the ferroelectric properties of $SrBi_2Ta_2O_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (6), 1569–1575.

– Impedance spectroscopy of $SrBi_2Ta_2O_9$ and $SrBi_2Nb_2O_9$ ceramics correlation with fatigue behavior.–Tze-Chiun Chen, Chai-Liang Thio, and Seshu B. Desu; **12** (10), 2628–2637.

$SrBi_2Ta_2O_9/Pt/Ti/SiO_2/Si$

– Secondary phase formation and microstructural development in the interaction between $SrBi_2Ta_2O_9$ films and $Pt/Ti/SiO_2/Si$ substrates.–Chung-Hsin Lu and Buh-Kuan Fang; **12** (8), 2104–2110.

$SrTiO_3$

– Electrical and structural properties of $SrTiO_3$ thin films deposited by plasma-enhanced metalorganic chemical vapor deposition.–Nam-Kyeong Kim, Soon-Gil Yoon, Won-Jae Lee, and Ho-Gi Kim; **12** (4), 1160–1164.

– Preparation of semiconductive $SrTiO_3$ thin films by metal-organic chemical vapor deposition and their electrical properties.–Daisuke Nagano, Hiroshi Funakubo, Osamu Sakurai, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (6), 1655–1660.

$SrZrO_3$

– Strontium and calcium zirconyl citrates as precursors for the low-temperature synthesis of $SrZrO_3$ and $CaZrO_3$ fine powders.–M. Rajendran and M. Subba Rao; **12** (10), 2665–2672.

TaC

– Carbothermal synthesis of TaC whiskers via a vapor-liquid-solid growth mechanism.–M. Johnsson and M. Nygren; **12** (9), 2419–2427.

Tb–Dy–Fe

– Determination of elastic modulus of thin layers using nanoindentation.–J. Menčík, D. Munz, E. Quandt, E. R. Weppelmann, and M. V. Swain; **12** (9), 2475–2484.

TC

– Friction and wear performance of diamond-like carbon, boron carbide, and titanium carbide coatings against glass.–B. K. Daniels, D. W. Brown, and F. M. Kimock; **12** (9), 2485–2492.

Tetrac, anoquinodimethane

– Scanning tunneling microscopy and atomic force microscopy investigation of organic tetracyanoquinodimethane thin films.–H. J. Gao, H. X. Zhang, Z. Q. Xue, and S. J. Pang; **12** (8), 1942–1945.

Ti/AlN

– Investigation of the interface reactions of Ti thin films with AlN substrate.–Xiangjun He, Si-Ze Yang, Kun Tao, and Yudian Fan; **12** (3), 846–851.

Ti/Al_2O_3

- Investigation of the interface reactions of Ti thin films with AlN substrate.–Xiangjun He, Si-Ze Yang, Kun Tao, and Yudian Fan; **12** (3), 846–851.

Ti/Al_2O_3(sapphire)

- Growth of Ti thin films on sapphire substrates.–S. Rao Peddada, I. M. Robertson, and H. K. Birnbaum; **12** (7), 1856–1865.

$Ti/Pt/Pb(Zr, Ti)O_3$

- Metallization schemes for dielectric thin film capacitors.–H. N. Al-Shareef, D. Dimos, B. A. Tuttle, and M. V. Raymond; **12** (2), 347–354.

Ti–Al–B–Si

- Fatigue of *in situ* reinforced Ti–8.5Al–1B–1Si.–S. Rangarajan, P. B. Aswath, and W. O. Soboyejo; **12** (4), 1102–1111.

Ti–Al–Cr–Nb–B

- Influence of elemental B addition on the heat-treated cast structures of Ti–47Al–2Cr–(2–4)Nb alloys.–J. Y. Jung and J. K. Park; **12** (3), 665–680.

Ti–Al–Nb

- Martensite transition in rapidly solidified Ti_3Al–2Nb alloy.–R. Xu, Y. Y. Cui, D. M. Xu, D. Li, Q. C. Li, and Z. Q. Hu; **12** (1), 5–8.

Ti–Al–Sn–Zr–Mo–Nd–Si

- Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy.–J. F. Lei, Q. J. Wang, Y. Y. Liu, S. X. Guan, Z. G. Wang, D. Li, and Z. Q. Hu; **12** (10), 2571–2574.

Ti–Cr

- Microstructures of two-phase Ti–Cr alloys containing the $TiCr_2$ Laves phase intermetallic.–Katherine C. Chen, Samuel M. Allen, and James D. Livingston; **12** (6), 1472–1480.

Ti–Cr_2

- Microstructures of two-phase Ti–Cr alloys containing the $TiCr_2$ Laves phase intermetallic.–Katherine C. Chen, Samuel M. Allen, and James D. Livingston; **12** (6), 1472–1480.

Ti–Ru–Fe

- High energy ball-milled Ti_2RuFe electrocatalyst for hydrogen evolution in the chlorate industry.–Marco Blouin, Daniel Guay, Jacques Hout, and Robert Schulz; **12** (6), 1492–1500.

Ti–W–O

- Microstructural characterization of a titanium-tungsten oxide gas sensor.–Matteo Ferroni, Vincenzo Guidi, Giuliano Martinelli, and Giorgio Sberveglieri; **12** (3), 793–798.

Ti–Zr–Ni

- High temperature x-ray and calorimetric studies of phase transformations in quasicrystalline Ti–Zr–Ni alloys.–R. M. Stroud, K. F. Kelton, and S. T. Misture; **12** (2), 434–438.

TiAlN

- Determination of elastic modulus of thin layers using nanoindentation.–J. Menčík, D. Munz, E. Quandt, E. R. Weppelmann, and M. V. Swain; **12** (9), 2475–2484.

TiB_2

- Reaction path in the magnesium thermite reaction to synthesize titanium diboride.–V. Sundaram, K. V. Logan, and R. F. Speyer; **12** (10), 2657–2664.

TiB_2/Al_2O_3

- Aluminothermic reaction path in the synthesis of a TiB_2–Al_2O_3 composite.–V. Sundaram, K. V. Logan, and R. F. Speyer; **12** (7), 1681–1684.

TiC/Ni_3Al

- Melt-infiltration processing of TiC/Ni_3Al composites.–K. P. Plucknett, P. F. Becher, and R. Subramanian; **12** (10), 2515–2517.

TiN

- Characterization of the induced plastic zone in a single crystal TiN(001) film by nanoindentation and transmission electron microscopy.–Magnus Odén, Henrik Ljungcrantz, and Lars Hultman; **12** (8), 2134–2142.

- Characteristics of TiN film deposited on stellite using reactive magnetron sputter ion plating.–Min-Ku Lee, Hee-Soo Kang, Whung-Whoe Kim, Joung-Soo Kim, and Won-Jong Lee; **12** (9), 2393–2400.

- The effect of ion milling on the morphology of ramp-type Josephson junctions.–Dave H. A. Blank and Horst Rogalla; **12** (11), 2952–2957.

TiN/Pt

- Simulation of nacre with TiN/Pt multilayers and a study of their hardness.–J. L. He, W. Z. Li, and H. D. Li; **12** (11), 3140–3145.

TiN/Si

- The crossover of preferred orientation in TiN film growth: A real time x-ray scattering study.–J. H. Je, D. Y. Noh, H. K. Kim, and K. S. Liang; **12** (1), 9–12.

TiNi/Si

- The reaction between a TiNi shape memory thin film and silicon.–Susanne Stemmer, Gerd Duscher, Christina Scheu, Arthur H. Heuer, and Manfred Rühle; **12** (7), 1734–1740.

TiO_2

- Modification of the phase transition temperatures in titania doped with various cations.–R. Rodríguez-Talavera, S. Vargas, R. Arroyo-Murillo, R. Montiel-Campos, and E. Haro-Poniatowski; **12** (2), 439–443.

- Electrically controlled flame synthesis of nanophase TiO_2, SiO_2, and SnO_2 powders.–Srinivas Vemury, Sotiris E. Pratsinis, and Lowinn Kibbey; **12** (4), 1031–1042.

- High strength, electrically conductive pore-free TiO_2 ceramics made by hot isostatic pressing.–Yukio Kishi, Katsuhiko Ogura, Kiichiro Kamata, Hidetoshi Saitoh, and Keizo Uematsu; **12** (4), 1056–1061.

- Morphological investigations on mesostructured metal oxides.–V. Weidenhof, F. Gropper, U. Müller, L. Marosi, G. Cox, R. Houbertz, and U. Hartmann; **12** (6), 1634–1639.

- Characterization of nanophase titania particles synthesized using *in situ* steric stabilization.–A. G. Gaynor, R. J. Gonzalez, R. M. Davis, and R. Zallen; **12** (7), 1755–1765.

TiO_2/Soda-lime glass

- Photo-oxidatively self-cleaning transparent titanium dioxide films on soda lime glass: The deleterious effect of sodium contamination and its prevention.–Y. Paz and A. Heller; **12** (10), 2759–2766.

TiO_2–SiO_2

- Preparation of TiO_2-based powders with high photocatalytic activities.–Tomoko Kasuga, Masayoshi Hiramatsu, Masayoshi Hirano, Akihiko Hoson, and Kyoko Oyamada; **12** (3), 607–609.

$Ti(PO_3CH_2CH_2COOH)_2$

- Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate.–Anatoly I. Bortun, Lyudmila Bortun, Abraham Clearfield, Enrique Jaimez, María A. Villa-García, José R. García, and Julio Rodríguez; **12** (4), 1122–1130.

$TiSi_2$

- Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral Jr., L. A. Clevenger, J. M. E. Harper, F. M. d'Heurle, R. A. Roy, K. L. Saenger, G. L. Miles, and R. W. Mann; **12** (2), 304–307.

- Microwave assisted synthesis of technologically important transition metal silicides.–B. Vaidhyanathan and K. J. Rao; **12** (12), 3225–3229.

Ti_5Si_3

- A time-resolved x-ray diffraction study of Ti_5Si_3 product formation during combustion synthesis.–C. R. Kachelmyer, I. O. Khomenko, A. S. Rogachev, and A. Varma; **12** (12), 3230–3240.

Tl–Ba–Ca–Cu–O

- Synthesis and properties of Tl–Ba–Ca–Cu–O superconductors.–M. P. Siegal, E. L. Venturini, B. Morosin, and T. L. Aselage; **12** (11), 2825–2854.

$TlBa_2Ca_2Cu_3O_{9-x}$

- Growth of (11*n*) oriented Bi–Ca–Sr–Cu–O films by liquid phase epitaxial method.–K. K. Raina and R. K. Pandey; **12** (3), 636–640.

$TlBa_2Ca_2Cu_3O_x$

- Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

$Tl_2Ba_2CaCu_2O_8$

- Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

VN

- Linear free energy relationships in solid state diffusion processes.–Rajat Kapoor and S. T. Oyama; **12** (2), 474–479.

VO_2

- The oxygen deficiency effect of VO_2 thin films prepared by laser ablation.–M. Nagashima and H. Wada; **12** (2), 416–422.

V_2O_5

- Laser-assisted formation of metallic oxide microtubes.–László Nánai and Thomas F. George; **12** (1), 283–284.
- Measurement of solid state diffusion coefficients by a temperature-programmed method.–Rajat Kapoor and S. T. Oyama; **12** (2), 467–473.
- Linear free energy relationships in solid state diffusion processes.–Rajat Kapoor and S. T. Oyama; **12** (2), 474–479.

W/Mo

- Surface composites: A new class of engineered materials.–Rajiv Singh and James Fitz-Gerald; **12** (3), 769–773.

Y–Ba–Cu–O

- The effect of ion milling on the morphology of ramp-type Josephson junctions.–Dave H. A. Blank and Horst Rogalla; **12** (11), 2952–2957.

(YBaCuO)

- Doping high T_c superconductors with oxygen and metallic atoms: A molecular dynamics study.–Erich Stoll, Christian Stern, Johannes Singer, and Peter Stucki; **12** (11), 2901–2906.

$YBa_2Cu_3O_{7-x}$

- X-ray diffraction line broadening effects in $MBa_2Cu_3O_{7-\delta}$ (M = Y, Gd) thin films.–P. Scardi, F. C. Matacotta, V. I. Dediu, and L. Correra; **12** (1), 28–37.
- Precipitate size refinement by CeO_2 and Y_2BaCuO_5 additions in directionally solidified $YBa_2Cu_3O_7$.–N. Vilalta, F. Sandiumenge, S. Piñol, and X. Obradors; **12** (1), 38–46.
- Oxygen content and inhomogeneity effects on the electrical properties of $YBa_2Cu_3O_y$ thin films.–R. Aguiar, F. Sánchez, and M. Varela; **12** (1), 47–53.
- Chemical analysis in $YBa_2Cu_3O_{7-x}$ melt-textured samples.–F. J. Gotor, J. Ayache, N. Pellerin, and P. Odier; **12** (2), 338–346.
- Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials.–J. A. Alarco, E. Olsson, S. J. Golden, A. Bhargava, T. Yamashita, J. Barry, and I. D. R. Mackinnon; **12** (3), 624–635.
- Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts.–S. Honjo, M. J. Cima, M. C. Flemings, T. Ohkuma, H. Shen, K. Rigby, and T. H. Sung; **12** (4), 880–890.
- Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO.–M. Reder, J. Krelaus, D. Müller, K. Heinemann, and H. C. Freyhardt; **12** (4), 906–914.
- Modeling of peritectic $YBa_2Cu_3O_{7-x}$ growth using transparent organic analogues.–R. Terborg and G. J. Schmitz; **12** (8), 2002–2008.
- Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition.–Y. Iijima, M. Hosaka, N. Tanabe, N. Sadakata, T. Saitoh, O. Kohno, and K. Takeda; **12** (11), 2913–2923.
- Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S. R. Foltyn, E. J. Peterson, J. Y. Coulter, P. N. Arendt, Q. X. Jia, P. C. Dowden, M. P. Maley, X. D. Wu, and D. E. Peterson; **12** (11), 2941–2946.
- $Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K. Y. Chen, Q. Xiong, Y. Q. Tang, G. J. Salamo, F. T. Chan, J. Cooksey, S. Scott, Y. J. Shi, S. Ang, W. D. Brown, and L. W. Schaper; **12** (11), 2947–2951.
- Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q. X. Jia, and D. Reagor; **12** (11), 2958–2975.
- From meandering to straight grain boundaries: Improving the structures of artificially induced grain boundaries in superconducting $YBa_2Cu_3O_y$ bicrystals.–Xiao-Feng Zhang, Volk R. Todt, and Dean J. Miller; **12** (11), 3029–3035.
- Vortex dynamics during N-S and S-N transitions of Y–Ba–Cu–O superconductors under the effect of temperature gradient and thermal cycling.–I. Kirschner, A. C. Bódi, R. Laiho, and L. Lähderanta; **12** (11), 3090–3098.

$YBa_2Cu_3O_x$

- Surface nucleation, domain growth mechanisms, and factors dominating superconducting properties in seeded melt grown $YBa_2Cu_3O_x$.–Donglu Shi, K. Lahiri, D. Qu, S. Sagar, V. F. Solovjov, and V. M. Pan; **12** (11), 3036–3045.

$YBa_2Cu_4O_8$

- Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO.–M. Reder, J. Krelaus, D. Müller, K. Heinemann, and H. C. Freyhardt; **12** (4), 906–914.
- Two-stage sintering of dense superconducting $YBa_2Cu_4O_8$ ceramics.–Motohide Matsuda, Yoshihisa Ogawa, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (5), 1205–1209.

$YBa_2Cu_3O_{7-x}$:C

- Factors controlling carbon retention in $YBa_2Cu_3O_{7-\delta}$.–Evelyne Cazy, Ali Khalfi, David S. Smith, and Jean Pierre Bonnet; **12** (6), 1451–1455.

$YBa_2Cu_3O_{7-x}$: Pt

- Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applications.–Wai Lo, D. A. Cardwell, C. D. Dewhurst, H-T. Leung, J. C. L. Chow, and Y. H. Shi; **12** (11), 2889–2900.

$YBa_2Cu_3O_{7-x}/SrTiO_3$

- Local cross-sectional profiling of multilayer thin films with an atomic force microscope for layer thickness determination.–J. R. LaGraff and J. M. Murduck; **12** (8), 1935–1938.

$YbBa_2ZrO_{5.5}$

– $REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors.–R. Jose, Asha M. John, J. Kurian, P. K. Sajith, and J. Koshy; **12** (11), 2976–2980.

$(Y,Ca)(Ba,La)_2(Cu,Co)_3O_{7-x}$

– Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q. X. Jia, and D. Reagor; **12** (11), 2958–2975.

Zn–Mg–Y

– Stoichiometric icosahedral phase in the Zn–Mg–Y system.–A. P. Tsai, A. Niikura, A. Inoue, and T. Masumoto; **12** (6), 1468–1471.

$Zn(Nb,Ta)_2O_6$

– Crystal structure and microwave dielectric properties of $M(Nb_x-Ta_{1-x})_2O_6$ solid solution (M = Mg or Zn).–Hyo-Jong Lee, Kug-Sun Hong, and In-Tae Kim; **12** (6), 1437–1440.

ZnO

– Anomalous behavior of the optical band gap of nanocrystalline zinc oxide thin films.–V. Srikant and D. R. Clarke; **12** (6), 1425–1428.

ZnO : (Bi_2O_3, Sb_2O_3)

– Effect of rate controlled sintering on microstructure and electrical properties of ZnO doped with bismuth and antimony oxides.–Gaurav Agarwal and Robert F. Speyer; **12** (9), 2447–2454.

$ZnSe/SiO_2$

– Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method.–Masayuki Hayashi, Takafumi Iwano, Hiroyuki Nasu, Naoki Sugimoto, Kanichi Kamiya, and Kazuyuki Hirao; **12** (10), 2552–2558.

$Zr_4(Co,Fe)Si_7$

– Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope.–J. F. Mao, H. Q. Ye, X. G. Ning, L. L. He, and D. Z. Yang; **12** (2), 377–384.

$Zr_4(Co,Ni)Si_7$

– Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope.–J. F. Mao, H. Q. Ye, X. G. Ning, L. L. He, and D. Z. Yang; **12** (2), 377–384.

$Zr_4Co_4Si_7$

– Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope.–J. F. Mao, H. Q. Ye, X. G. Ning, L. L. He, and D. Z. Yang; **12** (2), 377–384.

$ZrF_4–BaF_2–AlF_3–LaF_3–NaF$

– Effects of gravity on processing heavy metal fluoride fibers.–Dennis S. Tucker, Gary L. Workman, and Guy A. Smith; **12** (9), 2223–2225.

ZrO_2

– Morphological investigations on mesostructured metal oxides.–V. Weidenhof, F. Gropper, U. Müller, L. Marosi, G. Cox, R. Houbertz, and U. Hartmann; **12** (6), 1634–1639.

– Electron-irradiation-induced nucleation and growth in amorphous $LaPO_4$, $ScPO_4$, and zircon.–A. Meldrum, L. A. Boatner, and R. C. Ewing; **12** (7), 1816–1827.

– Electrical properties of ultrafine-grained yttria-stabilized zirconia ceramics.–Shusheng Jiang, Walter A. Schulze, Vasantha R. W. Amarakoon, and Gregory C. Stangle; **12** (9), 2374–2380.

– Crystallization of hafnia and zirconia during the pyrolysis of acetate gels.–Masatomo Yashima, Taka-aki Kato, Masato Kakihana, Mehmet Ali Gulgun, Yohtaro Matsuo, and Masahiro Yoshimura; **12** (10), 2575–2583.

– Preparation and characterization of nanosized zirconium (hydrous) oxide particles.–Luis A. Pérez-Maqueda and Egon Matijević; **12** (12), 3286–3292.

ZrO_2 : Na

– Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia.–G. Fagherazzi, P. Canton, A. Benedetti, F. Pinna, G. Mariotto, and E. Zanghellini; **12** (2), 318–321.

$ZrO_2–Gd_2O_3$

– Preparation of fine-grained MgO and Gd_2O_3 stabilized ZrO_2 thin films by electron beam physical vapor deposition coevaporation.–F. Tcheliebou, M. Boulouz, and A. Boyer; **12** (12), 3260–3265.

$ZrO_2–MgO$

– Preparation of fine-grained MgO and Gd_2O_3 stabilized ZrO_2 thin films by electron beam physical vapor deposition coevaporation.–F. Tcheliebou, M. Boulouz, and A. Boyer; **12** (12), 3260–3265.

$ZrO_2–NiAl$

– Phase instability in ZrO_2–NiAl functionally graded materials.–Yi-Rong He, Vidya Subramanian, and John J. Lannutti; **12** (10), 2589–2593.

$ZrO_2–Y_2O_3$

– Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2-11.3 mol % Y_2O_3.–P. C. Rivas, M. C. Caracoche, J. A. Martinez, A. M. Rodríguez, R. Caruso, N. Pellegri, and O. de Sanctis; **12** (2), 493–500.

– Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces.–J. Hoffmann, J. Dzick, J. Wiesmann, K. Heinemann, F. Garcia-Moreno, and H. C. Freyhardt; **12** (3), 593–595.

– Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3.–R. Caruso, E. Benavídez, O. de Sanctis, M. C. Caracoche, P. C. Rivas, M. Cervera, A. Caneiro, and A. Serquis; **12** (10), 2594–2601.

AUTHOR INDEX TO VOLUME 12

All authors of papers published in Volume 12 are listed alphabetically with the issue and page numbers following the dash. References with (L) are Communications. References with (E) are Errata. References with (A) are Addenda. References with (R) are Commentaries and Reviews. References with (C) are Comments and Reply. Page numbers are cited in ascending order.

A

Abe, S.–Auger valence electron spectra in Ca-silicides.–S. Abe, H. Nakayama, T. Nishino, and S. Iida; **12** (2), 407–411.

Abe, Yoshihiro–Bi–Sr–Ca–Cu–O superconducting thin plates prepared by glass-ceramic processing: Dependence of T_c on the thickness.–Toshihiro Kasuga, Koichi Nakamura, Tetsuji Hattori, and Yoshihiro Abe; **12** (2), 332–337.

Abello, L.–Micro-Raman analysis of residual stresses and phase transformations in crystalline silicon under microindentation.–G. Lucazeau and L. Abello; **12** (9), 2262–2273.

–A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition.–L. Fayette, B. Marcus, M. Mermoux, N. Rosman, L. Abello, and G. Lucazeau; **12** (10), 2686–2698.

Aboelfotoh, M. O.–Electrical and microstructural characteristics of Ge/Cu ohmic contacts to *n*-type GaAs.–M. O. Aboelfotoh, S. Oktyabrsky, J. Narayan, and J. M. Woodall; **12** (9), 2325–2331.

Aboud, T.–Particle aggregation in alumina aerogels.–S. Keysar, Y. De Hazan, Y. Cohen, T. Aboud, and G. S. Grader; **12** (2), 430–433.

Abramof, E.–Metal-nonmetal transition and resistivity of silicon implanted with bismuth.–E. Abramof, A. Ferreira da Silva, Bo E. Sernelius, J. P. de Souza, and H. Boudinov; **12** (3), 641–645.

Achiba, Y.–Growth and structures of C_{60} shells.–H. Sakuma, M. Tachibana, H. Sugiura, K. Kojima, S. Ito, T. Sekiguchi, and Y. Achiba; **12** (6), 1545–1550.

Adair, James H.–Low temperature synthesis of lead titanate by a hydrothermal method.–Jooho Moon, Tuo Li, Clive A. Randall, and James H. Adair; **12** (1), 189–197.

Adouard, A.–Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature.–L. Filipozzi, L. Piraux, A. Marchand, A. Derré, A. Adouard, and M. Kinany-Alaoui; **12** (7), 1711–1721.

Aesoph, M. D.–Influence of powder characteristics on the properties of green compacts of Bi-2212 powders.–D.-W. Yuan, M. D. Aesoph, and J. Kajuch; **12** (1), 21–27.

Afonso, S.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K. Y. Chen, Q. Xiong, Y. Q. Tang, G. J. Salamo, F. T. Chan, J. Cooksey, S. Scott, Y. J. Shi, S. Ang, W. D. Brown, and L. W. Schaper; **12** (11), 2947–2951.

Agarwal, Gaurav–Effect of rate controlled sintering on microstructure and electrical properties of ZnO doped with bismuth and antimony oxides.–Gaurav Agarwal and Robert F. Speyer; **12** (9), 2447–2454.

Agrawal, Dinesh K.–Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels.–Ján Majling, Peter Znáik, Angela Palová, Stefan Svetík, Stefan Kovalík, Dinesh K. Agrawal, and Rustum Roy; **12** (1), 198–202.

Aguiar, R.–Oxygen content and inhomogeneity effects on the electrical properties of $YBa_2Cu_3O_y$ thin films.–R. Aguiar, F. Sánchez, and M. Varela; **12** (1), 47–53.

Ajayan, P. M.–Balance of graphite deposition and multishell carbon nanotube growth in the carbon arc discharge.–P. M. Ajayan, Ph. Redlich, and M. Rühle; **12** (1), 244–252.

Akatsu, T.–Microstructure and strength of Al-sapphire interface by means of the surface activated bonding method.–T. Akatsu, G. Sasaki, N. Hosoda, and T. Suga; **12** (3), 852–856.

Akbas, Mehmet A.–Processing and characterization of lead magnesium tantalate ceramics.–Mehmet A. Akbas and Peter K. Davies; **12** (10), 2617–2622.

Alam, Todd M.–Aging characteristics of a hybrid sol-gel Pb(Zr, Ti)O_3 precursor solution.–Timothy J. Boyle, Duane B. Dimos, Robert W. Schwartz, Todd M. Alam, Michael B. Sinclair, and Catherine D. Buchheit; **12** (4), 1022–1030.

Alarco, J. A.–Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials.–J. A. Alarco, E. Olsson, S. J. Golden, A. Bhargava, T. Yamashita, J. Barry, and I. D. R. Mackinnon; **12** (3), 624–635.

Alava, M. J.–Does the shear-lag model apply to random fiber networks?.–V. I. Räisänen, M. J. Alava, K. J. Niskanen, and R. M. Nieminen; **12** (10), 2725–2732.

Aldinger, F.–Low temperature synthesis of ultrafine Pb(Zr, Ti)O_3 powder by sol-gel combustion.–J. Schäfer, W. Sigmund, S. Roy, and F. Aldinger; **12** (10), 2518–2521(L).

–Epitaxial growth of β–SiC thin films on a 6H–SiC substrate using the chemical solution deposition method.–D. Heimann, T. Wagner, J. Bill, F. Aldinger, and F. F. Lange; **12** (11), 3099–3101(L).

Alexandrescu, R.–Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

–Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815(E).

Alfonso, J. E.–Pulsed laser deposition of $KNbO_3$ thin films.–M. J. Martín, J. E. Alfonso, J. Mendiola, C. Zaldo, D. S. Gill, R. W. Eason, and P. J. Chandler; **12** (10), 2699–2706.

Allard, L. F.–The effects of the atmosphere on the surface modification of alumina by pulsed-laser-irradiation.–Siqi Cao, A. J. Pedraza, L. F. Allard, and D. H. Lowndes; **12** (7), 1747–1754.

Allegrini, M.–Pulsed laser deposition and characterization of conductive RuO_2 thin films.–A. Iembo, F. Fuso, E. Arimondo, C. Ciofi, G. Pennelli, G. M. Currò, F. Neri, and M. Allegrini; **12** (6), 1433–1436(L).

Allen, Samuel M.–Microstructures of two-phase Ti–Cr alloys containing the $TiCr_2$ Laves phase intermetallic.–Katherine C. Chen, Samuel M. Allen, and James D. Livingston; **12** (6), 1472–1480.

Allen, Susan D.–Excimer laser ablation of aluminum nitride.–Janet K. Lumpp and Susan D. Allen; **12** (1), 218–225.

Allen, William R.–Adhesion mechanisms of copper films deposited onto laser-irradiated alumina.–Jae-Won Park, Anthony J. Pedraza, Douglas H. Lowndes, and William R. Allen; **12** (11), 3174–3181.

Al-Shareef, H. N.–Metallization schemes for dielectric thin film capacitors.–H. N. Al-Shareef, D. Dimos, B. A. Tuttle, and M. V. Raymond; **12** (2), 347–354.

Althaus, Hans-Jörg–High refractive index materials of iron sulfides and poly(ethylene oxide).–Tasoula Kyprianidou-Leodidou, Hans-Jörg Althaus, Yves Wyser, Daniel Vetter, Michele Büchler, Walter Caseri, and Ulrich W. Suter; **12** (8), 2198–2206.

Alves, E.–Lattice site and photoluminescence of erbium implanted in α–Al_2O_3.–G. N. van den Hoven, A. Polman, E. Alves, M. F. da Silva, A. A. Melo, and J. C. Soares; **12** (5), 1401–1404.

Alves-Riccardo, P.–Failure behavior of alumina and alumina/silicon carbide nanocomposites with natural and artificial flaws.–F. Meschke, P. Alves-Riccardo, G. A. Schneider, and N. Claussen; **12** (12), 3307–3315.

Amarakoon, Vasantha R. W.–Electrical properties of ultrafine-grained yttria-stabilized zirconia ceramics.–Shusheng Jiang, Walter A. Schulze, Vasantha R. W. Amarakoon, and Gregory C. Stangle; **12** (9), 2374–2380.

An, Linan–Alumina platelet reinforced reaction bonded aluminum oxide composites: Textured and random.–Linan An, Suxing Wu, Helen M. Chan, Martin P. Harmer, and David G. Brandon; **12** (12), 3300–3306.

Anderson, Bruce M.–Gas-phase coating of TiO_2 with SiO_2 in a continuous flow hot-wall aerosol reactor.–Quint H. Powell, George P. Fotou, Toivo T. Kodas, Bruce M. Anderson, and Yongxiang Guo; **12** (2), 552–559.

Anderson, T.S.–Ag : Sb and Sb : Ag implantations into high purity silica.–T.S. Anderson, R.H. Magruder, III, D.L. Kinser, J.E. Wittig, R.A. Zuhr, and D.K. Thomas; **12** (12), 3316–3321.

Ando, Toshihiro–Nucleation and growth of oriented diamond on Si(100) by bias-assisted chemical vapor deposition.–Mikka Nishitani-Gamo, Toshihiro Ando, Kazuo Yamamoto, Paul A. Dennig, and Yoichiro Sato; **12** (5), 1351–1355.

Ang, S.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K.Y. Chen, Q. Xiong, Y.Q. Tang, G.J. Salamo, F.T. Chan, J. Cooksey, S. Scott, Y.J. Shi, S. Ang, W.D. Brown, and L.W. Schaper; **12** (11), 2947–2951.

Angell, C. Austen–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Anton, H.–Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$.–K.C. Mishra, I. Osterloh, H. Anton, B. Hannebauer, P.C. Schmidt, and K.H. Johnson; **12** (8), 2183–2190.

Arčon, Iztok–Extended x-ray absorption fine structure study of incorporation of Bi and Pb atoms into the crystal structure of $Ba_{4.5}Nd_9Ti_{18}O_{54}$.–M. Valant, I. Arčon, D. Suvorov, A. Kodre, T. Negas, and R. Frahm; **12** (3), 799–804.

–A structural study of amorphous alkoxide-derived lead titanium complexes.–Barbara Malič, Iztok Arčon, Marija Kosec, and Alojz Kodre; **12** (10), 2602–2611.

Arena, A.–Spectroscopic study of Na–TCNQ in a poly(ethylene oxide) matrix (TCNQ = 7,7′,8, and 8′ tetracyanoquinodimethane).–A. Arena, G. Di Marco, M. Lanza, S. Patanè, and G. Saitta; **12** (5), 1405–1409.

–Investigation of the novel charge transfer complex Cd-*TCNQ*.–A. Arena, A.M. Mezzasalma, S. Patanè, and G. Saitta; **12** (7), 1693–1697.

Arendt, P.N.–Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S.R. Foltyn, E.J. Peterson, J.Y. Coulter, P.N. Arendt, Q.X. Jia, P.C. Dowden, M.P. Maley, X.D. Wu, and D.E. Peterson; **12** (11), 2941–2946.

Arimondo, E.–Pulsed laser deposition and characterization of conductive RuO_2 thin films.–A. Iembo, F. Fuso, E. Arimondo, C. Ciofi, G. Pennelli, G.M. Currò, F. Neri, and M. Allegrini; **12** (6), 1433–1436(L).

Armelao, L.–Sol-gel processing of nanocrystalline haematite thin films.–L. Armelao, A. Armigliato, R. Bozio, and P. Colombo; **12** (6), 1441–1444(L).

Armigliato, A.–Sol-gel processing of nanocrystalline haematite thin films.–L. Armelao, A. Armigliato, R. Bozio, and P. Colombo; **12** (6), 1441–1444(L).

Arnold, George W.–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Arroyo-Murillo, R.–Modification of the phase transition temperatures in titania doped with various cations.–R. Rodríguez-Talavera, S. Vargas, R. Arroyo-Murillo, R. Montiel-Campos, and E. Haro-Poniatowski; **12** (2), 439–443.

Arzt, E.–Quantitative analysis of electromigration damage in Al-based conductor lines.–O. Kraft, J.E. Sanchez, Jr., M. Bauer, and E. Arzt; **12** (8), 2027–2037.

Aselage, T.L.–Synthesis and properties of Tl–Ba–Ca–Cu–O superconductors.–M.P. Siegal, E.L. Venturini, B. Morosin, and T.L. Aselage; **12** (11), 2825–2854.

Aswath, P.B.–Fatigue of *in situ* reinforced Ti–8.5Al–1B–1Si.–S. Rangarajan, P.B. Aswath, and W.O. Soboyejo; **12** (4), 1102–1111.

Atri, Revti–Residual surface stress by localized contact-creep.–Sujanto Widjaja, Karl Jakus, Revti Atri, John E. Ritter, and Sandeepan Bhattacharya; **12** (1), 210–217.

Atsumi, Taroh–Decomposition behavior of $Ln_2Mn_{4/3}W_{2/3}O_7$ (Ln = Eu and Er) in reducing atmosphere and their thermodynamic properties.–Taroh Atsumi and Naoki Kamegashira; **12** (10), 2651–2656.

Auguste, Fr.–Directional solidification by appropriate chemically active single crystal seed: An alternative way of generating large superconducting 123 single domain.–R. Cloots, Fr. Auguste, A. Rulmont, N. Vandewalle, and M. Ausloos; **12** (12), 3199–3202(L).

Ausloos, M.–Directional solidification by appropriate chemically active single crystal seed: An alternative way of generating large superconducting 123 single domain.–R. Cloots, Fr. Auguste, A. Rulmont, N. Vandewalle, and M. Ausloos; **12** (12), 3199–3202(L).

Ayache, J.–Chemical analysis in $YBa_2Cu_3O_{7-x}$ melt-textured samples.–F.J. Gotor, J. Ayache, N. Pellerin, and P. Odier; **12** (2), 338–346.

Ayyappan, S.–Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts.–S. Ayyappan, R. Srinivasa Gopalan, G.N. Subbanna, and C.N.R. Rao; **12** (2), 398–401.

Azough, F.–The effect of Cr and La on $MgTiO_3$ and $MgTiO_3$–$CaTiO_3$ microwave dielectric ceramics.–V.M. Ferreira, F. Azough, R. Freer, and J.L. Baptista; **12** (12), 3293–3299.

Azuma, H.–Improving the wear resistance of Al–Si alloy by ion implantation.–Y. Itoh, H. Azuma, A. Itoh, and T. Hioki; **12** (12), 3246–3249.

B

Babu, S.V.–Resistance of plasma-deposited *a*-C : H/fluorocarbon films to anodic breakdown in aqueous electrolytes.–C. Srividya, M. Sunkara, and S.V. Babu; **12** (8), 2099–2103.

Bae, Byeong-Soo–Effect of heat treatment on formation of sol-gel (Pb, La)TiO_3 films for optical application.–Junmo Koo, Sung-Uk Kim, Dae Sung Yoon, Kwangsoo No, and Byeong-Soo Bae; **12** (3), 812–818.

Bahr, D.F.–The mechanical behavior of a passivating surface under potentiostatic control.–D.F. Bahr, J.C. Nelson, N.I. Tymiak, and W.W. Gerberich; **12** (12), 3345–3353.

Bai, G.–Structure and surface morphology of highly conductive RuO_2 films grown on MgO by oxygen-plasma-assisted molecular beam epitaxy.–Y. Gao, G. Bai, Y. Liang, G.C. Dunham, and S.A. Chambers; **12** (7), 1844–1849.

Balachandran, U.–Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2.–W. Wong-Ng, L.P. Cook, F. Jiang, W. Greenwood, U. Balachandran, and M. Lanagan; **12** (11), 2855–2865.

–Losses in ac of BSCCO-2223 superconducting monofilament and multifilament tapes at power frequencies.–S. Mench, M. Lelovic, T. Deis, N.G. Eror, U. Balachandran, and P. Haldar; **12** (11), 3085–3089.

Ballarini, R.–The fracture toughness of polysilicon microdevices: A first report.–R. Ballarini, R.L. Mullen, Y. Yin, H. Kahn, S. Stemmer, and A.H. Heuer; **12** (4), 915–922.

Ballesteros, C.–Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy.–A. Rodríguez, T. Rodríguez, A. Sanz-Hervás, A. Kling, J.C. Soares, M.F. da Silva, C. Ballesteros, and R.M. Gwilliam; **12** (7), 1698–1705.

Bandyopadhyay, S.–Preparation of nanocrystalline copper by electrodeposition.–S. Bandyopadhyay and D. Chakravorty; **12** (10), 2719–2724.

Bansal, Narottam P.–Chemical vapor deposited SiC (SCS-0) fiber-reinforced strontium aluminosilicate glass-ceramic composites.–Narottam P. Bansal; **12** (3), 745–753.

Bao, X.M.–A high-resolution electron microscopy study of blue-light emitting β–SiC nanoparticles in C^+-implanted silicon.–Y.H. Gao, Z. Zhang, L.S. Liao, and X.M. Bao; **12** (6), 1640–1645.

Baptista, J.L.–The effect of Cr and La on $MgTiO_3$ and $MgTiO_3$–$CaTiO_3$ microwave dielectric ceramics.–V.M. Ferreira, F. Azough, R. Freer, and J.L. Baptista; **12** (12), 3293–3299.

Barber, D.J.–Sol-gel derived $Ba(Mg_{1/3}Ta_{2/3})O_3$ thin films: Preparation and structure.–Ji Zhou, Qing-Xin Su, K.M. Moulding, and D.J. Barber; **12** (3), 596–599(L).

Barham, R. Joseph–Schwertmannite: A unique mineral, contains a replaceable ligand, transforms to jarosites, hematites, and/or basic iron sulfate.–R. Joseph Barham; **12** (10), 2751–2758.

Barmak, K.–Reactive phase formation in sputter-deposited Ni/Al multilayer thin films.–K. Barmak, C. Michaelsen, and G. Lucadamo; **12** (1), 133–146.

–Impact of boundary nucleation on product grain size distribution.–W.S. Tong, J.M. Rickman, and K. Barmak; **12** (6), 1501–1507.

Baró, M.D.–Crystallization mechanisms of some $Se_{100-x}Te_x$ glassy alloys.–Y. Calventus, S. Suriñach, and M.D. Baró; **12** (4), 1069–1075.

Bar-On, Isa–Liquid-exchange processing and properties of SiC–Al composites.–Leszek Hozer, Yet-Ming Chiang, Svetlana Ivanova, and Isa Bar-On; **12** (7), 1785–1789.

Barry, J.–Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials.–J.A. Alarco, E. Olsson, S.J. Golden, A. Bhargava, T. Yamashita, J. Barry, and I.D.R. Mackinnon; **12** (3), 624–635.

Baskaran, Subbiah–Neural net formulations for organically modified, hydrophobic silica aerogel.–David Noever, Laurent Sibille, Raymond Cronise, Subbiah Baskaran, and Arlon Hunt; **12** (7), 1837–1843.

Bass, J.D.–Elastic properties of tetragonal $PbTiO_3$ single crystals by Brillouin scattering.–A.G. Kalinichev, J.D. Bass, B.N. Sun, and D.A. Payne; **12** (10), 2623–2627.

Basumallick, Lipika–Oxide nanotubes prepared using carbon nanotubes as templates.–B.C. Satishkumar, A. Govindaraj, Erasmus M. Vogl, Lipika Basumallick, and C.N.R. Rao; **12** (3), 604–606(L).

Bauer, M.–Quantitative analysis of electromigration damage in Al-based conductor lines.–O. Kraft, J.E. Sanchez, Jr., M. Bauer, and E. Arzt; **12** (8), 2027–2037.

Baum, C.–Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4.–J.H. Booske, L. Zhang, W. Wang, K. Mente, N. Zjaba, C. Baum, and J.L. Shohet; **12** (5), 1356–1366.

Beach, David B.–Sol-gel synthesis of $LaAlO_3$; Epitaxial growth of $LaAlO_3$ thin films on $SrTiO_3$ (100).–Shara S. Shoup, Mariappan Paranthaman, David B. Beach, E.D. Specht, and Robert K. Williams; **12** (4), 1017–1021.

Becher, P.F.–Melt-infiltration processing of TiC/Ni_3Al composites.–K.P. Plucknett, P.F. Becher, and R. Subramanian; **12** (10), 2515–2517(L).

Becze, C.E.–New microstructural model of polymer-ceramic nanocomposite materials.–C.E. Becze and G. Xu; **12** (2), 566–571.

Beille, J.–Ac irreversibility line of bismuth-based high temperature superconductors.–A. Mehdaoui, J. Beille, D. Berling, B. Loegel, J.G. Noudem, and R. Tournier; **12** (9), 2226–2233.

Benavídez, E.–Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3.–R. Caruso, E. Benavídez, O. de Sanctis, M.C. Caracoche, P.C. Rivas, M. Cervera, A. Caneiro, and A. Serquis; **12** (10), 2594–2601.

Benedetti, A.–Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia.–G. Fagherazzi, P. Canton, A. Benedetti, F. Pinna, G. Mariotto, and E. Zanghellini; **12** (2), 318–321(L).

Benedetto, Joseph M.–Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack.–A.M. Dhote, S. Madhukar, D. Young, T. Venkatesan, R. Ramesh, C.M. Cotell, and Joseph M. Benedetto; **12** (6), 1589–1594.

Bennett, K.W.–Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition.–B.W. Lee, L.P. Cook, P.K. Schenck, W. Wong-Ng, C.K. Chiang, P.S. Brody, and K.W. Bennett; **12** (2), 509–517.

Berling, D.–Ac irreversibility line of bismuth-based high temperature superconductors.–A. Mehdaoui, J. Beille, D. Berling, B. Loegel, J.G. Noudem, and R. Tournier; **12** (9), 2226–2233.

Bernasek, Steven L.–The nature of residues following the ashing of arsenic implanted photoresist.–Clifton W. Draper, Chuck W. Pearce, Jere T. Glick, Mike Gordon, Gwen E. Olness, and Steven L. Bernasek; **12** (10), 2799–2808.

Berns, D.H.–Low energy ion impact-enhanced growth of cubic boron nitride in a supersonic nitrogen/argon plasma flow.–D.H. Berns and M.A. Cappelli; **12** (8), 2014–2026.

Bersani, Massimo–Interactions between lead oxide and ceramic substrates for thick film technology.–Massimo Bersani, Bruno Morten, Maria Prudenziati, and Alessandro Gualtieri; **12** (2), 501–508.

Bertin, F.–Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry.–S. Bruynooghe, A. Chabli, F. Bertin, F. Pierre, and G. Leflem; **12** (10), 2779–2783.

Bertoncello, R.–Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder.–L.E. Depero, R. Bertoncello, T. Boni, P. Levrangi, I. Natali Sora, E. Tempesti, and F. Parmigiani; **12** (5), 1376–1384.

Beshkov, G.D.–Rapid thermal recrystallization of amorphous silicon films.–G.D. Beshkov, D.B. Dimitrov, V. Lazarova, J. Koprinarova, K. Gesheva, and E. Vlaev; **12** (10), 2511–2514(L).

Besson, Jean-Louis–Superplastic forming of an α-phase rich silicon nitride.–Tanguy Rouxel, Fabrice Rossignol, Jean-Louis Besson, and Paul Goursat; **12** (2), 480–492.

Bhargava, A.–Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials.–J.A. Alarco, E. Olsson, S.J. Golden, A. Bhargava, T. Yamashita, J. Barry, and I.D.R. Mackinnon; **12** (3), 624–635.

Bhattacharya, Sandeepan–Residual surface stress by localized contact-creep.–Sujanto Widjaja, Karl Jakus, Revti Atri, John E. Ritter, and Sandeepan Bhattacharya; **12** (1), 210–217.

Bhusari, D.M.–Composition of SiCN crystals consisting of a predominantly carbon-nitride network.–D.M. Bhusari, C.K. Chen, K.H. Chen, T.J. Chuang, L.C. Chen, and M.C. Lin; **12** (2), 322–325(L).

Bhushan, Bharat–Micromechanical and tribological characterization of doped single-crystal silicon and polysilicon films for microelectromechanical systems.–Bharat Bhushan and Xiaodong Li; **12** (1), 54–63.

–Nanoindentation measurements of amorphous carbon coatings.–Ashok V. Kulkarni and Bharat Bhushan; **12** (10), 2707–2714.

–Scanning and transmission electron microscopies of single-crystal silicon microworn/machined using atomic force microscopy.–Vilas N. Koinkar and Bharat Bhushan; **12** (12), 3219–3224.

Bian, Weimin–Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes.–Li-jun Wu, Y-L. Wang, Weimin Bian, Yimei

Zhu, T. R. Thurston, R. L. Sabatini, P. Haldar, and M. Suenaga; **12** (11), 3055–3073.

Bill, J.–Epitaxial growth of β–SiC thin films on a 6H–SiC substrate using the chemical solution deposition method.–D. Heimann, T. Wagner, J. Bill, F. Aldinger, and F. F. Lange; **12** (11), 3099–3101(L).

Bingert, J. F.–The effects of variable oxygen partial pressures during Bi-2223 tape processing.–T. G. Holesinger, J. F. Bingert, J. O. Willis, V. A. Maroni, A. K. Fischer, and K. T. Wu; **12** (11), 3046–3054.

Birnbaum, H. K.–Growth of Ti thin films on sapphire substrates.–S. Rao Peddada, I. M. Robertson, and H. K. Birnbaum; **12** (7), 1856–1865.

Biswas, Pratim–Characterization of iron oxide-silica nanocomposites in flames: Part II. Comparison of discrete-sectional model predictions to experimental data.–Pratim Biswas, Chang Yu Wu, Michael R. Zachariah, and Brian McMillin; **12** (3), 714–723.

Blank, Dave H. A.–The effect of ion milling on the morphology of ramp-type Josephson junctions.–Dave H. A. Blank and Horst Rogalla; **12** (11), 2952–2957.

Blank, V.–Nano-sclerometry measurements of superhard materials and diamond hardness using scanning force microscope with the ultrahard fullerite C_{60} tip.–V. Blank, M. Popov, N. Lvova, K. Gogolinsky, and V. Reshetov; **12** (11), 3109–3114.

Blouin, Marco–High energy ball-milled Ti_2RuFe electrocatalyst for hydrogen evolution in the chlorate industry.–Marco Blouin, Daniel Guay, Jacques Hout, and Robert Schulz; **12** (6), 1492–1500.

Boatner, L. A.–Electron-irradiation-induced nucleation and growth in amorphous $LaPO_4$, $ScPO_4$, and zircon.–A. Meldrum, L. A. Boatner, and R. C. Ewing; **12** (7), 1816–1827.

Bódi, A. C.–Vortex dynamics during N-S and S-N transitions of Y–Ba–Cu–O superconductors under the effect of temperature gradient and thermal cycling.–I. Kirschner, A. C. Bódi, R. Laiho, and L. Lähderanta; **12** (11), 3090–3098.

Boggess, R. K.–Supercritical fluid infusion of silver into polyimide films of varying chemical composition.–J. Rosolovsky, R. K. Boggess, A. F. Rubira, L. T. Taylor, D. M. Stoakley, and A. K. St. Clair; **12** (11), 3127–3133.

Boni, T.–Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder.–L. E. Depero, R. Bertoncello, T. Boni, P. Levrangi, I. Natali Sora, E. Tempesti, and F. Parmigiani; **12** (5), 1376–1384.

Bonnell, D. A.–The thermal stability of thin copper films deposited on $TiO_2(110)$ studied by scanning tunneling microscopy.–D. L. Carroll, M. Wagner, M. Rühle, and D. A. Bonnell; **12** (4), 975–983.

Bonnet, Jean Pierre–Factors controlling carbon retention in $YBa_2Cu_3O_{7-\delta}$.–Evelyne Cazy, Ali Khalfi, David S. Smith, and Jean Pierre Bonnet; **12** (6), 1451–1455.

Bonnotte, E.–Two interferometric methods for the mechanical characterization of thin films by bulging tests. Application to single crystal of silicon.–E. Bonnotte, P. Delobelle, L. Bornier, B. Trolard, and G. Tribillon; **12** (9), 2234–2248.

Booske, J. H.–Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4.–J. H. Booske, L. Zhang, W. Wang, K. Mente, N. Zjaba, C. Baum, and J. L. Shohet; **12** (5), 1356–1366.

Borghesi, Alessandro–Optical properties of potassium acid phthalate.–Davide Comoretto, Laura Rossi, and Alessandro Borghesi; **12** (5), 1262–1267.

Bormann, R.–Phase formation and thermodynamics of unstable Cu–Cr alloys.–C. Michaelsen, C. Gente, and R. Bormann; **12** (6), 1463–1467.

–A transmission electron microscopy investigation of inverse melting in $Nb_{45}Cr_{55}$.–W. Sinkler, C. Michaelsen, and R. Bormann; **12** (7), 1872–1884.

Bornier, L.–Two interferometric methods for the mechanical characterization of thin films by bulging tests. Application to single crystal of silicon.–E. Bonnotte, P. Delobelle, L. Bornier, B. Trolard, and G. Tribillon; **12** (9), 2234–2248.

Borsella, E.–Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

–Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815(E).

Bortun, Anatoly I.–Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate.–Anatoly I. Bortun, Lyudmila Bortun, Abraham Clearfield, Enrique Jaimez, María A. Villa-García, José R. García, and Julio Rodríguez; **12** (4), 1122–1130.

Bortun, Lyudmila–Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate.–Anatoly I. Bortun, Lyudmila Bortun, Abraham Clearfield, Enrique Jaimez, María A. Villa-García, José R. García, and Julio Rodríguez; **12** (4), 1122–1130.

Botti, S.–Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

–Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815(E).

Boudinov, H.–Metal-nonmetal transition and resistivity of silicon implanted with bismuth.–E. Abramof, A. Ferreira da Silva, Bo E. Sernelius, J. P. de Souza, and H. Boudinov; **12** (3), 641–645.

Boulouz, M.–Preparation of fine-grained MgO and Gd_2O_3 stabilized ZrO_2 thin films by electron beam physical vapor deposition coevaporation.–F. Tcheliebou, M. Boulouz, and A. Boyer; **12** (12), 3260–3265.

Bowen, C. P.–A study of the frequency dependence of the dielectrophoretic effect in thermoset polymers.–C. P. Bowen, T. R. Shrout, R. E. Newnham, and C. A. Randall; **12** (9), 2345–2356.

Bowman, Randy R.–The influence of binders on interfacial failure in sapphire fiber-reinforced NiAl composites.–Jeffrey I. Eldridge, Donald R. Wheeler, Randy R. Bowman, and Andras Korenyi-Both; **12** (8), 2191–2197.

Boyer, A.–Preparation of fine-grained MgO and Gd_2O_3 stabilized ZrO_2 thin films by electron beam physical vapor deposition coevaporation.–F. Tcheliebou, M. Boulouz, and A. Boyer; **12** (12), 3260–3265.

Boyle, Timothy J.–Aging characteristics of a hybrid sol-gel Pb(Zr, Ti)O_3 precursor solution.–Timothy J. Boyle, Duane B. Dimos, Robert W. Schwartz, Todd M. Alam, Michael B. Sinclair, and Catherine D. Buchheit; **12** (4), 1022–1030.

Bozio, R.–Sol-gel processing of nanocrystalline haematite thin films.–L. Armelao, A. Armigliato, R. Bozio, and P. Colombo; **12** (6), 1441–1444(L).

Brandon, D. G.–The ballistic failure mechanisms and sequence in semi-infinite supported alumina tiles.–Dov Sherman and D. G. Brandon; **12** (5), 1335–1343.

Brandon, David G.–Alumina platelet reinforced reaction bonded aluminum oxide composites: Textured and random.–Linan An, Suxing Wu, Helen M. Chan, Martin P. Harmer, and David G. Brandon; **12** (12), 3300–3306.

Brody, P. S.–Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition.–B. W. Lee, L. P. Cook, P. K. Schenck, W. Wong-Ng, C. K. Chiang, P. S. Brody, and K. W. Bennett; **12** (2), 509–517.

Brooks, Keith G.–Influence of texture on the switching behavior of $Pb(Zr_{0.70}Ti_{0.30})O_3$ sol-gel derived thin films.–Keith G. Brooks,

Radosveta D. Klissurska, Pedro Moeckli, and N. Setter; **12** (2), 531–540.

Brown, D. W.–Friction and wear performance of diamond-like carbon, boron carbide, and titanium carbide coatings against glass.–B. K. Daniels, D. W. Brown, and F. M. Kimock; **12** (9), 2485–2492.

Brown, Ian G.–Deposition of mullite and mullite-like coatings on silicon carbide by dual-source metal plasma immersion.–Othon R. Monteiro, Zhi Wang, and Ian G. Brown; **12** (9), 2401–2410.

Brown, W. D.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K. Y. Chen, Q. Xiong, Y. Q. Tang, G. J. Salamo, F. T. Chan, J. Cooksey, S. Scott, Y. J. Shi, S. Ang, W. D. Brown, and L. W. Schaper; **12** (11), 2947–2951.

Bruynooghe, S.–Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry.–S. Bruynooghe, A. Chabli, F. Bertin, F. Pierre, and G. Leflem; **12** (10), 2779–2783.

Buchheit, Catherine D.–Aging characteristics of a hybrid sol-gel $Pb(Zr, Ti)O_3$ precursor solution.–Timothy J. Boyle, Duane B. Dimos, Robert W. Schwartz, Todd M. Alam, Michael B. Sinclair, and Catherine D. Buchheit; **12** (4), 1022–1030.

Büchler, Michele–High refractive index materials of iron sulfides and poly(ethylene oxide).–Tasoula Kyprianidou-Leodidou, Hans-Jörg Althaus, Yves Wyser, Daniel Vetter, Michele Büchler, Walter Caseri, and Ulrich W. Suter; **12** (8), 2198–2206.

Budai, J. D.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Buono, Vicente Tadeu Lopes–Hydrothermal synthesis and sintering of nickel and manganese-zinc ferrites.–Anderson Dias and Vicente Tadeu Lopes Buono; **12** (12), 3278–3285.

Bushnell-Wye, G.–The structural characterization of amorphous thin films and coatings in their as-deposited state using x-rays at shallow angles of incidence.–J. S. Rigden, R. J. Newport, and G. Bushnell-Wye: **12** (1), 264–276.

Byszewski, P.–Investigation of growth conditions of fibrous deposits in carbon arc.–P. Byszewski, K. Ukalski, E. Mizera, and E. Kowalska; **12** (6), 1551–1557.

C

Cabral Jr., C.–Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral, Jr., L. A. Clevenger, J. M. E. Harper, F. M. d'Heurle, R. A. Roy, K. L. Saenger, G. L. Miles, and R. W. Mann; **12** (2), 304–307(L).

Cadeville, M. C.–Structural properties of molecular beam epitaxy grown Ni/Pt superlattices.–W. Staiger, A. Michel, V. Pierron-Bohnes, N. Hermann, and M. C. Cadeville; **12** (1), 161–174.

Calcagno, L.–Defect annealing in ion implanted silicon carbide.–L. Calcagno, M. G. Grimaldi, and P. Musumeci; **12** (7), 1727–1733.

Calventus, Y.–Crystallization mechanisms of some $Se_{100-x}Te_x$ glassy alloys.–Y. Calventus, S. Suriñach, and M. D. Baró; **12** (4), 1069–1075.

Caneiro, A.–Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3.–R. Caruso, E. Benavídez, O. de Sanctis, M. C. Caracoche, P. C. Rivas, M. Cervera, A. Caneiro, and A. Serquis; **12** (10), 2594–2601.

Cann, David P.–Thermochemistry and electrical contact properties at the interface between semiconducting $BaTiO_3$ and (Au–Ti) electrodes.–David P. Cann and Clive A. Randall; **12** (7), 1685–1688(L).

Canton, P.–Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia.–G. Fagherazzi, P. Canton, A. Benedetti, F. Pinna, G. Mariotto, and E. Zanghellini; **12** (2), 318–321(L).

Cao, Siqi–The effects of the atmosphere on the surface modification of alumina by pulsed-laser-irradiation.–Siqi Cao, A. J. Pedraza, L. F. Allard, and D. H. Lowndes; **12** (7), 1747–1754.

Cao, X.–Synthesis of pure amorphous Fe_2O_3.–X. Cao, R. Prozorov, Yu. Koltypin, G. Kataby, I. Felner, and A. Gedanken; **12** (2), 402–406.

Cappelli, M. A.–Low energy ion impact-enhanced growth of cubic boron nitride in a supersonic nitrogen/argon plasma flow.–D. H. Berns and M. A. Cappelli; **12** (8), 2014–2026.

Caprez, A.–Czochralski growth of Yb^{3+} and Pr^{3+} doped Ca-fluoroapatite.–A. Caprez, P. Mikhail, C. Schwecke, and J. Hulliger; **12** (12), 3210–3213(L).

Caracoche, M. C.–Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2-11.3 mol % Y_2O_3.–P. C. Rivas, M. C. Caracoche, J. A. Martinez, A. M. Rodríguez, R. Caruso, N. Pellegri, and O. de Sanctis; **12** (2), 493–500.

–Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3.–R. Caruso, E. Benavídez, O. de Sanctis, M. C. Caracoche, P. C. Rivas, M. Cervera, A. Caneiro, and A. Serquis; **12** (10), 2594–2601.

Carcia, P. F.–Vapor-deposited $CaWO_4$ phosphor.–P. F. Carcia, M. Reilly, C. C. Torardi, M. K. Crawford, C. R. Miao, and B. D. Jones; **12** (5), 1385–1390.

Cardwell, D. A.–Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applications.–Wai Lo, D. A. Cardwell, C. D. Dewhurst, H-T. Leung, J. C. L. Chow, and Y. H. Shi; **12** (11), 2889–2900.

Carpenter, R. W.–Microstructure, electrical properties, and thermal stability of Au-based ohmic contacts to *p*-GaN.–L. L. Smith, R. F. Davis, M. J. Kim, R. W. Carpenter, and Y. Huang; **12** (9), 2249–2254.

Carroll, D. L.–The thermal stability of thin copper films deposited on TiO_2(110) studied by scanning tunneling microscopy.–D. L. Carroll, M. Wagner, M. Rühle, and D. A. Bonnell; **12** (4), 975–983.

–Structural characterization of Fe_3O_4–NiO superlattices using high-resolution transmission electron microscopy.–A. Rečnik, D. L. Carroll, K. A. Shaw, D. M. Lind, and M. Rühle; **12** (8), 2143–2151.

Carter, W. L.–Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate.–J. A. Parrell, D. C. Larbalestier, G. N. Riley, Jr., Q. Li, W. L. Carter, R. D. Parrella, and M. Teplitsky; **12** (11), 2997–3008.

Caruso, R.–Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2-11.3 mol % Y_2O_3.–P. C. Rivas, M. C. Caracoche, J. A. Martinez, A. M. Rodríguez, R. Caruso, N. Pellegri, and O. de Sanctis; **12** (2), 493–500.

–Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3.–R. Caruso, E. Benavídez, O. de Sanctis, M. C. Caracoche, P. C. Rivas, M. Cervera, A. Caneiro, and A. Serquis; **12** (10), 2594–2601.

Caseri, Walter–High refractive index materials of iron sulfides and poly(ethylene oxide).–Tasoula Kyprianidou-Leodidou, Hans-Jörg Althaus, Yves Wyser, Daniel Vetter, Michele Büchler, Walter Caseri, and Ulrich W. Suter; **12** (8), 2198–2206.

Caudano, R.–Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses.–F. Malengreau, M. Vermeersch, S. Hagège, R. Sporken, M. D. Lange, and R. Caudano; **12** (1), 175–188.

Cava, R. J.–Dielectric properties of barium titanium niobates.–G. L. Roberts, R. J. Cava, W. F. Peck, Jr., and J. J. Krajewski; **12** (2), 526–530.

Cazy, Evelyne–Factors controlling carbon retention in $YBa_2Cu_3O_{7-\delta}$.–Evelyne Cazy, Ali Khalfi, David S. Smith, and Jean Pierre Bonnet; **12** (6), 1451–1455.

Čeh, M.–Analytical electron microscopy of planar faults in SrO-doped $CaTiO_3$.–M. Čeh, H. Gu, H. Müllejans, and A. Rečnik; **12** (9), 2438–2446.

Černý, F.–Polyimide degradation induced by irradiation with N^+ ions.–V. Švorčík, I. Miček, V. Rybka, V. Hnatowicz, and F. Černý; **12** (6), 1661–1665.

Cervera, M.–Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3.–R. Caruso, E. Benavídez, O. de Sanctis, M.C. Caracoche, P.C. Rivas, M. Cervera, A. Caneiro, and A. Serquis; **12** (10), 2594–2601.

Cesari, E.–Thermal cycling effects in high temperature Cu–Al–Ni–Mn–B shape memory alloys.–J. Font, J. Muntasell, J. Pons, and E. Cesari; **12** (9), 2288–2297.

–Solid-state mechanical alloying of plastic crystals.–J. Font, J. Muntasell, E. Cesari, and J. Pons; **12** (12), 3254–3259.

Cesile, M.P.–Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M.P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

–Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M.P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815(E).

Chabli, A.–Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry.–S. Bruynooghe, A. Chabli, F. Bertin, F. Pierre, and G. Leflem; **12** (10), 2779–2783.

Chaffron, L.–Amorphization mechanisms of $NiZr_2$ by ball-milling.–D. Galy, L. Chaffron, and G. Martin; **12** (3), 688–696.

Chaim, Rachman–Percolative composite model for prediction of the properties of nanocrystalline materials.–Rachman Chaim; **12** (7), 1828–1836.

Chakravorty, D.–Growth of nanocrystalline PbS within a glass.–M. Mukherjee, A. Datta, and D. Chakravorty; **12** (10), 2507–2510(L).

–Preparation of nanocrystalline copper by electrodeposition.–S. Bandyopadhyay and D. Chakravorty; **12** (10), 2719–2724.

Chambers, S.A.–Structure and surface morphology of highly conductive RuO_2 films grown on MgO by oxygen-plasma-assisted molecular beam epitaxy.–Y. Gao, G. Bai, Y. Liang, G.C. Dunham, and S.A. Chambers; **12** (7), 1844–1849.

Chan, F.T.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K.Y. Chen, Q. Xiong, Y.Q. Tang, G.J. Salamo, F.T. Chan, J. Cooksey, S. Scott, Y.J. Shi, S. Ang, W.D. Brown, and L.W. Schaper; **12** (11), 2947–2951.

Chan, Helen M.–Alumina platelet reinforced reaction bonded aluminum oxide composites: Textured and random.–Linan An, Suxing Wu, Helen M. Chan, Martin P. Harmer, and David G. Brandon; **12** (12), 3300–3306.

Chan, Siu-Wai–The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon.–K. Schonenberg, Siu-Wai Chan, D. Harame, M. Gilbert, C. Stanis, and L. Gignac; **12** (2), 364–370.

Chan, Y.C.–Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation.–C.K.H. Wong, Y.C. Chan, J. Pfleger, Y.W. Lam, K.M. Leung, and D.S. Chiu; **12** (1), 106–112.

Chandavarkar, S.–Short-range ordering of Cu_3Au above T_c in the topmost 80 A of a (001) face.–M. Kimura, J.B. Cohen, S. Chandavarkar, and K. Liang; **12** (1), 75–82.

Chandler, P.J.–Pulsed laser deposition of $KNbO_3$ thin films.–M.J. Martín, J.E. Alfonso, J. Mendiola, C. Zaldo, D.S. Gill, R.W. Eason, and P.J. Chandler; **12** (10), 2699–2706.

Chandrasekhar, B.K.–Estimation of Weibull parameter with a modified weight function.–B.K. Chandrasekhar; **12** (10), 2638–2642.

Chang, Chia-Ruey–Camber development during cofiring Ag-based low-dielectric-constant ceramic package.–Jau-Ho Jean and Chia-Ruey Chang; **12** (10), 2743–2750.

Chang, R.P.H.–The effect of arc parameters on the growth of carbon nanotubes.–J.M. Lauerhaas, J.Y. Dai, A.A. Setlur, and R.P.H. Chang; **12** (6), 1536–1544.

–Development of flat, smooth (100) faceted diamond thin films using microwave plasma chemical vapor deposition.–Andrew L. Yee, H.C. Ong, L.M. Stewart, and R.P.H. Chang; **12** (7), 1796–1805.

Chang, Yen-Lon–Fabrication of multilaminated Si_3N_4–Si_3N_4/TiN composites and its anisotropic fracture behavior.–Jow-Lay Huang, Yen-Lon Chang, and Horng-Hwa Lu; **12** (9), 2337–2344.

Chani, Valery I.–Determination of equilibrium cations for the $KTiOPO_4$ structure.–Valery I. Chani, Kiyoshi Shimamura, and Tsuguo Fukuda; **12** (9), 2470–2474.

Che, Shenglei–Effect of calcium modification on the microstructure and oxidation property of submicron spherical palladium powders.–Shenglei Che, Osamu Sakurai, Hiroshi Funakubo, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (2), 392–397.

Chen, C.K.–Composition of SiCN crystals consisting of a predominantly carbon-nitride network.–D.M. Bhusari, C.K. Chen, K.H. Chen, T.J. Chuang, L.C. Chen, and M.C. Lin; **12** (2), 322–325(L).

Chen, Chi-Jen–Adsorption of poly(vinyl butyral) in nonaqueous ferrite suspensions.–Jau-Ho Jean, Shun-Fen Yeh, and Chi-Jen Chen; **12** (4), 1062–1068.

Chen, Jin-Jian–Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system.–Jagdish Prasad, Oliver M.R. Chyan, Jin-Jian Chen, Min Liu, Ligang Chen, and Fei Xu; **12** (12), 3241–3245.

Chen, K.H.–Composition of SiCN crystals consisting of a predominantly carbon-nitride network.–D.M. Bhusari, C.K. Chen, K.H. Chen, T.J. Chuang, L.C. Chen, and M.C. Lin; **12** (2), 322–325(L).

Chen, K.Y.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K.Y. Chen, Q. Xiong, Y.Q. Tang, G.J. Salamo, F.T. Chan, J. Cooksey, S. Scott, Y.J. Shi, S. Ang, W.D. Brown, and L.W. Schaper; **12** (11), 2947–2951.

Chen, Katherine C.–Microstructures of two-phase Ti–Cr alloys containing the $TiCr_2$ Laves phase intermetallic.–Katherine C. Chen, Samuel M. Allen, and James D. Livingston; **12** (6), 1472–1480.

Chen, L.C.–Composition of SiCN crystals consisting of a predominantly carbon-nitride network.–D.M. Bhusari, C.K. Chen, K.H. Chen, T.J. Chuang, L.C. Chen, and M.C. Lin; **12** (2), 322–325(L).

Chen, Ligang–Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system.–Jagdish Prasad, Oliver M.R. Chyan, Jin-Jian Chen, Min Liu, Ligang Chen, and Fei Xu; **12** (12), 3241–3245.

Chen, Tze-Chiun–The effect of excess bismuth on the ferroelectric properties of $SrBi_2Ta_2O_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (6), 1569–1575.

–Structure development studies of $SrBi_2(Ta_{1-x}Nb_x)_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (8), 2165–2174.

–Impedance spectroscopy of $SrBi_2Ta_2O_9$ and $SrBi_2Nb_2O_9$ ceramics correlation with fatigue behavior.–Tze-Chiun Chen, Chai-Liang Thio, and Seshu B. Desu; **12** (10), 2628–2637.

Chen, Xiaohe–Synthesis and properties of an aluminum nitride/polyimide nanocomposite prepared by a nonaqueous suspension process.–Xiaohe Chen and Kenneth E. Gonsalves; **12** (5), 1274–1286.

Chen, Yan-Feng–Conductive $LaNiO_3$ electrode grown by pulsed laser ablation on Si substrate.–Li Sun, Tao Yu, Yan-Feng Chen, Jun Zhou, and Nai-Ben Ming; **12** (4), 931–935.

Chiang, C.K.–Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition.–B.W. Lee, L.P. Cook, P.K. Schenck, W. Wong-Ng, C.K. Chiang, P.S. Brody, and K.W. Bennett; **12** (2), 509–517.

Chiang, Yet-Ming–Liquid-exchange processing and properties of SiC–Al composites.–Leszek Hozer, Yet-Ming Chiang, Svetlana Ivanova, and Isa Bar-On; **12** (7), 1785–1789.

Chiba, H.–Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides.–M.D. Giardina, R. Feduzi, D. Inzaghi, H. Chiba, C. Giori, I. Natali Sora, and V. Dallacasa; **12** (8), 2009–2013.

–Growth of high-quality $Bi_2Sr_2CaCu_2O_z$ crystal and characterization.–H. Faqir, G. Vacquier, H. Chiba, M. Kikuchi, Y. Muraoka, and Y. Syono; **12** (10), 2522–2525.

Chien, A.T.–Hydrothermal synthesis of heteroepitaxial $Pb(Zr_xTi_{1-x})O_3$ thin films at 90–150 °C.–A.T. Chien, J.S. Speck, and F.F. Lange; **12** (5), 1176–1178(L).

Chiu, D.S.–Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation.–C.K.H. Wong, Y.C. Chan, J. Pfleger, Y.W. Lam, K.M. Leung, and D.S. Chiu; **12** (1), 106–112.

Cho, Jun-Sik–Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation.–Jun-Sik Cho, Won-Kook Choi, Ki Hyun Yoon, Hyung-Jin Jung, and Seok-Keun Koh; **12** (1), 277–282.

Cho, Seo-Yong–A new microwave dielectric ceramics based on the solid solution system between $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$.–Seo-Yong Cho, Hyuk-Joon Youn, Kug-Sun Hong, In-Tae Kim, and Yoon-Ho Kim; **12** (6), 1558–1562.

Cho, Woo-Seok–Hydrothermal synthesis of $PbTiO_3$ films.–Woo-Seok Cho and Masahiro Yoshimura; **12** (3), 833–839.

Choi, Byung-Cheul–Phase-formation kinetics of xerogel and electrical properties of sol-gel-derived $Ba_xSr_{1-x}TiO_3$ thin films.–Soo-Ik Jang, Byung-Cheul Choi, and Hyun M. Jang; **12** (5), 1327–1334.

Choi, Chaun Gi–A study on the microstructure of preferred orientation of lead zirconate titanate (PZT) thin films.–Chang Jung Kim, Dae Sung Yoon, Joon Sung Lee, Chaun Gi Choi, and Kwangsoo No; **12** (4), 1043–1047.

Choi, Won-Kook–Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation.–Jun-Sik Cho, Won-Kook Choi, Ki Hyun Yoon, Hyung-Jin Jung, and Seok-Keun Koh; **12** (1), 277–282.

Choi, Yong-Soo–Preparation of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films on Pt/RuO_2 double electrode by a new sol-gel route.–Seung-Hyun Kim, Yong-Soo Choi, Chang-Eun Kim, and Young-Jei Oh; **12** (6), 1576–1581.

Chou, Chen-Chia–Determination of displacement vector on 180° domain boundary and polarization arrangements in lead titanate crystals.–Chen-Chia Chou and C. Marvin Wayman; **12** (2), 457–466.

Chou, Feng-Chi–Investigation of Si_3N_4–TiN/Si_3N_4–Si_3N_4 trilayer composites with residual surface compression.–Jow-Lay Huang, Feng-Chi Chou, and Horng-Hwa Lu; **12** (9), 2357–2365.

Chou, K.J.C.–Characterization of low-cycle fatigue damage in Inconel 718 by laser light scanning.–K.J.C. Chou and J.C. Earthman; **12** (8), 2048–2056.

Chow, J.C.L.–Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applications.–Wai Lo, D.A. Cardwell, C.D. Dewhurst, H-T. Leung, J.C.L. Chow, and Y.H. Shi; **12** (11), 2889–2900.

Christen, D.K.–Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique.–M. Paranthaman, F.A. List, A. Goyal, E.D. Specht, C.E. Vallet, D.M. Kroeger, and D.K. Christen; **12** (3), 619–623.

–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D.P. Norton, D.M. Kroeger, D.K. Christen, M. Paranthaman, E.D. Specht, J.D. Budai, Q. He, B. Saffian, F.A. List, D.F. Lee, E. Hatfield, C.E. Klabunde, P.M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Christopherson, Craig–Effect of filament architecture on magnetic flux distributions in multifilamentary $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x/Ag$ composites.–Debra L. Kaiser, Marina Turchinskaya, Gilbert N. Riley, Jr., and Craig Christopherson; **12** (11), 3074–3084.

Chu, Paul–On the formation of solid state crystallized intrinsic polycrystalline germanium thin films.–Zhiguo Meng, Zhonghe Jin, Bhat A. Gururaj, Paul Chu, Hoi S. Kwok, and Man Wong; **12** (10), 2548–2551.

Chuang, T.J.–Composition of SiCN crystals consisting of a predominantly carbon-nitride network.–D.M. Bhusari, C.K. Chen, K.H. Chen, T.J. Chuang, L.C. Chen, and M.C. Lin; **12** (2), 322–325(L).

Chun, Soung-Soon–Interdiffusions and reactions in Cu/TiN/Ti/Si and $Cu/TiN/Ti/SiO_2/Si$ multilayer structures.–Sa-Kyun Rha, Won-Jun Lee, Seung-Yun Lee, Dong-Won Kim, Chong-Ook Park, and Soung-Soon Chun; **12** (12), 3367–3372.

Chung, Shyan-Lung–Combustion synthesis of Si_3N_4 powder.–Wei-Chang Lee and Shyan-Lung Chung; **12** (3), 805–811.

Chung, Su Jin–Ordering and microwave dielectric properties of $Ba(Ni_{1/3}Nb_{2/3})O_3$ ceramics.–In-Tae Kim, Yoon-Ho Kim, and Su Jin Chung; **12** (2), 518–525.

Chyan, Oliver M.R.–Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system.–Jagdish Prasad, Oliver M.R. Chyan, Jin-Jian Chen, Min Liu, Ligang Chen, and Fei Xu; **12** (12), 3241–3245.

Cima, Michael J.–Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semi-solid melts.–S. Honjo, Michael J. Cima, M.C. Flemings, T. Ohkuma, H. Shen, K. Rigby, and T.H. Sung; **12** (4), 880–890.

–Heteroepitaxial growth of lanthanum aluminate films derived from mixed metal nitrates.–Man Fai Ng and Michael J. Cima; **12** (5), 1306–1314.

Ciofi, C.–Pulsed laser deposition and characterization of conductive RuO_2 thin films.–A. Iembo, F. Fuso, E. Arimondo, C. Ciofi, G. Pennelli, G.M. Currò, F. Neri, and M. Allegrini; **12** (6), 1433–1436(L).

Cizeron, G.–Aging of the Inconel 718 alloy between 500 and 750 °C.–C. Slama, C. Servant, and G. Cizeron; **12** (9), 2298–2316.

Clarke, D.R.–Anomalous behavior of the optical band gap of nanocrystalline zinc oxide thin films.–V. Srikant and D.R. Clarke; **12** (6), 1425–1428(L).

Clausing, R.E.–Hot filament assisted diamond growth at low temperatures with oxygen addition.–Z. Li Tolt, L. Heatherly, R.E. Clausing, and C.S. Feigerle; **12** (5), 1344–1350.

Claussen, N.–Failure behavior of alumina and alumina/silicon carbide nanocomposites with natural and artificial flaws.–F. Meschke, P. Alves-Riccardo, G.A. Schneider, and N. Claussen; **12** (12), 3307–3315.

Clearfield, Abraham–Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate.–Anatoly I. Bortun, Lyudmila Bortun, Abraham Clearfield, Enrique Jaimez, María A. Villa-García, José R. García, and Julio Rodríguez; **12** (4), 1122–1130.

Clemens, B.M.–Void nucleation on a contaminated patch.–B.M. Clemens, W.D. Nix, and R.J. Gleixner; **12** (8), 2038–2042.

–Void nucleation in passivated interconnect lines: Effects of site geometries, interfaces, and interface flaws.–R.J. Gleixner, B.M. Clemens, and W.D. Nix; **12** (8), 2081–2090.

Clevenger, L.A.–Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral, Jr., L.A. Clevenger, J.M.E. Harper, F.M. d'Heurle, R.A. Roy, K.L. Saenger, G.L. Miles, and R.W. Mann; **12** (2), 304–307(L).

Cloots, R.–Directional solidification by appropriate chemically active single crystal seed: An alternative way of generating large superconducting 123 single domain.–R. Cloots, Fr. Auguste, A. Rulmont, N. Vandewalle, and M. Ausloos; **12** (12), 3199–3202(L).

Cohen, J. B.–Short-range ordering of Cu_3Au above T_c in the topmost 80 A of a (001) face.–M. Kimura, J. B. Cohen, S. Chandavarkar, and K. Liang; **12** (1), 75–82.

Cohen, Y.–Particle aggregation in alumina aerogels.–S. Keysar, Y. De Hazan, Y. Cohen, T. Aboud, and G. S. Grader; **12** (2), 430–433.

Colombo, P.–Sol-gel processing of nanocrystalline haematite thin films.–L. Armelao, A. Armigliato, R. Bozio, and P. Colombo; **12** (6), 1441–1444(L).

Comizzoli, R. B.–Materials reliability issues with coaxial cable systems for the information superhighway.–R. B. Comizzoli, G. R. Crane, M. E. Fiorino, R. P. Frankenthal, H. W. Krautter, G. A. Peins, D. J. Siconolfi, and J. D. Sinclair; **12** (3), 857–865(R).

Comoretto, Davide–Optical properties of potassium acid phthalate.–Davide Comoretto, Laura Rossi, and Alessandro Borghesi; **12** (5), 1262–1267.

Conde, O.–Laser micromachining of Al_2O_3–TiC ceramics.–V. Oliveira, R. Vilar, O. Conde, and P. Freitas; **12** (12), 3206–3209(L).

Cook, D.–Similarities and differences in the microstructure of attritor-milled Fe–Al–N compositions.–J. C. Rawers and D. Cook; **12** (4), 947–952.

Cook, L. P.–Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition.–B. W. Lee, L. P. Cook, P. K. Schenck, W. Wong-Ng, C. K. Chiang, P. S. Brody, and K. W. Bennett; **12** (2), 509–517.

–Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2.–W. Wong-Ng, L. P. Cook, F. Jiang, W. Greenwood, U. Balachandran, and M. Lanagan; **12** (11), 2855–2865.

Cooksey, J.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K. Y. Chen, Q. Xiong, Y. Q. Tang, G. J. Salamo, F. T. Chan, J. Cooksey, S. Scott, Y. J. Shi, S. Ang, W. D. Brown, and L. W. Schaper; **12** (11), 2947–2951.

Cordeschi, E.–X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method.–S. Santucci, E. Cordeschi, L. Lozzi, M. Passacantando, P. Picozzi, and L. Mancinelli degli Esposti; **12** (1), 100–105.

Corma, A.–Superparamagnetic particles in ZSM-5–type ferrisilicates.–A. López, F. J. Lázaro, J. L. García-Palacios, A. Larrea, Q. A. Pankhurst, C. Martínez, and A. Corma; **12** (6), 1519–1529.

Cormack, Alastair N.–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Correra, L.–X-ray diffraction line broadening effects in $MBa_2Cu_3O_{7-\delta}$ (M= Y, Gd) thin films.–P. Scardi, F. C. Matacotta, V. I. Dediu, and L. Correra; **12** (1), 28–37.

Corrias, Anna–Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling.–Anna Corrias, Guido Ennas, Anna Musinu, Giorgio Paschina, and Daniela Zedda; **12** (10), 2767–2772.

Costa, T. H.–High pressure compaction of nanosize ceramic powders.–M. R. Gallas, A. R. Rosa, T. H. Costa, and J. A. H. da Jornada; **12** (3), 764–768.

Cotell, C. M.–Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack.–A. M. Dhote, S. Madhukar, D. Young, T. Venkatesan, R. Ramesh, C. M. Cotell, and Joseph M. Benedetto; **12** (6), 1589–1594.

Coulter, J. Y.–Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S. R. Foltyn, E. J. Peterson, J. Y. Coulter, P. N. Arendt, Q. X. Jia, P. C. Dowden, M. P. Maley, X. D. Wu, and D. E. Peterson; **12** (11), 2941–2946.

Coutures, J. P.–X-ray photoelectron spectroscopy characterization of barium titanate ceramics prepared by the citric route. Residual carbon study.–C. Miot, E. Husson, C. Proust, R. Erre, and J. P. Coutures; **12** (9), 2388–2392.

Cox, G.–Morphological investigations on mesostructured metal oxides.–V. Weidenhof, F. Gropper, U. Müller, L. Marosi, G. Cox, R. Houbertz, and U. Hartmann; **12** (6), 1634–1639.

Craig, D.–Compensation phenomena in oil-resin mixtures: A new dielectric approach to percolative processes.–O. Pagés, A. Lamure, C. Lacabanne, M. Odlyha, and D. Craig; **12** (10), 2784–2793.

Crane, G. R.–Materials reliability issues for the coaxial cable systems for the information superhighway.–R. B. Comizzoli, G. R. Crane, M. E. Fiorino, R. P. Frankenthal, H. W. Krautter, G. A. Peins, D. J. Siconolfi, and J. D. Sinclair; **12** (3), 857–865(R).

Crawford, M. K.–Vapor-deposited $CaWO_4$ phosphor.–P. F. Carcia, M. Reilly, C. C. Torardi, M. K. Crawford, C. R. Miao, and B. D. Jones; **12** (5), 1385–1390.

Cronise, Raymond–Neural net formulations for organically modified, hydrophobic silica aerogel.–David Noever, Laurent Sibille, Raymond Cronise, Subbiah Baskaran, and Arlon Hunt; **12** (7), 1837–1843.

Cross, L. E.–The effect of ferroelastic coupling in controlling the abnormal aging behavior in lead magnesium niobate-lead titanate relaxor ferroelectrics.–Q. M. Zhang, J. Zhao, T. R. Shrout, and L. E. Cross; **12** (7), 1777–1784.

Cui, Y. Y.–Martensite transition in rapidly solidified Ti_3Al–2Nb alloy.–R. Xu, Y. Y. Cui, D. M. Xu, D. Li, Q. C. Li, and Z. Q. Hu; **12** (1), 5–8(L).

Currò, G. M.–Pulsed laser deposition and characterization of conductive RuO_2 thin films.–A. Iembo, F. Fuso, E. Arimondo, C. Ciofi, G. Pennelli, G. M. Currò, F. Neri, and M. Allegrini; **12** (6), 1433–1436(L).

Czigány, Zs.–Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition.–K. Järrendahl, I. Ivanov, J-E. Sundgren, G. Radnóczi, Zs. Czigány, and J. E. Greene; **12** (7), 1806–1815.

–Annealing induced interdiffusion and crystallization in sputtered amorphous Si/Ge multilayers.–Zs. Czigány, G. Radnóczi, K. Järrendahl, and J-E. Sundgren; **12** (9), 2255–2261.

D

Dai, J. Y.–The effect of arc parameters on the growth of carbon nanotubes.–J. M. Lauerhaas, J. Y. Dai, A. A. Setlur, and R. P. H. Chang; **12** (6), 1536–1544.

–High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates.–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, and H. Q. Ye; **12** (7), 1790–1795.

–Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)].–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, H. Q. Ye, J. C. Rao, and Y. Zhou; **12** (11), 3182(E).

da Jornada, J. A. H.–High pressure compaction of nanosize ceramic powders.–M. R. Gallas, A. R. Rosa, T. H. Costa, and J. A. H. da Jornada; **12** (3), 764–768.

Dallacasa, V.–Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides.–M. D. Giardina, R. Feduzi, D. Inzaghi, H. Chiba, C. Giori, I. Natali Sora, and V. Dallacasa; **12** (8), 2009–2013.

Dandy, David S.–Momentum and thermal boundary-layer thickness in a stagnation flow chemical vapor deposition reactor.–David S. Dandy and Jungheum Yun; **12** (4), 1112–1121.

Daniels, B. K.–Friction and wear performance of diamond-like carbon, boron carbide, and titanium carbide coatings against

glass.–B. K. Daniels, D. W. Brown, and F. M. Kimock; **12** (9), 2485–2492.

Dargenton, J-C.–An alternative method for penetration depth determination in nanoindentation measurements.–J. Woirgard and J-C. Dargenton; **12** (9), 2455–2458.

DaSalla, R. S.–Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films.–R. W. Schwartz, J. A. Voigt, B. A. Tuttle, D. A. Payne, T. L. Reichert, and R. S. DaSalla; **12** (2), 444–456.

da Silva, M. F.–Lattice site and photoluminescence of erbium implanted in α–Al_2O_3.–G. N. van den Hoven, A. Polman, E. Alves, M. F. da Silva, A. A. Melo, and J. C. Soares; **12** (5), 1401–1404.

–Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy.–A. Rodríguez, T. Rodríguez, A. Sanz-Hervás, A. Kling, J. C. Soares, M. F. da Silva, C. Ballesteros, and R. M. Gwilliam; **12** (7), 1698–1705.

da Silva Bassani, M. H.–Uniformity and interfaces in ion-beam deposited Al/Ni multilayers.–A. S. Edelstein, R. K. Everett, J. H. Perepezko, and M. H. da Silva Bassani; **12** (2), 385–391.

Date, S. K.–Chemical synthesis of a new tin dioxide based (SnO_2 : Co, Al, Nb) varistor.–P. N. Santhosh, H. S. Potdar, and S. K. Date; **12** (2), 326–328(L).

Datta, A.–Growth of nanocrystalline PbS within a glass.–M. Mukherjee, A. Datta, and D. Chakravorty; **12** (10), 2507–2510(L).

Däumling, M.–Phase coexistence and critical temperatures of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ phase under partial pressures of oxygen between 10^{-3} and 0.21 bar with and without additions of silver.–M. Däumling, R. Maad, A. Jeremie, and R. Flükiger; **12** (6), 1445–1450.

Davies, D. Eirug–Trapping levels in hydrothermal and solution grown bismuth titanium oxide.–D. Eirug Davies and M. T. Harris; **12** (2), 308–310(L).

Davies, H. A.–Effect of Nd content on the magnetic properties and crystallographic alignment of Fe–Nd–B–Al sintered magnets.–W. Kaszuwara, M. Leonowicz, and H. A. Davies; **12** (10), 2715–2718.

Davies, Peter K.–Processing and characterization of lead magnesium tantalate ceramics.–Mehmet A. Akbas and Peter K. Davies; **12** (10), 2617–2622.

Davis, R. F.–Microstructure, electrical properties, and thermal stability of Au-based ohmic contacts to *p*-GaN.–L. L. Smith, R. F. Davis, M. J. Kim, R. W. Carpenter, and Y. Huang; **12** (9), 2249–2254.

–*In situ* mass spectrometry during diamond chemical vapor deposition using a low pressure flat flame.–C. A. Wolden, R. F. Davis, Z. Sitar, and J. T. Prater; **12** (10), 2733–2742.

Davis, R. M.–Characterization of nanophase titania particles synthesized using *in situ* steric stabilization.–A. G. Gaynor, R. J. Gonzalez, R. M. Davis, and R. Zallen; **12** (7), 1755–1765.

Dawnay, E. J. C.–Growth and characterization of semiconductor nanoparticles in porous sol-gel films.–E. J. C. Dawnay, M. A. Fardad, Mino Green, and E. M. Yeatman; **12** (11), 3115–3126.

Day, Delbert E.–Optically transparent polymethyl methacrylate composites made with glass fibers of varying refractive index.–Seunggu Kang, Hongy Lin, Delbert E. Day, and James O. Stoffer; **12** (4), 1091–1101.

de Boer, Maarten P.–Investigation of a new fracture mechanics specimen for thin film adhesion measurement.–Maarten P. de Boer, Michael Kriese, and William W. Gerberich; **12** (10), 2673–2685.

Dediu, V. I.–X-ray diffraction line broadening effects in $MBa_2Cu_3O_{7-\delta}$ (M = Y, Gd) thin films.–P. Scardi, F. C. Matacotta, V. I. Dediu, and L. Correra; **12** (1), 28–37.

De Hazan, Y.–Particle aggregation in alumina aerogels.–S. Keysar, Y. De Hazan, Y. Cohen, T. Aboud, and G. S. Grader; **12** (2), 430–433.

Deis, T.–Losses in ac of BSCCO-2223 superconducting monofilament and multifilament tapes at power frequencies.–S. Mench, M. Lelovic, T. Deis, N. G. Eror, U. Balachandran, and P. Haldar; **12** (11), 3085–3089.

de Julián, C.–On the fluctuation field in multidomain barium hexaferrite particles.–J. M. González, Anit K. Giri, C. de Julián, M. Vélez, and J. L. Vicent; **12** (10), 2643–2647.

Delabouglise, G.–Synthesis, structure, and gas sensitivity properties of SnO_2–CuO mixture phase obtained by pyrolysis of an aerosol.–J. Román, J. C. Fabian, M. Labeau, G. Delabouglise, and M. Vallet-Regí; **12** (2), 560–565.

Delaye, Jean Marc–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Delobelle, P.–Two interferometric methods for the mechanical characterization of thin films by bulging tests. Application to single crystal of silicon.–E. Bonnotte, P. Delobelle, L. Bornier, B. Trolard, and G. Tribillon; **12** (9), 2234–2248.

Demaree, J. Derek–Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate.–Michael V. Swain, Anthony J. Perry, James R. Treglio, Alex Elkind, and J. Derek Demaree; **12** (7), 1917–1926.

Dennig, Paul A.–Nucleation and growth of oriented diamond on Si(100) by bias-assisted chemical vapor deposition.–Mikka Nishitani-Gamo, Toshihiro Ando, Kazuo Yamamoto, Paul A. Dennig, and Yoichiro Sato; **12** (5), 1351–1355.

Depero, L. E.–Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder.–L. E. Depero, R. Bertoncello, T. Boni, P. Levrangi, I. Natali Sora, E. Tempesti, and F. Parmigiani; **12** (5), 1376–1384.

Derouin, T. A.–Effect of lattice mismatch on the epitaxy of sol-gel $LiNbO_3$ thin films.–T. A. Derouin, C. D. E. Lakeman, X. H. Wu, J. S. Speck, and F. F. Lange; **12** (5), 1391–1400.

Derré, A.–Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature.–L. Filipozzi, L. Piraux, A. Marchand, A. Derré, A. Adouard, and M. Kinany-Alaoui; **12** (7), 1711–1721.

de Sanctis, O.–Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2–11.3 mol % Y_2O_3.–P. C. Rivas, M. C. Caracoche, J. A. Martinez, A. M. Rodríguez, R. Caruso, N. Pellegri, and O. de Sanctis; **12** (2), 493–500.

–Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3.–R. Caruso, E. Benavídez, O. de Sanctis, M. C. Caracoche, P. C. Rivas, M. Cervera, A. Caneiro, and A. Serquis; **12** (10), 2594–2601.

de Souza, J. P.–Metal-nonmetal transition and resistivity of silicon implanted with bismuth.–E. Abramof, A. Ferreira da Silva, Bo E. Sernelius, J. P. de Souza, and H. Boudinov; **12** (3), 641–645.

Desu, Seshu B.–$SrBi_2Ta_2O_9$ thin films made by liquid source metal-organic chemical vapor deposition.–Yongfei Zhu, Seshu B. Desu, Tingkai Li, Sasangan Ramanathan, and Masaya Nagata; **12** (3), 783–792.

–The effect of excess bismuth on the ferroelectric properties of $SrBi_2Ta_2O_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (6), 1569–1575.

–Structure development studies of $SrBi_2(Ta_{1-x}Nb_x)_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (8), 2165–2174.

–Impedance spectroscopy of $SrBi_2Ta_2O_9$ and $SrBi_2Nb_2O_9$ ceramics correlation with fatigue behavior.–Tze-Chiun Chen, Chai-Liang Thio, and Seshu B. Desu; **12** (10), 2628–2637.

Devanathan, Ram–Radiation-induced phase transformations in $MgAl_2O_4$ spinel.–Ning Yu, Ram Devanathan, Kurt E. Sickafus, and Michael Nastasi; **12** (7), 1766–1770.

Dewhurst, C. D.–Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applica-

tions.–Wai Lo, D. A. Cardwell, C. D. Dewhurst, H-T. Leung, J. C. L. Chow, and Y. H. Shi; **12** (11), 2889–2900.

Deymier, P. A.–Propagation of acoustic waves in periodic and random two-dimensional composite media.–J. O. Vasseur and P. A. Deymier; **12** (8), 2207–2212.

d'Heurle, F. M.–Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral, Jr., L. A. Clevenger, J. M. E. Harper, F. M. d'Heurle, R. A. Roy, K. L. Saenger, G. L. Miles, and R. W. Mann; **12** (2), 304–307(L).

Dhote, A. M.–Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack.–A. M. Dhote, S. Madhukar, D. Young, T. Venkatesan, R. Ramesh, C. M. Cotell, and Joseph M. Benedetto; **12** (6), 1589–1594.

Dias, Anderson–Hydrothermal synthesis and sintering of nickel and manganese-zinc ferrites.–Anderson Dias and Vicente Tadeu Lopes Buono; **12** (12), 3278–3285.

Dias, F. J.–Material characterization in support of the development of an anode substrate for solid oxide fuel cells.–D. Simwonis, A. Naoumidis, F. J. Dias, J. Linke, and A. Moropoulou; **12** (6), 1508–1518.

Dickerson, R. M.–SiC (SCS-6) fiber reinforced-reaction formed SiC matrix composites: Microstructure and interfacial properties.–M. Singh, R. M. Dickerson, Forrest A. Olmstead, and J. I. Eldridge; **12** (3), 706–713.

Di Marco, G.–Spectroscopic study of Na–TCNQ in a poly(ethylene oxide) matrix (TCNQ = 7,7′,8, and 8′ tetracyanoquinodimethane).–A. Arena, G. Di Marco, M. Lanza, S. Patanè, and G. Saitta; **12** (5), 1405–1409.

Dimitrov, D. B.–Rapid thermal recrystallization of amorphous silicon films.–G. D. Beshkov, D. B. Dimitrov, V. Lazarova, J. Koprinarova, K. Gesheva, and E. Vlaev; **12** (10), 2511–2514(L).

Dimos, D.–Metallization schemes for dielectric thin film capacitors.–H. N. Al-Shareef, D. Dimos, B. A. Tuttle, and M. V. Raymond; **12** (2), 347–354.

–Waveguide refractometry as a probe of thin film optical uniformity.–B. G. Potter, Jr., D. Dimos, and M. B. Sinclair; **12** (2), 546–551.

Dimos, Duane B.–Aging characteristics of a hybrid sol-gel $Pb(Zr,Ti)O_3$ precursor solution.–Timothy J. Boyle, Duane B. Dimos, Robert W. Schwartz, Todd M. Alam, Michael B. Sinclair, and Catherine D. Buchheit; **12** (4), 1022–1030.

Ding, Bingzhe–The synthesis of $NbSi_2$ by mechanical alloying.–Taiping Lou, Guojiang Fan, Bingzhe Ding, and Zhuangqi Hu; **12** (5), 1172–1175(L).

–The syntheses of SiC_p/Al nanocomposites under high pressure.–Haozhe Liu, Aimin Wang, Luhong Wang, Bingzhe Ding, Zhuangqi Hu, and Hongying Peng; **12** (5), 1187–1190(L).

Di Noto, Vito–A novel polymer electrolyte based on oligo(ethylene glycol) 600, K_2PdCl_4, and $K_3Fe(CN)_6$.–Vito Di Noto; **12** (12), 3393–3403.

Dobigeon, F.–Carbon nanotubes grown *in situ* by a novel catalytic method.–A. Peigney, Ch. Laurent, F. Dobigeon, and A. Rousset; **12** (3), 613–615(L).

Doll, Gary L.–Selective chemical etching of hexagonal boron nitride compared to cubic boron nitride.–Stephen J. Harris, Anita M. Weiner, Gary L. Doll, and Wen-Jin Meng; **12** (2), 412–415.

Doverspike, Kathleen–Vacancy structures on the GaN(0001) surface.–William E. Packard, John D. Dow, Kathleen Doverspike, Ray Kaplan, and Ruth Nicolaides; **12** (3), 646–650.

Dow, John D.–Vacancy structures on the GaN(0001) surface.–William E. Packard, John D. Dow, Kathleen Doverspike, Ray Kaplan, and Ruth Nicolaides; **12** (3), 646–650.

Dowden, P. C.–Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S. R. Foltyn, E. J. Peterson, J. Y. Coulter, P. N. Arendt, Q. X. Jia, P. C. Dowden, M. P. Maley, X. D. Wu, and D. E. Peterson; **12** (11), 2941–2946.

Draper, Clifton W.–The nature of residues following the ashing of arsenic implanted photoresist.–Clifton W. Draper, Chuck W. Pearce, Jere T. Glick, Mike Gordon, Gwen E. Olness, and Steven L. Bernasek; **12** (10), 2799–2808.

Dravid, Vinayak P.–Magnetic properties of graphitically encapsulated nickel nanocrystals.–J-H. Hwang, Vinayak P. Dravid, M. H. Teng, Jonathon J. Host, B. R. Elliott, D. L. Johnson, and Thomas O. Mason; **12** (4), 1076–1082.

–Graphite encapsulated nanocrystals produced using a low carbon : metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

–A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters.–B. R. Elliott, J. J. Host, V. P. Dravid, M. H. Teng, and J-H. Hwang; **12** (12), 3328–3344.

Dresselhaus, G.–Excess Li ions in a small graphite cluster.–M. Nakadaira, R. Saito, T. Kimura, G. Dresselhaus, and M. S. Dresselhaus; **12** (5), 1367–1375.

Dresselhaus, M. S.–Excess Li ions in a small graphite cluster.–M. Nakadaira, R. Saito, T. Kimura, G. Dresselhaus, and M. S. Dresselhaus; **12** (5), 1367–1375.

Drory, M. D.–A simple technique for measuring the adhesion of brittle films to ductile substrates with application to diamond-coated titanium.–Joost J. Vlassak, M. D. Drory, and W. D. Nix; **12** (7), 1900–1910.

Du, Yuancheng–Diamond nucleation on smooth Si_3N_4-coated substrate.–Ning Xu, Zhihao Zheng, and Yuancheng Du; **12** (12), 3373–3375.

Duan, X. F.–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Dunham, G. C.–Structure and surface morphology of highly conductive RuO_2 films grown on MgO by oxygen-plasma-assisted molecular beam epitaxy.–Y. Gao, G. Bai, Y. Liang, G. C. Dunham, and S. A. Chambers; **12** (7), 1844–1849.

Dunn, D. N.–The origin of an anomalous, low 2θ peak in x-ray diffraction spectra of MoS_2 films grown by ion beam assisted deposition.–D. N. Dunn, L. E. Seitzman, and I. L. Singer; **12** (5), 1191–1194(L).

Duscher, Gerd–The reaction between a TiNi shape memory thin film and silicon.–Susanne Stemmer, Gerd Duscher, Christina Scheu, Arthur H. Heuer, and Manfred Rühle; **12** (7), 1734–1740.

Dutta, B.–Studies on age-hardening characteristics of ceramic particle/matrix interfaces in Al–Cu–SiC_p composites using ultra low-load-dynamic microhardness measurements.–B. Dutta and M. K. Surappa; **12** (10), 2773–2778.

Dzick, J.–Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces.–J. Hoffmann, J. Dzick, J. Wiesmann, K. Heinemann, F. Garcia-Moreno, and H. C. Freyhardt; **12** (3), 593–595(L).

E

Earthman, J. C.–Characterization of low-cycle fatigue damage in Inconel 718 by laser light scanning.–K. J. C. Chou and J. C. Earthman; **12** (8), 2048–2056.

Eason, R. W.–Pulsed laser deposition of $KNbO_3$ thin films.–M. J. Martín, J. E. Alfonso, J. Mendiola, C. Zaldo, D. S. Gill, R. W. Eason, and P. J. Chandler; **12** (10), 2699–2706.

Edelstein, A. S.–Uniformity and interfaces in ion-beam deposited Al/Ni multilayers.–A. S. Edelstein, R. K. Everett, J. H. Perepezko, and M. H. da Silva Bassani; **12** (2), 385–391.

Eldridge, J. I.–SiC (SCS-6) fiber reinforced-reaction formed SiC matrix composites: Microstructure and interfacial properties.–M. Singh, R. M. Dickerson, Forrest A. Olmstead, and J. I. Eldridge; **12** (3), 706–713.

Eldridge, Jeffrey I.–The influence of binders on interfacial failure in sapphire fiber-reinforced NiAl composites.–Jeffrey I. Eldridge, Donald R. Wheeler, Randy R. Bowman, and Andras Korenyi-Both; **12** (8), 2191–2197.

Elkind, Alex–Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate.–Michael V. Swain, Anthony J. Perry, James R. Treglio, Alex Elkind, and J. Derek Demaree; **12** (7), 1917–1926.

Elliott, Brian R.–Magnetic properties of graphitically encapsulated nickel nanocrystals.–J-H. Hwang, Vinayak P. Dravid, M. H. Teng, Jonathon J. Host, B. R. Elliott, D. L. Johnson, and Thomas O. Mason; **12** (4), 1076–1082.

–Graphite encapsulated nanocrystals produced using a low carbon : metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

–A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters.–B. R. Elliott, J. J. Host, V. P. Dravid, M. H. Teng, and J-H. Hwang; **12** (12), 3328–3344.

Emoto, Hideyuki–Microstructure of liquid phase sintered superplastic silicon carbide ceramics.–Chong-Min Wang, Mamoru Mitomo, and Hideyuki Emoto; **12** (12), 3266–3270.

Endo, A.–Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors.–M. Kambara, Y. Watanabe, K. Miyake, A. Endo, K. Murata, Y. Shiohara, and T. Umeda; **12** (11), 2873–2879.

Ennas, Guido–Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling.–Anna Corrias, Guido Ennas, Anna Musinu, Giorgio Paschina, and Daniela Zedda; **12** (10), 2767–2772.

Enomoto, Naoya–Microstructure of nitrate polycrystals solidified under ultrasonic vibration.–Naoya Enomoto, Yasushi Iimura, and Zenbe-e Nakagawa; **12** (2), 371–376.

–Agglomeration of silica spheres under ultrasonication.–Naoya Enomoto, Shingo Maruyama, and Zenbe-e Nakagawa; **12** (5), 1410–1415.

Erdei, S.–Synthesis and characterization of sol-gel derived hexaaluminate phosphors.–D. Ravichandran, R. Roy, W. B. White, and S. Erdei; **12** (3), 819–824.

Eror, N. G.–Losses in ac of BSCCO-2223 superconducting monofilament and multifilament tapes at power frequencies.–S. Mench, M. Lelovic, T. Deis, N. G. Eror, U. Balachandran, and P. Haldar; **12** (11), 3085–3089.

Erre, R.–X-ray photoelectron spectroscopy characterization of barium titanate ceramics prepared by the citric route. Residual carbon study.–C. Miot, E. Husson, C. Proust, R. Erre, and J. P. Coutures; **12** (9), 2388–2392.

Estermann, M.–The growth of decagonal Al–Co–Ni single crystals as a function of chemical composition.–B. Zhang, M. Estermann, and W. Steurer; **12** (9), 2274–2280.

Evans, D. Fennell–Microstructure of ruthenium dioxide films grown on α–Al_2O_3 (0001), α–Al_2O_3 ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering.–Q. Wang, Dave Gilmer, Yue Fan, Alfonso Franciosi, D. Fennell Evans, Wayne L. Gladfelter, and Xiao-Feng Zhang; **12** (4), 984–996.

Evans, P. J.–The intercalation of Ar into C_{60} films.–G. E. Gadd, P. J. Evans, S. Moricca, and M. James; **12** (1), 1–4(L).

Everett, R. K.–Uniformity and interfaces in ion-beam deposited Al/Ni multilayers.–A. S. Edelstein, R. K. Everett, J. H. Perepezko, and M. H. da Silva Bassani; **12** (2), 385–391.

Evetts, J. E.–Structure of grain boundaries: Correlation to supercurrent transport in textured $Bi_2Sr_2Ca_{n-1}Cu_nO_z$ bulk material.–Y. Yan, M. A. Kirk, and J. E. Evetts; **12** (11), 3009–3028.

Ewing, Rodney C.–Electron-irradiation-induced nucleation and growth in amorphous $LaPO_4$, $ScPO_4$, and zircon.–A. Meldrum, L. A. Boatner, and R. C. Ewing; **12** (7), 1816–1827.

–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

F

Fabian, J. C.–Synthesis, structure, and gas sensitivity properties of SnO_2–CuO mixture phase obtained by pyrolysis of an aerosol.–J. Román, J. C. Fabian, M. Labeau, G. Delabouglise, and M. Vallet-Regí; **12** (2), 560–565.

Fagherazzi, G.–Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia.–G. Fagherazzi, P. Canton, A. Benedetti, F. Pinna, G. Mariotto, and E. Zanghellini; **12** (2), 318–321(L).

Fan, Guojiang–The synthesis of $NbSi_2$ by mechanical alloying.–Taiping Lou, Guojiang Fan, Bingzhe Ding, and Zhuangqi Hu; **12** (5), 1172–1175(L).

Fan, Xiaobao–Phase formation in molybdenum disilicide powders during in-flight induction plasma treatment.–Xiaobao Fan, Takamasa Ishigaki, and Yoichiro Sato; **12** (5), 1315–1326.

Fan, Yudian–Investigation of the interface reactions of Ti thin films with AlN substrate.–Xiangjun He, Si-Ze Yang, Kun Tao, and Yudian Fan; **12** (3), 846–851.

Fan, Yue–Microstructure of ruthenium dioxide films grown on α–Al_2O_3 (0001), α–Al_2O_3 ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering.–Q. Wang, Dave Gilmer, Yue Fan, Alfonso Franciosi, D. Fennell Evans, Wayne L. Gladfelter, and Xiao-Feng Zhang; **12** (4), 984–996.

Fang, Buh-Kuan–Stabilization of lead lithium iron tungstate with adding barium titanate.–Chung-Hsin Lu and Buh-Kuan Fang; **12** (1), 13–16(L).

–Secondary phase formation and microstructural development in the interaction between $SrBi_2Ta_2O_9$ films and $Pt/Ti/SiO_2/Si$ substrates.–Chung-Hsin Lu and Buh-Kuan Fang; **12** (8), 2104–2110.

Faqir, H.–Growth of high-quality $Bi_2Sr_2CaCu_2O_z$ crystal and characterization.–H. Faqir, G. Vacquier, H. Chiba, M. Kikuchi, Y. Muraoka, and Y. Syono; **12** (10), 2522–2525.

Fardad, M. A.–Growth and characterization of semiconductor nanoparticles in porous sol-gel films.–E. J. C. Dawnay, M. A. Fardad, Mino Green, and E. M. Yeatman; **12** (11), 3115–3126.

Farkas, D.–Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics.–D. Farkas, S. J. Zhou, C. Vailhé, B. Mutasa, and J. Panova; **12** (1), 93–99.

–Shear faults and dislocation core structures in B2 CoAl.–C. Vailhé and D. Farkas; **12** (10), 2559–2570.

Fayette, L.–A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition.–L. Fayette, B. Marcus, M. Mermoux, N. Rosman, L. Abello, and G. Lucazeau; **12** (10), 2686–2698.

Fecht, H. J.–Grain size dependence of mechanical properties in nanocrystalline selenium.–K. Lu, H. Y. Zhang, Y. Zhong, and H. J. Fecht; **12** (4), 923–930.

Feduzi, R.–Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides.–M. D. Giardina, R. Feduzi, D. Inzaghi, H. Chiba, C. Giori, I. Natali Sora, and V. Dallacasa; **12** (8), 2009–2013.

Feigerle, C. S.–Hot filament assisted diamond growth at low temperatures with oxygen addition.–Z. Li Tolt, L. Heatherly, R. E. Clausing, and C. S. Feigerle; **12** (5), 1344–1350.

Feldman, Albert–Thermal wave imaging of indented diamond coated WC.–Albert Feldman; **12** (7), 1911–1916.

Felner, I.–Synthesis of pure amorphous Fe_2O_3.–X. Cao, R. Prozorov, Yu. Koltypin, G. Kataby, I. Felner, and A. Gedanken; **12** (2), 402–406.

Ferrasse, Stephane–Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular ex-

trusion.–Stephane Ferrasse, Vladimir M. Segal, K. Theodore Hartwig, and Ramon E. Goforth; **12** (5), 1253–1261.

Ferreira, V. M.–The effect of Cr and La on $MgTiO_3$ and $MgTiO_3$–$CaTiO_3$ microwave dielectric ceramics.–V. M. Ferreira, F. Azough, R. Freer, and J. L. Baptista; **12** (12), 3293–3299.

Ferreira da Silva, A.–Metal-nonmetal transition and resistivity of silicon implanted with bismuth.–E. Abramof, A. Ferreira da Silva, Bo E. Sernelius, J. P. de Souza, and H. Boudinov; **12** (3), 641–645.

Ferroni, Matteo–Microstructural characterization of a titanium-tungsten oxide gas sensor.–Matteo Ferroni, Vincenzo Guidi, Giuliano Martinelli, and Giorgio Sberveglieri; **12** (3), 793–798.

Filipozzi, L.–Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature.–L. Filipozzi, L. Piraux, A. Marchand, A. Derré, A. Adouard, and M. Kinany-Alaoui; **12** (7), 1711–1721.

Fiorino, M. E.–Materials reliability issues with coaxial cable systems for the information superhighway.–R. B. Comizzoli, G. R. Crane, M. E. Fiorino, R. P. Frankenthal, H. W. Krautter, G. A. Peins, D. J. Siconolfi, and J. D. Sinclair; **12** (3), 857–865(R).

Fischer, A. K.–Raman microscopy examination of phase evolution in Bi(Pb)–Sr–Ca–Cu–O superconducting ceramics.–K. T. Wu, A. K. Fischer, V. A. Maroni, and M. W. Rupich; **12** (5), 1195–1204.

–The effects of variable oxygen partial pressures during Bi-2223 tape processing.–T. G. Holesinger, J. F. Bingert, J. O. Willis, V. A. Maroni, A. K. Fischer, and K. T. Wu; **12** (11), 3046–3054.

Fisher, B.–The thermopower of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ in a comparative study of effects of Ba-site doping versus chain-Cu-site doping.–B. Fisher, J. Genossar, L. Patlagan, G. M. Reisner, and A. Knizhnik; **12** (11), 2907–2912.

Fitz-Gerald, James–Surface composites: A new class of engineered materials.–Rajiv Singh and James Fitz-Gerald; **12** (3), 769–773.

Flemings, M. C.–Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts.–S. Honjo, Michael J. Cima, M. C. Flemings, T. Ohkuma, H. Shen, K. Rigby, and T. H. Sung; **12** (4), 880–890.

Flükiger, R.–Phase coexistence and critical temperatures of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ phase under partial pressures of oxygen between 10^3 and 0.21 bar with and without additions of silver.–M. Däumling, R. Maad, A. Jeremie, and R. Flükiger; **12** (6), 1445–1450.

Foltyn, S. R.–Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S. R. Foltyn, E. J. Peterson, J. Y. Coulter, P. N. Arendt, Q. X. Jia, P. C. Dowden, M. P. Maley, X. D. Wu, and D. E. Peterson; **12** (11), 2941–2946.

Font, J.–Thermal cycling effects in high temperature Cu–Al–Ni–Mn–B shape memory alloys.–J. Font, J. Muntasell, J. Pons, and E. Cesari; **12** (9), 2288–2297.

–Solid-state mechanical alloying of plastic crystals.–J. Font, J. Muntasell, E. Cesari, and J. Pons; **12** (12), 3254–3259.

Forrester, Martin G.–Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q. X. Jia, and D. Reagor; **12** (11), 2958–2975.

Fotou, George P.–Gas-phase coating of TiO_2 with SiO_2 in a continuous flow hot-wall aerosol reactor.–Quint H. Powell, George P. Fotou, Toivo T. Kodas, Bruce M. Anderson, and Yongxiang Guo; **12** (2), 552–559.

Frahm, R.–Extended x-ray absorption fine structure study of incorporation of Bi and Pb atoms into the crystal structure of $Ba_{4.5}Nd_9Ti_{18}O_{54}$.–M. Valant, I. Arčon, D. Suvorov, A. Kodre, T. Negas, and R. Frahm; **12** (3), 799–804.

Francescangeli, Oriano–New hybrid nanocomposites based on an organophilic clay and poly(styrene-*b*-butadiene) copolymers.–Michele Laus, Oriano Francescangeli, and Franco Sandrolini; **12** (11), 3134–3139.

Franciosi, Alfonso–Microstructure of ruthenium dioxide films grown on α–Al_2O_3 (0001), α–Al_2O_3 ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering.–Q. Wang, Dave Gilmer, Yue Fan, Alfonso Franciosi, D. Fennell Evans, Wayne L. Gladfelter, and Xiao-Feng Zhang; **12** (4), 984–996.

Frangi, F.–Refinement of Nd-422 phase trapped in a $Nd_{1+\delta}Ba_{2-\delta}Cu_3O_{7-\gamma}$ superconducting matrix.–F. Frangi, S. I. Yoo, N. Sakai, and M. Murakami; **12** (8), 1990–2001.

Frankenthal, R. P.–Materials reliability issues with coaxial cable systems for the information superhighway.–R. B. Comizzoli, G. R. Crane, M. E. Fiorino, R. P. Frankenthal, H. W. Krautter, G. A. Peins, D. J. Siconolfi, and J. D. Sinclair; **12** (3), 857–865(R).

Freer, R.–The effect of Cr and La on $MgTiO_3$ and $MgTiO_3$–$CaTiO_3$ microwave dielectric ceramics.–V. M. Ferreira, F. Azough, R. Freer, and J. L. Baptista; **12** (12), 3293–3299.

Freitas, P.–Laser micromachining of Al_2O_3–TiC ceramics.–V. Oliveira, R. Vilar, O. Conde, and P. Freitas; **12** (12), 3206–3209(L).

Freyhardt, H. C.–Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces.–J. Hoffmann, J. Dzick, J. Wiesmann, K. Heinemann, F. Garcia-Moreno, and H. C. Freyhardt; **12** (3), 593–595(L).

–Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO.–M. Reder, J. Krelaus, D. Müller, K. Heinemann, and H. C. Freyhardt; **12** (4), 906–914.

Frommeyer, Georg–Superplastic behavior of a kappa carbide material (Fe_3AlC_x).–Woo-Jin Kim, Oscar A. Ruano, Jeffrey Wolfenstine, Georg Frommeyer, and Oleg D. Sherby; **12** (9), 2317–2324.

–Equation of state of polycrystalline $Ni_{50}Al_{50}$.–J. W. Otto, J. K. Vassiliou, and G. Frommeyer; **12** (11), 3106–3108(L).

Fu, Ming–A study of micropyretic reactions in the Mo–Si–Al ternary system.–Ming Fu; **12** (6), 1481–1491.

Fukuda, Tsuguo–Determination of equilibrium cations for the $KTiOPO_4$ structure.–Valery I. Chani, Kiyoshi Shimamura, and Tsuguo Fukuda; **12** (9), 2470–2474.

Fukushige, Yasuo–Colloidal processing and mechanical properties of silicon carbide with alumina.–Yoshihiro Hirata, Kouji Hidaka, Hiroaki Matsumura, Yasuo Fukushige, and Soichiro Sameshima; **12** (11), 3146–3157.

Funakubo, Hiroshi–Effect of calcium modification on the microstructure and oxidation property of submicron spherical palladium powders.–Shenglei Che, Osamu Sakurai, Hiroshi Funakubo, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (2), 392–397.

–Preparation of semiconductive $SrTiO_3$ thin films by metal-organic chemical vapor deposition and their electrical properties.–Daisuke Nagano, Hiroshi Funakubo, Osamu Sakurai, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (6), 1655–1660.

Fuso, F.–Pulsed laser deposition and characterization of conductive RuO_2 thin films.–A. Iembo, F. Fuso, E. Arimondo, C. Ciofi, G. Pennelli, G. M. Currò, F. Neri, and M. Allegrini; **12** (6), 1433–1436(L).

G

Gadd, G. E.–The intercalation of Ar into C_{60} films.–G. E. Gadd, P. J. Evans, S. Moricca, and M. James; **12** (1), 1–4(L).

Galán, L.–Surface reactions of low-energy carbon ions with boron nitride thin films.–I. Montero and L. Galán; **12** (6), 1563–1568.

Gallas, M. R.–High pressure compaction of nanosize ceramic powders.–M. R. Gallas, A. R. Rosa, T. H. Costa, and J. A. H. da Jornada; **12** (3), 764–768.

Galy, D.–Amorphization mechanisms of $NiZr_2$ by ball-milling.–D. Galy, L. Chaffron, and G. Martin; **12** (3), 688–696.

Gao, H. J.–Scanning tunneling microscopy and atomic force microscopy investigation of organic tetracyanoquinodimethane thin films.–H. J. Gao, H. X. Zhang, Z. Q. Xue, and S. J. Pang; **12** (8), 1942–1945(L).

Gao, Jian-rong–Characterization of the disproportionated NdFeCoZrB alloy by means of electron microscopy.–Jian-rong Gao, Xiao-ping Song, and Xiao-tian Wang; **12** (3), 581–584(L).

Gao, Juning–Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers.–Dongxia Shi, Ning Liu, Haiqiang Yang, Juning Gao, Yueshan Jiang, Shijin Pang, Xubiao Wu, and Zhen Ji; **12** (10), 2543–2547.

Gao, Y.–Structure and surface morphology of highly conductive RuO_2 films grown on MgO by oxygen-plasma-assisted molecular beam epitaxy.–Y. Gao, G. Bai, Y. Liang, G. C. Dunham, and S. A. Chambers; **12** (7), 1844–1849.

Gao, Y. H.–A high-resolution electron microscopy study of blue-light emitting β–SiC nanoparticles in C^+-implanted silicon.–Y. H. Gao, Z. Zhang, L. S. Liao, and X. M. Bao; **12** (6), 1640–1645.

García, José R.–Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate.–Anatoly I. Bortun, Lyudmila Bortun, Abraham Clearfield, Enrique Jaimez, María A. Villa-García, José R. García, and Julio Rodríguez; **12** (4), 1122–1130.

Garcia-Moreno, F.–Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces.–J. Hoffmann, J. Dzick, J. Wiesmann, K. Heinemann, F. Garcia-Moreno, and H. C. Freyhardt; **12** (3), 593–595(L).

García-Palacios, J. L.–Superparamagnetic particles in ZSM-5–type ferrisilicates.–A. López, F. J. Lázaro, J. L. García-Palacios, A. Larrea, Q. A. Pankhurst, C. Martínez, and A. Corma; **12** (6), 1519–1529.

García-Ruiz, J. M.–Preparation of highly oriented polycrystalline AlN thin films on glass, deposited at oblique-angle incidence.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1689–1692(L).

–Development of preferred orientation in polycrystalline AlN thin films deposited by rf sputtering system at low temperature.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1850–1855.

Gaynor, A. G.–Characterization of nanophase titania particles synthesized using *in situ* steric stabilization.–A. G. Gaynor, R. J. Gonzalez, R. M. Davis, and R. Zallen; **12** (7), 1755–1765.

Gedanken, Aharon–Synthesis of pure amorphous Fe_2O_3.–X. Cao, R. Prozorov, Yu. Koltypin, G. Kataby, I. Felner, and A. Gedanken; **12** (2), 402–406.

–Ultrasound driven aggregation and surface silanol modification in amorphous silica microspheres.–Sivarajan Ramesh, Yuri Koltypin, and Aharon Gedanken; **12** (12), 3271–3277.

Genossar, J.–The thermopower of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ in a comparative study of effects of Ba-site doping versus chain-Cu-site doping.–B. Fisher, J. Genossar, L. Patlagan, G. M. Reisner, and A. Knizhnik; **12** (11), 2907–2912.

Gente, C.–Phase formation and thermodynamics of unstable Cu–Cr alloys.–C. Michaelsen, C. Gente, and R. Bormann; **12** (6), 1463–1467.

George, Thomas F.–Laser-assisted formation of metallic oxide microtubes.–László Nánai and Thomas F. George; **12** (1), 283–284(R).

Gerberich, William W.–Plastic deformation of oxide scales at elevated temperatures.–Yifan Zhang, William W. Gerberich, and David A. Shores; **12** (3), 697–705.

–Investigation of a new fracture mechanics specimen for thin film adhesion measurement.–Maarten P. de Boer, Michael Kriese, and William W. Gerberich; **12** (10), 2673–2685.

–The mechanical behavior of a passivating surface under potentiostatic control.–D. F. Bahr, J. C. Nelson, N. I. Tymiak, and W. W. Gerberich; **12** (12), 3345–3353.

Gesheva, K.–Rapid thermal recrystallization of amorphous silicon films.–G. D. Beshkov, D. B. Dimitrov, V. Lazarova, J. Koprinarova, K. Gesheva, and E. Vlaev; **12** (10), 2511–2514(L).

Giardina, M. D.–Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides.–M. D. Giardina, R. Feduzi, D. Inzaghi, H. Chiba, C. Giori, I. Natali Sora, and V. Dallacasa; **12** (8), 2009–2013.

Gignac, L.–The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon.–K. Schonenberg, Siu-Wai Chan, D. Harame, M. Gilbert, C. Stanis, and L. Gignac; **12** (2), 364–370.

Gilbert, M.–The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon.–K. Schonenberg, Siu-Wai Chan, D. Harame, M. Gilbert, C. Stanis, and L. Gignac; **12** (2), 364–370.

Gill, D. S.–Pulsed laser deposition of $KNbO_3$ thin films.–M. J. Martín, J. E. Alfonso, J. Mendiola, C. Zaldo, D. S. Gill, R. W. Eason, and P. J. Chandler; **12** (10), 2699–2706.

Gilmer, Dave–Microstructure of ruthenium dioxide films grown on α–Al_2O_3 (0001), α–Al_2O_3 ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering.–Q. Wang, Dave Gilmer, Yue Fan, Alfonso Franciosi, D. Fennell Evans, Wayne L. Gladfelter, and Xiao-Feng Zhang; **12** (4), 984–996.

Giorgi, R.–Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

–Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815(E).

Giori, C.–Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides.–M. D. Giardina, R. Feduzi, D. Inzaghi, H. Chiba, C. Giori, I. Natali Sora, and V. Dallacasa; **12** (8), 2009–2013.

Giri, Anit K.–On the fluctuation field in multidomain barium hexaferrite particles.–J. M. González, Anit K. Giri, C. de Julián, M. Vélez, and J. L. Vicent; **12** (10), 2643–2647.

Girifalco, L. A.–Anharmonicity in metals from the universal energy equation.–L. A. Girifalco and K. Kniaz; **12** (2), 311–313(L).

Gladfelter, Wayne L.–Microstructure of ruthenium dioxide films grown on α–Al_2O_3 (0001), α–Al_2O_3 ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering.–Q. Wang, Dave Gilmer, Yue Fan, Alfonso Franciosi, D. Fennell Evans, Wayne L. Gladfelter, and Xiao-Feng Zhang; **12** (4), 984–996.

Gleixner, R. J.–Void nucleation on a contaminated patch.–B. M. Clemens, W. D. Nix, and R. J. Gleixner; **12** (8), 2038–2042.

–Void nucleation in passivated interconnect lines: Effects of site geometries, interfaces, and interface flaws.–R. J. Gleixner, B. M. Clemens, and W. D. Nix; **12** (8), 2081–2090.

Glick, Jere T.–The nature of residues following the ashing of arsenic implanted photoresist.–Clifton W. Draper, Chuck W. Pearce, Jere T. Glick, Mike Gordon, Gwen E. Olness, and Steven L. Bernasek; **12** (10), 2799–2808.

Goforth, Ramon E.–Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular extrusion.–Stephane Ferrasse, Vladimir M. Segal, K. Theodore Hartwig, and Ramon E. Goforth; **12** (5), 1253–1261.

Gogolinsky, K.–Nano-sclerometry measurements of superhard materials and diamond hardness using scanning force microscope with the ultrahard fullerite C_{60} tip.–V. Blank, M. Popov, N. Lvova, K. Gogolinsky, and V. Reshetov; **12** (11), 3109–3114.

Golden, S. J.–Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials.–J. A. Alarco, E. Olsson, S. J. Golden, A. Bhargava, T. Yamashita, J. Barry, and I. D. R. Mackinnon; **12** (3), 624–635.

Gondi, P.–Internal friction and Mössbauer study of C–Cr associates in MANET steel.–P. Gondi, R. Gupta, R. Montanari, G. Principi, and M. E. Tata; **12** (2), 296–299(L).

Gonsalves, Kenneth E.–Synthesis and properties of an aluminum nitride/polyimide nanocomposite prepared by a nonaqueous suspension process.–Xiaohe Chen and Kenneth E. Gonsalves; **12** (5), 1274–1286.

González, J. M.–On the fluctuation field in multidomain barium hexaferrite particles.–J. M. González, Anit K. Giri, C. de Julián, M. Vélez, and J. L. Vicent; **12** (10), 2643–2647.

Gonzalez, R. J.–Characterization of nanophase titania particles synthesized using *in situ* steric stabilization.–A. G. Gaynor, R. J. Gonzalez, R. M. Davis, and R. Zallen; **12** (7), 1755–1765.

González-Calbet, J. M.–Phase indentification and superconductivity transitions in Sr-doped $Pr_{1.85}Ce_{0.15}CuO_{4+\delta}$.–A. Varela, M. Vallet-Regí, and J. M. González-Calbet; **12** (10), 2526–2532.

Gopalan, R. Srinivasa–Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts.–S. Ayyappan, R. Srinivasa Gopalan, G. N. Subbanna, and C. N. R. Rao; **12** (2), 398–401.

Gordon, Mike–The nature of residues following the ashing of arsenic implanted photoresist.–Clifton W. Draper, Chuck W. Pearce, Jere T. Glick, Mike Gordon, Gwen E. Olness, and Steven L. Bernasek; **12** (10), 2799–2808.

Gotor, F. J.–Chemical analysis in $YBa_2Cu_3O_{7-x}$ melt-textured samples.–F. J. Gotor, J. Ayache, N. Pellerin, and P. Odier; **12** (2), 338–346.

Goursat, Paul–Superplastic forming of an α-phase rich silicon nitride.–Tanguy Rouxel, Fabrice Rossignol, Jean-Louis Besson, and Paul Goursat; **12** (2), 480–492.

Govindaraj, A.–Oxide nanotubes prepared using carbon nanotubes as templates.–B. C. Satishkumar, A. Govindaraj, Erasmus M. Vogl, Lipika Basumallick, and C. N. R. Rao; **12** (3), 604–606(L).

Goyal, A.–Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique.–M. Paranthaman, F. A. List, A. Goyal, E. D. Specht, C. E. Vallet, D. M. Kroeger, and D. K. Christen; **12** (3), 619–623.

–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Grader, G. S.–Particle aggregation in alumina aerogels.–S. Keysar, Y. De Hazan, Y. Cohen, T. Aboud, and G. S. Grader; **12** (2), 430–433.

Green, Mino–Growth and characterization of semiconductor nanoparticles in porous sol-gel films.–E. J. C. Dawnay, M. A. Fardad, Mino Green, and E. M. Yeatman; **12** (11), 3115–3126.

Greene, J. E.–Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition.–K. Järrendahl, I. Ivanov, J-E. Sundgren, G. Radnóczi, Zs. Czigány, and J. E. Greene; **12** (7), 1806–1815.

Greenwood, W.–Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2.–W. Wong-Ng, L. P. Cook, F. Jiang, W. Greenwood, U. Balachandran, and M. Lanagan; **12** (11), 2855–2865.

Griffin Jr., A. J.–Observations of dislocations in Cu/Nb nanolayer composites after deformation.–Y-C. Lu, H. Kung, A. J. Griffin, Jr., M. A. Nastasi, and T. E. Mitchell; **12** (8), 1939–1941(L).

Grimaldi, M. G.–Defect annealing in ion implanted silicon carbide.–L. Calcagno, M. G. Grimaldi, and P. Musumeci; **12** (7), 1727–1733.

Griscom, David L.–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Griswold, E. M.–Domain structures in $Pb(Zr, Ti)O_3$ and $PbTiO_3$ thin films.–L. D. Madsen and E. M. Griswold; **12** (10), 2612–2616.

Gropper, F.–Morphological investigations on mesostructured metal oxides.–V. Weidenhof, F. Gropper, U. Müller, L. Marosi, G. Cox, R. Houbertz, and U. Hartmann; **12** (6), 1634–1639.

Grzanna, J.–Chemical stability of $CuInS_2$ in oxygen at 298 K.–J. Grzanna and H. Migge; **12** (2), 355–363.

Gu, H.–Analytical electron microscopy of planar faults in SrO-doped $CaTiO_3$.–M. Čeh, H. Gu, H. Müllejans, and A. Rečnik; **12** (9), 2438–2446.

Gualtieri, Alessandro–Interactions between lead oxide and ceramic substrates for thick film technology.–Massimo Bersani, Bruno Morten, Maria Prudenziati, and Alessandro Gualtieri; **12** (2), 501–508.

Guan, S. X.–Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy.–J. F. Lei, Q. J. Wang, Y. Y. Liu, S. X. Guan, Z. G. Wang, D. Li, and Z. Q. Hu; **12** (10), 2571–2574.

Guay, Daniel–High energy ball-milled Ti_2RuFe electrocatalyst for hydrogen evolution in the chlorate industry.–Marco Blouin, Daniel Guay, Jacques Hout, and Robert Schulz; **12** (6), 1492–1500.

Guidi, Vincenzo–Microstructural characterization of a titanium-tungsten oxide gas sensor.–Matteo Ferroni, Vincenzo Guidi, Giuliano Martinelli, and Giorgio Sberveglieri; **12** (3), 793–798.

Gulgun, Mehmet Ali–Crystallization of hafnia and zirconia during the pyrolysis of acetate gels.–Masatomo Yashima, Taka-aki Kato, Masato Kakihana, Mehmet Ali Gulgun, Yohtaro Matsuo, and Masahiro Yoshimura; **12** (10), 2575–2583.

Guo, F. Q.–Characterization of mechanical nanocrystallization process of amorphous Fe–Mo–Si–B alloy by transmission Mössbauer spectroscopy.–X. D. Liu, F. Q. Guo, K. Lu, and M. Umemoto; **12** (3), 681–687.

Guo, J. T.–Investigation of NiAl–TiB_2 *in situ* composites.–J. T. Guo and Z. P. Xing; **12** (4), 1083–1090.

–High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates.–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, and H. Q. Ye; **12** (7), 1790–1795.

–Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)].–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, H. Q. Ye, J. C. Rao, and Y. Zhou; **12** (11), 3182(E).

Guo, Yongxiang–Gas-phase coating of TiO_2 with SiO_2 in a continuous flow hot-wall aerosol reactor.–Quint H. Powell, George P. Fotou, Toivo T. Kodas, Bruce M. Anderson, and Yongxiang Guo; **12** (2), 552–559.

Gupta, R.–Internal friction and Mössbauer study of C–Cr associates in MANET steel.–P. Gondi, R. Gupta, R. Montanari, G. Principi, and M. E. Tata; **12** (2), 296–299(L).

Gururaj, Bhat A.–On the formation of solid state crystallized intrinsic polycrystalline germanium thin films.–Zhiguo Meng, Zhonghe Jin, Bhat A. Gururaj, Paul Chu, Hoi S. Kwok, and Man Wong; **12** (10), 2548–2551.

Gwilliam, R. M.–Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy.–A. Rodríguez, T. Rodríguez, A. Sanz-Hervás, A. Kling, J. C. Soares, M. F. da Silva, C. Ballesteros, and R. M. Gwilliam; **12** (7), 1698–1705.

H

Habazaki, H.–Anodic film formation on a sputter-deposited amorphous Al–40 at.% Sm alloy.–H. Habazaki, P. Skeldon, G. E. Thompson, G. C. Wood, and K. Shimizu; **12** (7), 1885–1891.

Hagège, S.–Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses.–F. Malengreau, M. Vermeersch, S. Hagège, R. Sporken, M. D. Lange, and R. Caudano; **12** (1), 175–188.

Haggag, F. M.–Analysis of ball-indentation load-depth data: Part I. Determining elastic modulus.–B. Taljat, T. Zacharia, and F. M. Haggag; **12** (4), 965–974.

Hagström, Stig B.–Insights into the ion-assisted nucleation of diamond on silicon.–Sean P. McGinnis, Michael A. Kelly, and Stig B. Hagström; **12** (12), 3354–3366.

Haldar, P.–*In situ* measurements of texture and phase development in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes.–T. R. Thurston, P. Haldar, Y-L. Wang, M. Suenaga, N. M. Jisrawi, and U. Wildgruber; **12** (4), 891–905.

–Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes.–Li-jun Wu, Y-L. Wang, Weimin Bian, Yimei Zhu, T. R. Thurston, R. L. Sabatini, P. Haldar, and M. Suenaga; **12** (11), 3055–3073.

–Losses in ac of BSCCO-2223 superconducting monofilament and multifilament tapes at power frequencies.–S. Mench, M. Lelovic, T. Deis, N. G. Eror, U. Balachandran, and P. Haldar; **12** (11), 3085–3089.

Haneman, D.–Electroluminescence from amorphous-silicon-based switching devices.–V. A. Kuznetsov and D. Haneman; **12** (1), 17–20(L).

Hannebauer, B.–Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$.–K. C. Mishra, I. Osterloh, H. Anton, B. Hannebauer, P. C. Schmidt, and K. H. Johnson; **12** (8), 2183–2190.

Harame, D.–The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon.–K. Schonenberg, Siu-Wai Chan, D. Harame, M. Gilbert, C. Stanis, and L. Gignac; **12** (2), 364–370.

Harmer, Martin P.–Alumina platelet reinforced reaction bonded aluminum oxide composites: Textured and random.–Linan An, Suxing Wu, Helen M. Chan, Martin P. Harmer, and David G. Brandon; **12** (12), 3300–3306.

Haro-Poniatowski, E.–Modification of the phase transition temperatures in titania doped with various cations.–R. Rodríguez-Talavera, S. Vargas, R. Arroyo-Murillo, R. Montiel-Campos, and E. Haro-Poniatowski; **12** (2), 439–443.

Harper, J. M. E.–Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral, Jr., L. A. Clevenger, J. M. E. Harper, F. M. d'Heurle, R. A. Roy, K. L. Saenger, G. L. Miles, and R. W. Mann; **12** (2), 304–307(L).

Harris, M. T.–Trapping levels in hydrothermal and solution grown bismuth titanium oxide.–D. Eirug Davies and M. T. Harris; **12** (2), 308–310(L).

Harris, Stephen J.–Selective chemical etching of hexagonal boron nitride compared to cubic boron nitride.–Stephen J. Harris, Anita M. Weiner, Gary L. Doll, and Wen-Jin Meng; **12** (2), 412–415.

Hartmann, U.–Morphological investigations on mesostructured metal oxides.–V. Weidenhof, F. Gropper, U. Müller, L. Marosi, G. Cox, R. Houbertz, and U. Hartmann; **12** (6), 1634–1639.

Hartwig, K. Theodore–Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular extrusion.–Stephane Ferrasse, Vladimir M. Segal, K. Theodore Hartwig, and Ramon E. Goforth; **12** (5), 1253–1261.

Hashi, Y.–Computer simulation of ferroelastic phase transition in $LaNbO_4$.–K. Parlinski, Y. Hashi, S. Tsunekawa, and Y. Kawazoe; **12** (9), 2428–2437.

Hatfield, E.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Hattori, Tetsuji–Bi–Sr–Ca–Cu–O superconducting thin plates prepared by glass-ceramic processing: Dependence of T_c on the thickness.–Toshihiro Kasuga, Koichi Nakamura, Tetsuji Hattori, and Yoshihiro Abe; **12** (2), 332–337.

Haupt, D. L.–Evidence of critical scaling behavior during vapor phase synthesis of continuous filament composites.–J. H. Kinney and D. L. Haupt; **12** (3), 610–612(L).

Hayashi, Masayuki–Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method.–Masayuki Hayashi, Takafumi Iwano, Hiroyuki Nasu, Naoki Sugimoto, Kanichi Kamiya, and Kazuyuki Hirao; **12** (10), 2552–2558.

He, J. L.–Simulation of nacre with TiN/Pt multilayers and a study of their hardness.–J. L. He, W. Z. Li, and H. D. Li; **12** (11), 3140–3145.

He, L. L.–Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope.–J. F. Mao, H. Q. Ye, X. G. Ning, L. L. He, and D. Z. Yang; **12** (2), 377–384.

He, Q.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

He, Xiangjun–Investigation of the interface reactions of Ti thin films with AlN substrate.–Xiangjun He, Si-Ze Yang, Kun Tao, and Yudian Fan; **12** (3), 846–851.

He, Xiao-Ming–Structure and properties of carbon nitride films synthesized by low energy ion bombardment.–Xiao-Ming He, Li Shu, Wen-Zhi Li, and Heng-De Li; **12** (6), 1595–1602.

He, Yi-Rong–Phase instability in ZrO_2–NiAl functionally graded materials.–Yi-Rong He, Vidya Subramanian, and John J. Lannutti; **12** (10), 2589–2593.

Heatherly, L.–Hot filament assisted diamond growth at low temperatures with oxygen addition.–Z. Li Tolt, L. Heatherly, R. E. Clausing, and C. S. Feigerle; **12** (5), 1344–1350.

Heimann, D.–Epitaxial growth of β–SiC thin films on a 6H–SiC substrate using the chemical solution deposition method.–D. Heimann, T. Wagner, J. Bill, F. Aldinger, and F. F. Lange; **12** (11), 3099–3101(L).

Heinemann, K.–Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces.–J. Hoffmann, J. Dzick, J. Wiesmann, K. Heinemann, F. Garcia-Moreno, and H. C. Freyhardt; **12** (3), 593–595(L).

–Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO.–M. Reder, J. Krelaus, D. Müller, K. Heinemann, and H. C. Freyhardt; **12** (4), 906–914.

Heller, A.–Photo-oxidatively self-cleaning transparent titanium dioxide films on soda lime glass: The deleterious effect of sodium contamination and its prevention.–Y. Paz and A. Heller; **12** (10), 2759–2766.

Hermann, N.–Structural properties of molecular beam epitaxy grown Ni/Pt superlattices.–W. Staiger, A. Michel, V. Pierron-Bohnes, N. Hermann, and M. C. Cadeville; **12** (1), 161–174.

Heuer, Arthur H.–The fracture toughness of polysilicon microdevices: A first report.–R. Ballarini, R. L. Mullen, Y. Yin, H. Kahn, S. Stemmer, and A. H. Heuer; **12** (4), 915–922.

–The reaction between a TiNi shape memory thin film and silicon.–Susanne Stemmer, Gerd Duscher, Christina Scheu, Arthur H. Heuer, and Manfred Rühle; **12** (7), 1734–1740.

Hidaka, Kouji–Colloidal processing and mechanical properties of silicon carbide with alumina.–Yoshihiro Hirata, Kouji Hidaka, Hiroaki Matsumura, Yasuo Fukushige, and Soichiro Sameshima; **12** (11), 3146–3157.

Higashi, Kenji–Critical assessments of accommodation process by liquid phase for superplastic flow in Si_3N_4/Al–Mg–Si metal matrix composites.–Mamoru Mabuchi, Hajime Iwasaki, Ha-Guk Jeong, Kenji Hiraga, and Kenji Higashi; **12** (9), 2332–2336.

Higgins, R. R.–Effect of Mo microstructure on the critical volume fraction for conduction in Mo-alumina cermets.–J. F. Kelso, R. R. Higgins, and F. J. Krivda; **12** (3), 738–744.

Hinds, Bruce J.–Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

Hioki, T.–Improving the wear resistance of Al–Si alloy by ion implantation.–Y. Itoh, H. Azuma, A. Itoh, and T. Hioki; **12** (12), 3246–3249.

Hiraga, Kenji–Critical assessments of accommodation process by liquid phase for superplastic flow in Si_3N_4/Al–Mg–Si metal matrix composites.–Mamoru Mabuchi, Hajime Iwasaki, Ha-Guk Jeong, Kenji Hiraga, and Kenji Higashi; **12** (9), 2332–2336.

Hiramatsu, Masayoshi–Preparation of TiO_2-based powders with high photocatalytic activities.–Tomoko Kasuga, Masayoshi Hiramatsu, Masayoshi Hirano, Akihiko Hoson, and Kyoko Oyamada; **12** (3), 607–609(L).

Hirano, Masayoshi–Preparation of TiO_2-based powders with high photocatalytic activities.–Tomoko Kasuga, Masayoshi Hiramatsu, Masayoshi Hirano, Akihiko Hoson, and Kyoko Oyamada; **12** (3), 607–609(L).

Hirao, Kazuyuki–Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method.–Masayuki Hayashi, Takafumi Iwano, Hiroyuki Nasu, Naoki Sugimoto, Kanichi Kamiya, and Kazuyuki Hirao; **12** (10), 2552–2558.

Hirashima, Hiroshi–Deposition process and property of silica films containing organic groups from aqueous solution of alkoxides.–Junrok Oh, Hiroaki Imai, Hiroshi Hirashima, and Koji Tsukuma; **12** (4), 1008–1016.

Hirata, Yoshihiro–Colloidal processing and mechanical properties of silicon carbide with alumina.–Yoshihiro Hirata, Kouji Hidaka, Hiroaki Matsumura, Yasuo Fukushige, and Soichiro Sameshima; **12** (11), 3146–3157.

Hirayama, Tsukasa–Periodic fluctuation of Ba/Nd ratio in single crystals of high-J_c $NdBa_2Cu_3O_{7-\delta}$ superconductor.–Tsukasa Hirayama, Yuichi Ikuhara, Masaru Nakamura, Yasuji Yamada, and Yuh Shiohara; **12** (2), 293–295(L).

Hishita, Shunichi–Preparation and characterization of $BaTiO_3$ thin films on MgO-buffered Si(100) substrates by RF sputtering.–Sangsub Kim and Shunichi Hishita; **12** (4), 1152–1159.

Hnatowicz, V.–Polyimide degradation induced by irradiation with N^+ ions.–V. Švorčík, I. Miček, V. Rybka, V. Hnatowicz, and F. Černý; **12** (6), 1661–1665.

Hobbs, Linn W.–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Hoffmann, J.–Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces.–J. Hoffmann, J. Dzick, J. Wiesmann, K. Heinemann, F. Garcia-Moreno, and H. C. Freyhardt; **12** (3), 593–595(L).

Hogan, Timothy P.–Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

Holesinger, T. G.–The effects of variable oxygen partial pressures during Bi-2223 tape processing.–T. G. Holesinger, J. F. Bingert, J. O. Willis, V. A. Maroni, A. K. Fischer, and K. T. Wu; **12** (11), 3046–3054.

Hong, Kug-Sun–Coexistence of 1:2 and 1:1 long-range ordering types in La-modified $Ba(Mg_{0.33}Ta_{0.67})O_3$ ceramics.–Hyuk-Joon Youn, Kug-Sun Hong, and Hwan Kim; **12** (3), 589–592(L).

–Crystal structure and microwave dielectric properties of $M(Nb_x$-$Ta_{1-x})_2O_6$ solid solution (M = Mg or Zn).–Hyo-Jong Lee, Kug-Sun Hong, and In-Tae Kim; **12** (6), 1437–1440(L).

–A new microwave dielectric ceramics based on the solid solution system between $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$.–Seo-Yong Cho, Hyuk-Joon Youn, Kug-Sun Hong, In-Tae Kim, and Yoon-Ho Kim; **12** (6), 1558–1562.

–Variations of structure and dielectric properties on substituting A-site cations for Sr^{2+} in $(Na_{1/2}Bi_{1/2})TiO_3$.–Seung-Eek Park and Kug-Sun Hong; **12** (8), 2152–2157.

Hong, Tian-Jue–Effects of (100)-textured $LaNiO_3$ electrode on the deposition and characteristics of $PbTiO_3$ thin films prepared by rf magnetron sputtering.–Chii-Ming Wu, Tian-Jue Hong, and Tai-Bor Wu; **12** (8), 2158–2164.

Honjo, S.–Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts.–S. Honjo, Michael J. Cima, M. C. Flemings, T. Ohkuma, H. Shen, K. Rigby, and T. H. Sung; **12** (4), 880–890.

Horvath, Stephen F.–The spreading kinetics of $Ag–28Cu_{(L)}$ on $nickel_{(S)}$: Part II. Area of spread on surfaces plated with electrolytic Ni.–Douglas A. Weirauch, Jr. and Stephen F. Horvath; **12** (4), 953–964.

Hosaka, M.–Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition.–Y. Iijima, M. Hosaka, N. Tanabe, N. Sadakata, T. Saitoh, O. Kohno, and K. Takeda; **12** (11), 2913–2923.

Hosoda, N.–Microstructure and strength of Al-sapphire interface by means of the surface activated bonding method.–T. Akatsu, G. Sasaki, N. Hosoda, and T. Suga; **12** (3), 852–856.

Hoson, Akihiko–Preparation of TiO_2-based powders with high photocatalytic activities.–Tomoko Kasuga, Masayoshi Hiramatsu, Masayoshi Hirano, Akihiko Hoson, and Kyoko Oyamada; **12** (3), 607–609(L).

Host, Jonathon J.–Magnetic properties of graphitically encapsulated nickel nanocrystals.–J-H. Hwang, Vinayak P. Dravid, M. H. Teng, Jonathon J. Host, B. R. Elliott, D. L. Johnson, and Thomas O. Mason; **12** (4), 1076–1082.

–Graphite encapsulated nanocrystals produced using a low carbon: metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

–A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters.–B. R. Elliott, J. J. Host, V. P. Dravid, M. H. Teng, and J-H. Hwang; **12** (12), 3328–3344.

Houbertz, R.–Morphological investigations on mesostructured metal oxides.–V. Weidenhof, F. Gropper, U. Müller, L. Marosi, G. Cox, R. Houbertz, and U. Hartmann; **12** (6), 1634–1639.

Hout, Jacques–High energy ball-milled Ti_2RuFe electrocatalyst for hydrogen evolution in the chlorate industry.–Marco Blouin, Daniel Guay, Jacques Hout, and Robert Schulz; **12** (6), 1492–1500.

Hozer, Leszek–Liquid-exchange processing and properties of SiC–Al composites.–Leszek Hozer, Yet-Ming Chiang, Svetlana Ivanova, and Isa Bar-On; **12** (7), 1785–1789.

Hu, Hailin–Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films.–P. K. Nair, L. Huang, M. T. S. Nair, Hailin Hu, E. A. Meyers, and R. A. Zingaro; **12** (3), 651–656.

Hu, Xuhong–Excimer laser deposition of *c*-axis oriented $Pb(Zr, Ti)O_3$ thin films on silicon substrates with direct-current glow discharge.–Lirong Zheng, Xuhong Hu, Pingxiong Yang, W-ping Xu, and Chenglu Lin; **12** (5), 1179–1182(L).

Hu, Z. Q.–Martensite transition in rapidly solidified Ti_3Al–2Nb alloy.–R. Xu, Y. Y. Cui, D. M. Xu, D. Li, Q. C. Li, and Z. Q. Hu; **12** (1), 5–8(L).

–Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy.–J. F. Lei, Q. J. Wang, Y. Y. Liu, S. X. Guan, Z. G. Wang, D. Li, and Z. Q. Hu; **12** (10), 2571–2574.

Hu, Z. Q.–Epitaxial dependence of the melting behavior of In nanoparticles embedded in Al matrices.–H. W. Sheng, G. Ren, L. M. Peng, Z. Q. Hu, and K. Lu; **12** (1), 119–123.

–Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying.–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (3), 616–618(L).

–Erratum: "Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying" [J. Mater. Res. **12**, 616–618 (1997)].–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (10), 2815(E).

Hu, Zhuangqi–The synthesis of $NbSi_2$ by mechanical alloying.–Taiping Lou, Guojiang Fan, Bingzhe Ding, and Zhuangqi Hu; **12** (5), 1172–1175(L).

–The syntheses of SiC_p/Al nanocomposites under high pressure.–Haozhe Liu, Aimin Wang, Luhong Wang, Bingzhe Ding, Zhuangqi Hu, and Hongying Peng; **12** (5), 1187–1190(L).

Huang, J. Y.–Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying.–J. Y. Huang, Y. D. Yu, Y. K. Wu, D. X. Li, and H. Q. Ye; **12** (4), 936–946.

Huang, Jow-Lay–Fabrication of multilaminated Si_3N_4–Si_3N_4/TiN composites and its anisotropic fracture behavior.–Jow-Lay Huang, Yen-Lon Chang, and Horng-Hwa Lu; **12** (9), 2337–2344.

–Investigation of Si_3N_4–TiN/Si_3N_4–Si_3N_4 trilayer composites with residual surface compression.–Jow-Lay Huang, Feng-Chi Chou, and Horng-Hwa Lu; **12** (9), 2357–2365.

Huang, L.–Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films.–P. K. Nair, L. Huang, M. T. S. Nair, Hailin Hu, E. A. Meyers, and R. A. Zingaro; **12** (3), 651–656.

Huang, Y.–Microstructure, electrical properties, and thermal stability of Au-based ohmic contacts to *p*-GaN.–L. L. Smith, R. F. Davis, M. J. Kim, R. W. Carpenter, and Y. Huang; **12** (9), 2249–2254.

Huang, Z.–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Huang, Zhong-Qiang–Thermodynamic coupling effect and catalyst effect for the artificial diamond growth.–Ji-Tao Wang, Zhong-Qiang Huang, Yong-Zhong Wan, David Wei Zhang, and Hong-Yong Jia; **12** (6), 1530–1535.

–Calculated phase diagrams for activated low pressure diamond growth from C–H, C–O, and C–H–O systems.–Ji-Tao Wang, Yong-Zhong Wan, David Wei Zhang, Zhi-Jie Liu, and Zhong-Qiang Huang; **12** (12), 3250–3253.

Hubáček, Milan–Copper-boron nitride interaction in hot-pressed ceramics.–Milan Hubáček, Tadao Sato, and Masanori Ueki; **12** (1), 113–118.

Huber, N.–Determination of Young's modulus by spherical indentation.–N. Huber, D. Munz, and Ch. Tsakmakis; **12** (9), 2459–2469.

Huh, Dae–Joining of AlN to Cu using In-base active brazing fillers.–Dae Huh and Dae-Hun Kim; **12** (4), 1048–1055.

Hulliger, J.–Czochralski growth of Yb^{3+} and Pr^{3+} doped Ca-fluoroapatite.–A. Caprez, P. Mikhail, C. Schwecke, and J. Hulliger; **12** (12), 3210–3213(L).

Hultman, Lars–Characterization of the induced plastic zone in a single crystal TiN(001) film by nanoindentation and transmission electron microscopy.–Magnus Odén, Henrik Ljungcrantz, and Lars Hultman; **12** (8), 2134–2142.

Hunt, Arlon–Neural net formulations for organically modified, hydrophobic silica aerogel.–David Noever, Laurent Sibille, Raymond Cronise, Subbiah Baskaran, and Arlon Hunt; **12** (7), 1837–1843.

Hunt, Brian D.–Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q. X. Jia, and D. Reagor; **12** (11), 2958–2975.

Husson, E.–X-ray photoelectron spectroscopy characterization of barium titanate ceramics prepared by the citric route. Residual carbon study.–C. Miot, E. Husson, C. Proust, R. Erre, and J. P. Coutures; **12** (9), 2388–2392.

Hwang, Cheol Seong–Influence of substrate annealing on the epitaxial growth of $BaTiO_3$ thin films by metal-organic chemical vapor deposition.–Cheol Seong Hwang, Mark D. Vaudin, and Gregory T. Stauf; **12** (6), 1625–1633.

Hwang, J-H.–Magnetic properties of graphitically encapsulated nickel nanocrystals.–J-H. Hwang, Vinayak P. Dravid, M. H. Teng, Jonathon J. Host, B. R. Elliott, D. L. Johnson, and Thomas O. Mason; **12** (4), 1076–1082.

–Graphite encapsulated nanocrystals produced using a low carbon : metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

–A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters.–B. R. Elliott, J. J. Host, V. P. Dravid, M. H. Teng, and J-H. Hwang; **12** (12), 3328–3344.

I

Iembo, A.–Pulsed laser deposition and characterization of conductive RuO_2 thin films.–A. Iembo, F. Fuso, E. Arimondo, C. Ciofi, G. Pennelli, G. M. Currò, F. Neri, and M. Allegrini; **12** (6), 1433–1436(L).

Iida, S.–Auger valence electron spectra in Ca-silicides.–S. Abe, H. Nakayama, T. Nishino, and S. Iida; **12** (2), 407–411.

Iijima, Y.–Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition.–Y. Iijima, M. Hosaka, N. Tanabe, N. Sadakata, T. Saitoh, O. Kohno, and K. Takeda; **12** (11), 2913–2923.

Iimura, Yasushi–Microstructure of nitrate polycrystals solidified under ultrasonic vibration.–Naoya Enomoto, Yasushi Iimura, and Zenbe-e Nakagawa; **12** (2), 371–376.

Ikeda, Yoshio–Mullite precursor I. Characterization of mullite precursor formed by a reaction of monosilicic acid on aluminum hydroxide.–Takushi Yokoyama, Keisuki Nishu, Shunsuke Torii, Yoshio Ikeda, and Tokuko Watanabe; **12** (8), 2111–2116.

Ikuhara, Yuichi–Periodic fluctuation of Ba/Nd ratio in single crystals of high-J_c $NdBa_2Cu_3O_{7-\delta}$ superconductor.–Tsukasa Hirayama, Yuichi Ikuhara, Masaru Nakamura, Yasuji Yamada, and Yuh Shiohara; **12** (2), 293–295(L).

Imai, Hiroaki–Deposition process and property of silica films containing organic groups from aqueous solution of alkoxides.–Junrok Oh, Hiroaki Imai, Hiroshi Hirashima, and Koji Tsukuma; **12** (4), 1008–1016.

Inoue, A.–Stoichiometric icosahedral phase in the Zn–Mg–Y system.–A. P. Tsai, A. Niikura, A. Inoue, and T. Masumoto; **12** (6), 1468–1471.

Inzaghi, D.–Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides.–M. D. Giardina, R. Feduzi, D. Inzaghi, H. Chiba, A. Manara, C. Giori, I. Natali Sora, and V. Dallacasa; **12** (8), 2009–2013.

Ishigaki, Takamasa–Phase formation in molybdenum disilicide powders during in-flight induction plasma treatment.–Xiaobao Fan, Takamasa Ishigaki, and Yoichiro Sato; **12** (5), 1315–1326.

Ito, S.–Growth and structures of C_{60} shells.–H. Sakuma, M. Tachibana, H. Sugiura, K. Kojima, S. Ito, T. Sekiguchi, and Y. Achiba; **12** (6), 1545–1550.

Itoh, A.–Improving the wear resistance of Al–Si alloy by ion implantation.–Y. Itoh, H. Azuma, A. Itoh, and T. Hioki; **12** (12), 3246–3249.

Itoh, Y.–Improving the wear resistance of Al–Si alloy by ion implantation.–Y. Itoh, H. Azuma, A. Itoh, and T. Hioki; **12** (12), 3246–3249.

Ivanov, I.–Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition.–K. Järrendahl, I. Ivanov, J-E. Sundgren, G. Radnóczi, Zs. Czigány, and J. E. Greene; **12** (7), 1806–1815.

Ivanova, Svetlana–Liquid-exchange processing and properties of SiC–Al composites.–Leszek Hozer, Yet-Ming Chiang, Svetlana Ivanova, and Isa Bar-On; **12** (7), 1785–1789.

Iwano, Takafumi–Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method.–Masayuki Hayashi, Takafumi Iwano, Hiroyuki Nasu, Naoki Sugimoto, Kanichi Kamiya, and Kazuyuki Hirao; **12** (10), 2552–2558.

Iwasaki, Hajime–Critical assessments of accommodation process by liquid phase for superplastic flow in Si_3N_4/Al–Mg–Si metal matrix composites.–Mamoru Mabuchi, Hajime Iwasaki, Ha-Guk Jeong, Kenji Hiraga, and Kenji Higashi; **12** (9), 2332–2336.

J

Jaber, B.–*In situ* sputter deposition of $PbTiO_3$ thin films on different substrates: Influence of the growth temperature and the sputtered lead flux on the perovskite phase formation.–B. Jaber, D. Rèmiens, and B. Thierry; **12** (4), 997–1007.

Jackson, W. E.–The characterization of strain, impurity content, and crush strength of synthetic diamond crystals.–Terri L. McCormick, W. E. Jackson, and R. J. Nemanich; **12** (1), 253–263.

–Influence of substitutional nitrogen in synthetic saw-grade diamond on crystal strength.–W. E. Jackson and Steven W. Webb; **12** (6), 1646–1654.

Jaimez, Enrique–Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate.–Anatoly I. Bortun, Lyudmila Bortun, Abraham Clearfield, Enrique Jaimez, María A. Villa-García, José R. García, and Julio Rodríguez; **12** (4), 1122–1130.

Jakus, Karl–Residual surface stress by localized contact-creep.–Sujanto Widjaja, Karl Jakus, Revti Atri, John E. Ritter, and Sandeepan Bhattacharya; **12** (1), 210–217.

James, M.–The intercalation of Ar into C_{60} films.–G. E. Gadd, P. J. Evans, S. Moricca, and M. James; **12** (1), 1–4(L).

Jang, Hyun M.–Phase-formation kinetics of xerogel and electrical properties of sol-gel-derived $Ba_xSr_{1-x}TiO_3$ thin films.–Soo-Ik Jang, Byung-Cheul Choi, and Hyun M. Jang; **12** (5), 1327–1334.

–Mechanism of 1 : 1 nonstoichiometric short-range ordering in La-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics.–Kyu-Mann Lee, Hyun M. Jang, and Woo-Jin Park; **12** (6), 1603–1613.

–Enhanced diffuse phase transition and defect mechanism of Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics.–Kyu-Mann Lee and Hyun M. Jang; **12** (6), 1614–1624.

–$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part I. Pair-correlation theory of order-disorder phase transition.–Hyun M. Jang and Su-Chan Kim; **12** (8), 2117–2126.

–$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part II. Short-range order parameter as a criterion of the distinction between relaxor and normal ferroelectrics.–Su-Chan Kim and Hyun M. Jang; **12** (8), 2127–2133.

Jang, Soo-Ik–Phase-formation kinetics of xerogel and electrical properties of sol-gel-derived $Ba_xSr_{1-x}TiO_3$ thin films.–Soo-Ik Jang, Byung-Cheul Choi, and Hyun M. Jang; **12** (5), 1327–1334.

Järrendahl, K.–Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition.–K. Järrendahl, I. Ivanov, J-E. Sundgren, G. Radnóczi, Zs. Czigány, and J. E. Greene; **12** (7), 1806–1815.

–Annealing induced interdiffusion and crystallization in sputtered amorphous Si/Ge multilayers.–Zs. Czigány, G. Radnóczi, K. Järrendahl, and J-E. Sundgren; **12** (9), 2255–2261.

Je, J. H.–The crossover of preferred orientation in TiN film growth: A real time x-ray scattering study.–J. H. Je, D. Y. Noh, H. K. Kim, and K. S. Liang; **12** (1), 9–12(L).

Je, Jung Ho–Enhanced nucleation density of chemical vapor deposition diamonds by using interlayer.–J. J. Lee, W. S. Yang, and Jung Ho Je; **12** (3), 657–664.

Jean, Jau-Ho–Adsorption of poly(vinyl butyral) in nonaqueous ferrite suspensions.–Jau-Ho Jean, Shun-Fen Yeh, and Chi-Jen Chen; **12** (4), 1062–1068.

–Camber development during cofiring Ag-based low-dielectric-constant ceramic package.–Jau-Ho Jean and Chia-Ruey Chang; **12** (10), 2743–2750.

Jennings, Hamlin M.–Model of chemical vapor infiltration using temperature gradients.–Daniel J. Skamser, Hamlin M. Jennings, and D. Lynn Johnson; **12** (3), 724–737.

–Mathematical modeling of cement paste microstructure by mosaic pattern. Part II. Application.–Paul D. Tennis, Yunping Xi, and Hamlin M. Jennings; **12** (7), 1741–1746.

Jeong, Ha-Guk–Critical assessments of accommodation process by liquid phase for superplastic flow in Si_3N_4/Al–Mg–Si metal matrix composites.–Mamoru Mabuchi, Hajime Iwasaki, Ha-Guk Jeong, Kenji Hiraga, and Kenji Higashi; **12** (9), 2332–2336.

Jeremie, A.–Phase coexistence and critical temperatures of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ phase under partial pressures of oxygen between 10^3 and 0.21 bar with and without additions of silver.–M. Däumling, R. Maad, A. Jeremie, and R. Flükiger; **12** (6), 1445–1450.

Ji, Zhen–Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers.–Dongxia Shi, Ning Liu, Haiqiang Yang, Juning Gao, Yueshan Jiang, Shijin Pang, Xubiao Wu, and Zhen Ji; **12** (10), 2543–2547.

Jia, Hong-Yong–Thermodynamic coupling effect and catalyst effect for the artificial diamond growth.–Ji-Tao Wang, Zhong-Qiang Huang, Yong-Zhong Wan, David Wei Zhang, and Hong-Yong Jia; **12** (6), 1530–1535.

Jia, Q. X.–Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S. R. Foltyn, E. J. Peterson, J. Y. Coulter, P. N. Arendt, Q. X. Jia, P. C. Dowden, M. P. Maley, X. D. Wu, and D. E. Peterson; **12** (11), 2941–2946.

–Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q. X. Jia, and D. Reagor; **12** (11), 2958–2975.

Jiang, F.–Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2.–W. Wong-Ng, L. P. Cook, F. Jiang, W. Greenwood, U. Balachandran, and M. Lanagan; **12** (11), 2855–2865.

Jiang, H. G.–Formation kinetics of nanocrystalline Fe–4 wt.% Al solid solution during ball milling.–H. G. Jiang, R. J. Perez, M. L. Lau, and E. J. Lavernia; **12** (6), 1429–1432(L).

Jiang, Shusheng–Electrical properties of ultrafine-grained yttria-stabilized zirconia ceramics.–Shusheng Jiang, Walter A. Schulze, Vasantha R. W. Amarakoon, and Gregory C. Stangle; **12** (9), 2374–2380.

Jiang, Yueshan–Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers.–Dongxia Shi, Ning Liu, Haiqiang Yang, Juning Gao, Yueshan Jiang, Shijin Pang, Xubiao Wu, and Zhen Ji; **12** (10), 2543–2547.

Jin, Zhonghe–On the formation of solid state crystallized intrinsic polycrystalline germanium thin films.–Zhiguo Meng, Zhonghe Jin, Bhat A. Gururaj, Paul Chu, Hoi S. Kwok, and Man Wong; **12** (10), 2548–2551.

Jisrawi, N. M.–*In situ* measurements of texture and phase development in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes.–T. R. Thurston, P. Haldar, Y-L. Wang, M. Suenaga, N. M. Jisrawi, and U. Wildgruber; **12** (4), 891–905.

Jisrawi, Najeh M.–*In situ* x-ray investigation of hydrogen charging in thin film bimetallic electrodes.–Najeh M. Jisrawi, Harold Wiesmann, M. W. Ruckman, T. R. Thurston, G. Reisfeld, B. M. Ocko, and Myron Strongin; **12** (8), 2091–2098.

John, Asha M.–$REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors.–R. Jose, Asha M. John, J. Kurian, P. K. Sajith, and J. Koshy; **12** (11), 2976–2980.

Johnson, D. Lynn–Computer simulations of interactions between ultrafine alumina particles produced by an arc discharge.–M. H. Teng, L. D. Marks, and D. L. Johnson; **12** (1), 235–243.

–Model of chemical vapor infiltration using temperature gradients.–Daniel J. Skamser, Hamlin M. Jennings, and D. Lynn Johnson; **12** (3), 724–737.

–Magnetic properties of graphitically encapsulated nickel nanocrystals.–J-H. Hwang, Vinayak P. Dravid, M. H. Teng, Jonathon J. Host, B. R. Elliott, D. L. Johnson, and Thomas O. Mason; **12** (4), 1076–1082.

–Graphite encapsulated nanocrystals produced using a low carbon : metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

Johnson, K. H.–Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$.–K. C. Mishra, I. Osterloh, H. Anton, B. Hannebauer, P. C. Schmidt, and K. H. Johnson; **12** (8), 2183–2190.

Johnsson, M.–Carbothermal synthesis of TaC whiskers via a vapor-liquid-solid growth mechanism.–M. Johnsson and M. Nygren; **12** (9), 2419–2427.

Jones, B. D.–Vapor-deposited $CaWO_4$ phosphor.–P. F. Carcia, M. Reilly, C. C. Torardi, M. K. Crawford, C. R. Miao, and B. D. Jones; **12** (5), 1385–1390.

Jose, R.–$REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors.–R. Jose, Asha M. John, J. Kurian, P. K. Sajith, and J. Koshy; **12** (11), 2976–2980.

Jung, Hyung-Jin–Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation.–Jun-Sik Cho, Won-Kook Choi, Ki Hyun Yoon, Hyung-Jin Jung, and Seok-Keun Koh; **12** (1), 277–282.

Jung, J. Y.–Influence of elemental B addition on the heat-treated cast structures of Ti–47Al–2Cr–(2–4)Nb alloys.–J. Y. Jung and J. K. Park; **12** (3), 665–680.

K

Kachelmyer, C. R.–A time-resolved x-ray diffraction study of Ti_5Si_3 product formation during combustion synthesis.–C. R. Kachelmyer, I. O. Khomenko, A. S. Rogachev, and A. Varma; **12** (12), 3230–3240.

Kahn, H.–The fracture toughness of polysilicon microdevices: A first report.–R. Ballarini, R. L. Mullen, Y. Yin, H. Kahn, S. Stemmer, and A. H. Heuer; **12** (4), 915–922.

Kaiser, Debra L.–Effect of filament architecture on magnetic flux distributions in multifilamentary $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$/Ag composites.–Debra L. Kaiser, Marina Turchinskaya, Gilbert N. Riley, Jr., and Craig Christopherson; **12** (11), 3074–3084.

Kajuch, J.–Influence of powder characteristics on the properties of green compacts of Bi-2212 powders.–D.-W. Yuan, M. D. Aesoph, and J. Kajuch; **12** (1), 21–27.

Kakihana, Masato–Crystallization of hafnia and zirconia during the pyrolysis of acetate gels.–Masatomo Yashima, Taka-aki Kato, Masato Kakihana, Mehmet Ali Gulgun, Yohtaro Matsuo, and Masahiro Yoshimura; **12** (10), 2575–2583.

Kalinichev, A. G.–Elastic properties of tetragonal $PbTiO_3$ single crystals by Brillouin scattering.–A. G. Kalinichev, J. D. Bass, B. N. Sun, and D. A. Payne; **12** (10), 2623–2627.

Kamata, Kiichiro–High strength, electrically conductive pore-free TiO_2 ceramics made by hot isostatic pressing.–Yukio Kishi, Katsuhiko Ogura, Kiichiro Kamata, Hidetoshi Saitoh, and Keizo Uematsu; **12** (4), 1056–1061.

Kambara, M.–Fabrication of NdBCO single crystal oxide superconductor with enhanced superconductive properties.–M. Kambara, X. Yao, M. Nakamura, Y. Shiohara, and T. Umeda; **12** (11), 2866–2872.

–Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors.–M. Kambara, Y. Watanabe, K. Miyake, A. Endo, K. Murata, Y. Shiohara, and T. Umeda; **12** (11), 2873–2879.

Kamegashira, Naoki–Decomposition behavior of $Ln_2Mn_{4/3}W_{2/3}O_7$ (Ln = Eu and Er) in reducing atmosphere and their thermodynamic properties.–Taroh Atsumi and Naoki Kamegashira; **12** (10), 2651–2656.

Kamiya, Kanichi–Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method.–Masayuki Hayashi, Takafumi Iwano, Hiroyuki Nasu, Naoki Sugimoto, Kanichi Kamiya, and Kazuyuki Hirao; **12** (10), 2552–2558.

Kang, Hee-Soo–Characteristics of TiN film deposited on stellite using reactive magnetron sputter ion plating.–Min-Ku Lee, Hee-Soo Kang, Whung-Whoe Kim, Joung-Soo Kim, and Won-Jong Lee; **12** (9), 2393–2400.

Kang, Seunggu–Optically transparent polymethyl methacrylate composites made with glass fibers of varying refractive index.–Seunggu Kang, Hongy Lin, Delbert E. Day, and James O. Stoffer; **12** (4), 1091–1101.

Kannewurf, Carl R.–Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

Kaplan, Ray–Vacancy structures on the GaN(0001) surface.–William E. Packard, John D. Dow, Kathleen Doverspike, Ray Kaplan, and Ruth Nicolaides; **12** (3), 646–650.

Kapoor, Rajat–Measurement of solid state diffusion coefficients by a temperature-programmed method.–Rajat Kapoor and S. T. Oyama; **12** (2), 467–473.

–Linear free energy relationships in solid state diffusion processes.–Rajat Kapoor and S. T. Oyama; **12** (2), 474–479.

Karpur, P.–Role of matrix microstructure in the ultrasonic characterization of fiber-reinforced metal matrix composites.–S. Krishnamurthy, T. E. Matikas, and P. Karpur; **12** (3), 754–763.

Kasap, S. O.–Glass transformation, heat capacity, and structure of Ge_xSe_{100-x} glasses studied by temperature-modulated differential scanning calorimetry experiments.–T. Wagner, S. O. Kasap, and Kouji Maeda; **12** (7), 1892–1899.

Kasuga, Tomoko–Preparation of TiO_2-based powders with high photocatalytic activities.–Tomoko Kasuga, Masayoshi Hiramatsu, Masayoshi Hirano, Akihiko Hoson, and Kyoko Oyamada; **12** (3), 607–609(L).

Kasuga, Toshihiro–Bi–Sr–Ca–Cu–O superconducting thin plates prepared by glass-ceramic processing: Dependence of T_c on the thickness.–Toshihiro Kasuga, Koichi Nakamura, Tetsuji Hattori, and Yoshihiro Abe; **12** (2), 332–337.

Kaszuwara, W.–Effect of Nd content on the magnetic properties and crystallographic alignment of Fe–Nd–B–Al sintered magnets.–W. Kaszuwara, M. Leonowicz, and H. A. Davies; **12** (10), 2715–2718.

Kataby, G.–Synthesis of pure amorphous Fe_2O_3.–X. Cao, R. Prozorov, Yu. Koltypin, G. Kataby, I. Felner, and A. Gedanken; **12** (2), 402–406.

Kataoka, Haruki–Influence of Ar impurities on optical refractive index of sputter deposited a–Si films.–Hiroki Takahashi, Haruki Kataoka, and Hirotoshi Nagata; **12** (7), 1722–1726.

Kato, Taka-aki–Crystallization of hafnia and zirconia during the pyrolysis of acetate gels.–Masatomo Yashima, Taka-aki Kato, Masato Kakihana, Mehmet Ali Gulgun, Yohtaro Matsuo, and Masahiro Yoshimura; **12** (10), 2575–2583.

Katti, Kalpana S.–Determination of local high-frequency dielectric function during the cubic-to-tetragonal phase transformation in barium titanate.–Kalpana S. Katti, Maoxu Qian, Mehmet Sarikaya, and Masuru Miyayama; **12** (6), 1582–1588.

Kawazoe, Y.–Domain pattern formation in ferroelastic $Pb_3(PO_4)_2$ by computer simulation.–K. Parlinski and Y. Kawazoe; **12** (9), 2366–2373.

–Computer simulation of ferroelastic phase transition in $LaNbO_4$.–K. Parlinski, Y. Hashi, S. Tsunekawa, and Y. Kawazoe; **12** (9), 2428–2437.

Kelly, Michael A.–Insights into the ion-assisted nucleation of diamond on silicon.–Sean P. McGinnis, Michael A. Kelly, and Stig B. Hagström; **12** (12), 3354–3366.

Kelso, J. F.–Effect of Mo microstructure on the critical volume fraction for conduction in Mo-alumina cermets.–J. F. Kelso, R. R. Higgins, and F. J. Krivda; **12** (3), 738–744.

Kelton, K. F.–Finite size corrections for the Johnson–Mehl–Avrami–Kolmogorov equation.–L. E. Levine, K. Lakshmi Narayan, and K. F. Kelton; **12** (1), 124–132.

–High temperature x-ray and calorimetric studies of phase transformations in quasicrystalline Ti–Zr–Ni alloys.–R. M. Stroud, K. F. Kelton, and S. T. Misture; **12** (2), 434–438.

Keysar, S.–Particle aggregation in alumina aerogels.–S. Keysar, Y. De Hazan, Y. Cohen, T. Aboud, and G. S. Grader; **12** (2), 430–433.

Khalfi, Ali–Factors controlling carbon retention in $YBa_2Cu_3O_{7-\delta}$.–Evelyne Cazy, Ali Khalfi, David S. Smith, and Jean Pierre Bonnet; **12** (6), 1451–1455.

Khomenko, I. O.–A time-resolved x-ray diffraction study of Ti_5Si_3 product formation during combustion synthesis.–C. R. Kachelmyer, I. O. Khomenko, A. S. Rogachev, and A. Varma; **12** (12), 3230–3240.

Kibbey, Lowinn–Electrically controlled flame synthesis of nanophase TiO_2, SiO_2, and SnO_2 powders.–Srinivas Vemury, Sotiris E. Pratsinis, and Lowinn Kibbey; **12** (4), 1031–1042.

Kikuchi, M.–Growth of high-quality $Bi_2Sr_2CaCu_2O_z$ crystal and characterization.–H. Faqir, G. Vacquier, H. Chiba, M. Kikuchi, Y. Muraoka, and Y. Syono; **12** (10), 2522–2525.

Kim, Chang-Eun–Preparation of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films on Pt/RuO_2 double electrode by a new sol-gel route.–Seung-Hyun Kim, Yong-Soo Choi, Chang-Eun Kim, and Young-Jei Oh; **12** (6), 1576–1581.

Kim, Chang Jung–A study on the microstructure of preferred orientation of lead zirconate titanate (PZT) thin films.–Chang Jung Kim, Dae Sung Yoon, Joon Sung Lee, Chaun Gi Choi, and Kwangsoo No; **12** (4), 1043–1047.

Kim, Dae-Hun–Joining of AlN to Cu using In-base active brazing fillers.–Dae Huh and Dae-Hun Kim; **12** (4), 1048–1055.

Kim, Dong-Won–Interdiffusions and reactions in Cu/TiN/Ti/Si and Cu/TiN/Ti/SiO_2/Si multilayer structures.–Sa-Kyun Rha, Won-Jun Lee, Seung-Yun Lee, Dong-Won Kim, Chong-Ook Park, and Soung-Soon Chun; **12** (12), 3367–3372.

Kim, H. K.–The crossover of preferred orientation in TiN film growth: A real time x-ray scattering study.–J. H. Je, D. Y. Noh, H. K. Kim, and K. S. Liang; **12** (1), 9–12(L).

Kim, Ho-Gi–Electrical and structural properties of $SrTiO_3$ thin films deposited by plasma-enhanced metalorganic chemical vapor deposition.–Nam-Kyeong Kim, Soon-Gil Yoon, Won-Jae Lee, and Ho-Gi Kim; **12** (4), 1160–1164.

Kim, Hwan–Coexistence of 1 : 2 and 1 : 1 long-range ordering types in La-modified $Ba(Mg_{0.33}Ta_{0.67})O_3$ ceramics.–Hyuk-Joon Youn, Kug-Sun Hong, and Hwan Kim; **12** (3), 589–592(L).

Kim, Il-Ho–An analysis for geometrical effects on the cooling performance of $(Bi, Sb)_2Te_3/Bi_2(Te, Se)_3$-based thin film thermoelectric modules.–Il-Ho Kim and Dong-Hi Lee; **12** (2), 423–429.

Kim, In-Tae–Ordering and microwave dielectric properties of $Ba(Ni_{1/3}Nb_{2/3})O_3$ ceramics.–In-Tae Kim, Yoon-Ho Kim, and Su Jin Chung; **12** (2), 518–525.

–Crystal structure and microwave dielectric properties of $M(Nb_xTa_{1-x})_2O_6$ solid solution (M = Mg or Zn).–Hyo-Jong Lee, Kug-Sun Hong, and In-Tae Kim; **12** (6), 1437–1440(L).

–A new microwave dielectric ceramics based on the solid solution system between $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$.–Seo-Yong Cho, Hyuk-Joon Youn, Kug-Sun Hong, In-Tae Kim, and Yoon-Ho Kim; **12** (6), 1558–1562.

Kim, Joung-Soo–Characteristics of TiN film deposited on stellite using reactive magnetron sputter ion plating.–Min-Ku Lee, Hee-Soo Kang, Whung-Whoe Kim, Joung-Soo Kim, and Won-Jong Lee; **12** (9), 2393–2400.

Kim, M. J.–Microstructure, electrical properties, and thermal stability of Au-based ohmic contacts to *p*-GaN.–L. L. Smith, R. F. Davis, M. J. Kim, R. W. Carpenter, and Y. Huang; **12** (9), 2249–2254.

Kim, Nam-Kyeong–Electrical and structural properties of $SrTiO_3$ thin films deposited by plasma-enhanced metalorganic chemical vapor deposition.–Nam-Kyeong Kim, Soon-Gil Yoon, Won-Jae Lee, and Ho-Gi Kim; **12** (4), 1160–1164.

Kim, S.–Preparation of epitaxial $BaTiO_3$ thin films by the dipping-pyrolysis process.–S. Kim, T. Manabe, I. Yamaguchi, T. Kumagai, and S. Mizuta; **12** (4), 1141–1144.

Kim, Sangsub–Preparation and characterization of $BaTiO_3$ thin films on MgO-buffered Si(100) substrates by RF sputtering.–Sangsub Kim and Shunichi Hishita; **12** (4), 1152–1159.

Kim, Seung-Hyun–Preparation of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films on Pt/RuO_2 double electrode by a new sol-gel route.–Seung-Hyun Kim, Yong-Soo Choi, Chang-Eun Kim, and Young-Jei Oh; **12** (6), 1576–1581.

Kim, Su-Chan–$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part I. Pair-correlation theory of order-disorder phase transition.–Hyun M. Jang and Su-Chan Kim; **12** (8), 2117–2126.

–$Pb(B'_{1/2}B''_{1/2})O_3$-type perovskites: Part II. Short-range order parameter as a criterion of the distinction between relaxor and normal ferroelectrics.–Su-Chan Kim and Hyun M. Jang; **12** (8), 2127–2133.

Kim, Sung-Uk–Effect of heat treatment on formation of sol-gel $(Pb, La)TiO_3$ films for optical application.–Junmo Koo, Sung-Uk Kim, Dae Sung Yoon, Kwangsoo No, and Byeong-Soo Bae; **12** (3), 812–818.

Kim, Whung-Whoe–Characteristics of TiN film deposited on stellite using reactive magnetron sputter ion plating.–Min-Ku Lee, Hee-Soo Kang, Whung-Whoe Kim, Joung-Soo Kim, and Won-Jong Lee; **12** (9), 2393–2400.

Kim, Woo-Jin–Superplastic behavior of a kappa carbide material (Fe_3AlC_x).–Woo-Jin Kim, Oscar A. Ruano, Jeffrey Wolfenstine, Georg Frommeyer, and Oleg D. Sherby; **12** (9), 2317–2324.

Kim, Yoon-Ho–Ordering and microwave dielectric properties of $Ba(Ni_{1/3}Nb_{2/3})O_3$ ceramics.–In-Tae Kim, Yoon-Ho Kim, and Su Jin Chung; **12** (2), 518–525.

–A new microwave dielectric ceramics based on the solid solution system between $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})C_3$.–Seo-Yong Cho, Hyuk-Joon Youn, Kug-Sun Hong, In-Tae Kim, and Yoon-Ho Kim; **12** (6), 1558–1562.

Kimock, F. M.–Friction and wear performance of diamond-like carbon, boron carbide, and titanium carbide coatings against glass.–B. K. Daniels, D. W. Brown, and F. M. Kimock; **12** (9), 2485–2492.

Kimura, M.–Short-range ordering of Cu_3Au above T_c in the topmost 80 A of a (001) face.–M. Kimura, J. B. Cohen, S. Chandavarkar, and K. Liang; **12** (1), 75–82.

Kimura, T.–Excess Li ions in a small graphite cluster.–M. Nakadaira, R. Saito, T. Kimura, G. Dresselhaus, and M. S. Dresselhaus; **12** (5), 1367–1375.

Kinany-Alaoui, M.–Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature.–L. Filipozzi, L. Piraux, A. Marchand, A. Derré, A. Adouard, and M. Kinany-Alaoui; **12** (7), 1711–1721.

Kinney, J. H.–Evidence of critical scaling behavior during vapor phase synthesis of continuous filament composites.–J. H. Kinney and D. L. Haupt; **12** (3), 610–612(L).

Kinser, D.L.–Ag:Sb and Sb:Ag implantations into high purity silica.–T.S. Anderson, R.H. Magruder, III, D.L. Kinser, J.E. Wittig, R.A. Zuhr, and D.K. Thomas; **12** (12), 3316–3321.

Kirk, M.A.–Structure of grain boundaries: Correlation to supercurrent transport in textured $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ bulk material.–Y. Yan, M.A. Kirk, and J.E. Evetts; **12** (11), 3009–3028.

Kirschner, I.–Vortex dynamics during N-S and S-N transitions of Y–Ba–Cu–O superconductors under the effect of temperature gradient and thermal cycling.–I. Kirschner, A.C. Bódi, R. Laiho, and L. Lähderanta; **12** (11), 3090–3098.

Kishi, Yukio–High strength, electrically conductive pore-free TiO_2 ceramics made by hot isostatic pressing.–Yukio Kishi, Katsuhiko Ogura, Kiichiro Kamata, Hidetoshi Saitoh, and Keizo Uematsu; **12** (4), 1056–1061.

Klabunde, C.E.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D.P. Norton, D.M. Kroeger, D.K. Christen, M. Paranthaman, E.D. Specht, J.D. Budai, Q. He, B. Saffian, F.A. List, D.F. Lee, E. Hatfield, C.E. Klabunde, P.M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Kling, A.–Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy.–A. Rodríguez, T. Rodríguez, A. Sanz-Hervás, A. Kling, J.C. Soares, M.F. da Silva, C. Ballesteros, and R.M. Gwilliam; **12** (7), 1698–1705.

Klissurska, Radosveta D.–Influence of texture on the switching behavior of $Pb(Zr_{0.70}Ti_{0.30})O_3$ sol-gel derived thin films.–Keith G. Brooks, Radosveta D. Klissurska, Pedro Moeckli, and N. Setter; **12** (2), 531–540.

Kniaz, K.–Anharmonicity in metals from the universal energy equation.–L.A. Girifalco and K. Kniaz; **12** (2), 311–313(L).

Knizhnik, A.–The thermopower of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ in a comparative study of effects of Ba-site doping versus chain-Cu-site doping.–B. Fisher, J. Genossar, L. Patlagan, G.M. Reisner, and A. Knizhnik; **12** (11), 2907–2912.

Kodas, Toivo T.–Gas-phase coating of TiO_2 with SiO_2 in a continuous flow hot-wall aerosol reactor.–Quint H. Powell, George P. Fotou, Toivo T. Kodas, Bruce M. Anderson, and Yongxiang Guo; **12** (2), 552–559.

Kodre, A.–Extended x-ray absorption fine structure study of incorporation of Bi and Pb atoms into the crystal structure of $Ba_{4.5}Nd_9Ti_{18}O_{54}$.–M. Valant, I. Arčon, D. Suvorov, A. Kodre, T. Negas, and R. Frahm; **12** (3), 799–804.

Kodre, Alojz–A structural study of amorphous alkoxide-derived lead titanium complexes.–Barbara Malič, Iztok Arčon, Marija Kosec, and Alojz Kodre; **12** (10), 2602–2611.

Koh, Seok-Keun–Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation.–Jun-Sik Cho, Won-Kook Choi, Ki Hyun Yoon, Hyung-Jin Jung, and Seok-Keun Koh; **12** (1), 277–282.

Kohara, Naoki–Growth of $CuInSe_2$ crystals in Cu-rich Cu–In–Se thin films.–Takahiro Wada, Naoki Kohara, Takayuki Negami, and Mikihiko Nishitani; **12** (6), 1456–1462.

Kohno, O.–Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition.–Y. Iijima, M. Hosaka, N. Tanabe, N. Sadakata, T. Saitoh, O. Kohno, and K. Takeda; **12** (11), 2913–2923.

Koinkar, Vilas N.–Scanning and transmission electron microscopies of single-crystal silicon microworn/machined using atomic force microscopy.–Vilas N. Koinkar and Bharat Bhushan; **12** (12), 3219–3224.

Kojima, K.–Growth and structures of C_{60} shells.–H. Sakuma, M. Tachibana, H. Sugiura, K. Kojima, S. Ito, T. Sekiguchi, and Y. Achiba; **12** (6), 1545–1550.

Kolenbrander, K.D.–Influence of nanostructure size on the luminescence behavior of silicon nanoparticle thin films.–A.A. Seraphin, E. Werwa, and K.D. Kolenbrander; **12** (12), 3386–3392.

Koltypin, Yu.–Synthesis of pure amorphous Fe_2O_3.–X. Cao, R. Prozorov, Yu. Koltypin, G. Kataby, I. Felner, and A. Gedanken; **12** (2), 402–406.

Koltypin, Yuri–Ultrasound driven aggregation and surface silanol modification in amorphous silica microspheres.–Sivarajan Ramesh, Yuri Koltypin, and Aharon Gedanken; **12** (12), 3271–3277.

Komatsu, Shojiro–Photochemical depassivation of hydrogenated (100) nitrogen surface of cubic boron nitride.–Shojiro Komatsu; **12** (7), 1675–1677(L).

Kondo, W.–Preparation of epitaxial $La_{1-x}Sr_xMnO_3$ films on $SrTiO_3(001)$ by dipping-pyrolysis process.–T. Manabe, I. Yamaguchi, W. Kondo, S. Mizuta, and T. Kumagai; **12** (2), 541–545.

Koo, Junmo–Effect of heat treatment on formation of sol-gel $(Pb,La)TiO_3$ films for optical application.–Junmo Koo, Sung-Uk Kim, Dae Sung Yoon, Kwangsoo No, and Byeong-Soo Bae; **12** (3), 812–818.

Koprinarova, J.–Rapid thermal recrystallization of amorphous silicon films.–G.D. Beshkov, D.B. Dimitrov, V. Lazarova, J. Koprinarova, K. Gesheva, and E. Vlaev; **12** (10), 2511–2514(L).

Korenyi-Both, Andras–The influence of binders on interfacial failure in sapphire fiber-reinforced NiAl composites.–Jeffrey I. Eldridge, Donald R. Wheeler, Randy R. Bowman, and Andras Korenyi-Both; **12** (8), 2191–2197.

Korotushenko, K.G.–Structural studies of diamond thin films grown from dc arc plasma.–L.C. Nistor, J. Van Landuyt, V.G. Ralchenko, A.A. Smolin, K.G. Korotushenko, and E.D. Obraztsova; **12** (10), 2533–2542.

Kosec, Marija–A structural study of amorphous alkoxide-derived lead titanium complexes.–Barbara Malič, Iztok Arčon, Marija Kosec, and Alojz Kodre; **12** (10), 2602–2611.

Koshy, J.–$REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors.–R. Jose, Asha M. John, J. Kurian, P.K. Sajith, and J. Koshy; **12** (11), 2976–2980.

Kovalík, Stefan–Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels.–Ján Majling, Peter Znáik, Angela Palová, Stefan Svetík, Stefan Kovalík, Dinesh K. Agrawal, and Rustum Roy; **12** (1), 198–202.

Kowalska, E.–Investigation of growth conditions of fibrous deposits in carbon arc.–P. Byszewski, K. Ukalski, E. Mizera, and E. Kowalska; **12** (6), 1551–1557.

Kraft, O.–Quantitative analysis of electromigration damage in Al-based conductor lines.–O. Kraft, J.E. Sanchez, Jr., M. Bauer, and E. Arzt; **12** (8), 2027–2037.

Krajewski, J.J.–Dielectric properties of barium titanium niobates.–G.L. Roberts, R.J. Cava, W.F. Peck, Jr., and J.J. Krajewski; **12** (2), 526–530.

Kramer, M.J.–Deformation-induced planar defects in Al–Cu–Fe quasicrystals.–J.E. Shield and M.J. Kramer; **12** (2), 300–303(L).

–Deformation characteristics of quasicrystalline Al–Cu–Fe alloys.–J.E. Shield and M.J. Kramer; **12** (8), 2043–2047.

Krautter, H.W.–Materials reliability issues with coaxial cable systems for the information superhighway.–R.B. Comizzoli, G.R. Crane, M.E. Fiorino, R.P. Frankenthal, H.W. Krautter, G.A. Peins, D.J. Siconolfi, and J.D. Sinclair; **12** (3), 857–865(R).

Krelaus, J.–Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO.–M. Reder, J. Krelaus, D. Müller, K. Heinemann, and H.C. Freyhardt; **12** (4), 906–914.

Kriese, Michael–Investigation of a new fracture mechanics specimen for thin film adhesion measurement.–Maarten P. de Boer, Michael Kriese, and William W. Gerberich; **12** (10), 2673–2685.

Krishnamurthy, S.–Analysis of SCS-6 silicon carbide fibers by Fourier transform infrared spectroscopy.–S. Krishnamurthy; **12** (2), 329–331(L).

–Role of matrix microstructure in the ultrasonic characterization of fiber-reinforced metal matrix composites.–S. Krishnamurthy, T. E. Matikas, and P. Karpur; **12** (3), 754–763.

Krishnarao, R. V.–*In situ* formation of $MoSi_2$–SiC through reaction of SiO_2 or Si_3N_4 with Mo and carbon.–R. V. Krishnarao, V. V. Ramarao, and Y. R. Mahajan; **12** (12), 3322–3327.

Krivda, F. J.–Effect of Mo microstructure on the critical volume fraction for conduction in Mo-alumina cermets.–J. F. Kelso, R. R. Higgins, and F. J. Krivda; **12** (3), 738–744.

Kriven, Waltraud M.–On the role of deformation twinning in domain reorganization and grain reorientation in ferroelastic crystals.–Peter Müllner and Waltraud M. Kriven; **12** (7), 1771–1776.

–Bonding behavior of Cu/CuO thick film on a low-firing ceramic substrate.–Sang-Jin Lee, Waltraud M. Kriven, Jeong-Hyun Park, and Young-Soo Yoon; **12** (9), 2411–2418.

Kroeger, D. M.–Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique.–M. Paranthaman, F. A. List, A. Goyal, E. D. Specht, C. E. Vallet, D. M. Kroeger, and D. K. Christen; **12** (3), 619–623.

–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Kugimiya, Koichi–Introduction.–Julia M. Phillips, Koichi Kugimiya, Shoji Tanaka, and Yuh Shiohara; **12** (11), 2823–2824.

Kui, H. W.–Metastable liquid phase separation in undercooled molten $Pd_{40.5}Ni_{40.5}P_{19}$.–C. W. Yuen, K. L. Lee, and H. W. Kui; **12** (2), 314–317(L).

–Grain refinement mechanism in undercooled $Cu_{30}Ni_{70}$.–J. Z. Xiao, K. K. Leung, and H. W. Kui; **12** (4), 873–876(L).

Kulkarni, Ashok V.–Nanoindentation measurements of amorphous carbon coatings.–Ashok V. Kulkarni and Bharat Bhushan; **12** (10), 2707–2714.

Kumagai, Hiroshi–Pulsed laser deposition of carbon nitride thin films in nitrogen gas ambient.–Masayuki Okoshi, Hiroshi Kumagai, and Koichi Toyoda; **12** (12), 3376–3379.

Kumagai, T.–Preparation of epitaxial $La_{1-x}Sr_xMnO_3$ films on $SrTiO_3$(001) by dipping-pyrolysis process.–T. Manabe, I. Yamaguchi, W. Kondo, S. Mizuta, and T. Kumagai; **12** (2), 541–545.

–Preparation of epitaxial $BaTiO_3$ thin films by the dipping-pyrolysis process.–S. Kim, T. Manabe, I. Yamaguchi, T. Kumagai, and S. Mizuta; **12** (4), 1141–1144.

Kume, Shoichi–Very high pressure sintering of cBN fine particles coated with TiN–TiB_2 layer formed by disproportionation reaction in molten salts.–Haruo Yoshida and Shoichi Kume; **12** (3), 585–588(L).

Kung, H.–Observations of dislocations in Cu/Nb nanolayer composites after deformation.–Y-C. Lu, H. Kung, A. J. Griffin, Jr., M. A. Nastasi, and T. E. Mitchell; **12** (8), 1939–1941(L).

Kurian, J.–$REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors.–R. Jose, Asha M. John, J. Kurian, P. K. Sajith, and J. Koshy; **12** (11), 2976–2980.

Kuznetsov, V. A.–Electroluminescence from amorphous-silicon-based switching devices.–V. A. Kuznetsov and D. Haneman; **12** (1), 17–20(L).

Kwok, Hoi S.–On the formation of solid state crystallized intrinsic polycrystalline germanium thin films.–Zhiguo Meng, Zhonghe Jin, Bhat A. Gururaj, Paul Chu, Hoi S. Kwok, and Man Wong; **12** (10), 2548–2551.

Kyprianidou-Leodidou, Tasoula–High refractive index materials of iron sulfides and poly(ethylene oxide).–Tasoula Kyprianidou-Leodidou, Hans-Jörg Althaus, Yves Wyser, Daniel Vetter, Michele Büchler, Walter Caseri, and Ulrich W. Suter; **12** (8), 2198–2206.

L

Labeau, M.–Synthesis, structure, and gas sensitivity properties of SnO_2–CuO mixture phase obtained by pyrolysis of an aerosol.–J. Román, J. C. Fabian, M. Labeau, G. Delabouglise, and M. Vallet-Regí; **12** (2), 560–565.

Lacabanne, C.–Compensation phenomena in oil-resin mixtures: A new dielectric approach to percolative processes.–O. Pagés, A. Lamure, C. Lacabanne, M. Odlyha, and D. Craig; **12** (10), 2784–2793.

LaGraff, J. R.–Local cross-sectional profiling of multilayer thin films with an atomic force microscope for layer thickness determination.–J. R. LaGraff and J. M. Murduck; **12** (8), 1935–1938(L).

Lähderanta, L.–Vortex dynamics during N-S and S-N transitions of Y–Ba–Cu–O superconductors under the effect of temperature gradient and thermal cycling.–I. Kirschner, A. C. Bódi, R. Laiho, and L. Lähderanta; **12** (11), 3090–3098.

Lahiri, K.–Surface nucleation, domain growth mechanisms, and factors dominating superconducting properties in seeded melt grown $YBa_2Cu_3O_x$.–Donglu Shi, K. Lahiri, D. Qu, S. Sagar, V. F. Solovjov, and V. M. Pan; **12** (11), 3036–3045.

Laiho, R.–Vortex dynamics during N-S and S-N transitions of Y–Ba–Cu–O superconductors under the effect of temperature gradient and thermal cycling.–I. Kirschner, A. C. Bódi, R. Laiho, and L. Lähderanta; **12** (11), 3090–3098.

Lakeman, C. D. E.–Effect of lattice mismatch on the epitaxy of sol-gel $LiNbO_3$ thin films.–T. A. Derouin, C. D. E. Lakeman, X. H. Wu, J. S. Speck, and F. F. Lange; **12** (5), 1391–1400.

Lam, Y. W.–Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation.–C. K. H. Wong, Y. C. Chan, J. Pfleger, Y. W. Lam, K. M. Leung, and D. S. Chiu; **12** (1), 106–112.

Lamure, A.–Compensation phenomena in oil-resin mixtures: A new dielectric approach to percolative processes.–O. Pagés, A. Lamure, C. Lacabanne, M. Odlyha, and D. Craig; **12** (10), 2784–2793.

Lanagan, M.–Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2.–W. Wong-Ng, L. P. Cook, F. Jiang, W. Greenwood, U. Balachandran, and M. Lanagan; **12** (11), 2855–2865.

Lange, F. F.–Hydrothermal synthesis of heteroepitaxial $Pb(Zr_xTi_{1-x})O_3$ thin films at 90–150 °C.–A. T. Chien, J. S. Speck, and F. F. Lange; **12** (5), 1176–1178(L).

–Effect of lattice mismatch on the epitaxy of sol-gel $LiNbO_3$ thin films.–T. A. Derouin, C. D. E. Lakeman, X. H. Wu, J. S. Speck, and F. F. Lange; **12** (5), 1391–1400.

–Epitaxial growth of β–SiC thin films on a 6H–SiC substrate using the chemical solution deposition method.–D. Heimann, T. Wagner, J. Bill, F. Aldinger, and F. F. Lange; **12** (11), 3099–3101(L).

Lange, M. D.–Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses.–F. Malengreau, M. Vermeersch, S. Hagège, R. Sporken, M. D. Lange, and R. Caudano; **12** (1), 175–188.

Lannutti, John J.–Phase instability in ZrO_2–NiAl functionally graded materials.–Yi-Rong He, Vidya Subramanian, and John J. Lannutti; **12** (10), 2589–2593.

Lanza, M.–Spectroscopic study of Na–TCNQ in a poly(ethylene oxide) matrix (TCNQ = 7,7′,8, and 8′ tetracyanoquinodimethane).–A. Arena, G. Di Marco, M. Lanza, S. Patanè, and G. Saitta; **12** (5), 1405–1409.

Larbalestier, D. C.–Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate.–J. A. Parrell, D. C. Larbalestier, G. N. Riley, Jr., Q. Li, W. L. Carter, R. D. Parrella, and M. Teplitsky; **12** (11), 2997–3008.

Larrea, A.–Superparamagnetic particles in ZSM-5–type ferrisilicates.–A. López, F. J. Lázaro, J. L. García-Palacios, A. Larrea, Q. A. Pankhurst, C. Martínez, and A. Corma; **12** (6), 1519–1529.

Lau, M. L.–Formation kinetics of nanocrystalline Fe–4 wt.% Al solid solution during ball milling.–H. G. Jiang, R. J. Perez, M. L. Lau, and E. J. Lavernia; **12** (6), 1429–1432(L).

Lauerhaas, J. M.–The effect of arc parameters on the growth of carbon nanotubes.–J. M. Lauerhaas, J. Y. Dai, A. A. Setlur, and R. P. H. Chang; **12** (6), 1536–1544.

Laurent, Ch.–Carbon nanotubes grown *in situ* by a novel catalytic method.–A. Peigney, Ch. Laurent, F. Dobigeon, and A. Rousset; **12** (3), 613–615(L).

Laus, Michele–New hybrid nanocomposites based on an organophilic clay and poly(styrene-*b*-butadiene) copolymers.–Michele Laus, Oriano Francescangeli, and Franco Sandrolini; **12** (11), 3134–3139.

Lavernia, E. J.–Formation kinetics of nanocrystalline Fe–4 wt.% Al solid solution during ball milling.–H. G. Jiang, R. J. Perez, M. L. Lau, and E. J. Lavernia; **12** (6), 1429–1432(L).

Lázaro, F. J.–Superparamagnetic particles in ZSM-5–type ferrisilicates.–A. López, F. J. Lázaro, J. L. García-Palacios, A. Larrea, Q. A. Pankhurst, C. Martínez, and A. Corma; **12** (6), 1519–1529.

Lazarova, V.–Rapid thermal recrystallization of amorphous silicon films.–G. D. Beshkov, D. B. Dimitrov, V. Lazarova, J. Koprinarova, K. Gesheva, and E. Vlaev; **12** (10), 2511–2514(L).

Lee, B. W.–Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition.–B. W. Lee, L. P. Cook, P. K. Schenck, W. Wong-Ng, C. K. Chiang, P. S. Brody, and K. W. Bennett; **12** (2), 509–517.

Lee, D. F.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Lee, Deok-Hyung–Hardness and modulus properties in ion-beam-modified amorphous carbon: Temperature and dose rate dependences.–Deok-Hyung Lee, Hyukjae Lee, and Byungwoo Park; **12** (8), 2057–2063.

Lee, Dong-Hi–An analysis for geometrical effects on the cooling performance of $(Bi,Sb)_2Te_3/Bi_2(Te,Se)_3$-based thin film thermoelectric modules.–Il-Ho Kim and Dong-Hi Lee; **12** (2), 423–429.

Lee, Hsin-Yi–Structural characterization of sputter-deposited $LaNiO_3$ thin films on Si substrate by x-ray reflectivity and diffraction.–Hsin-Yi Lee and Tai-Bor Wu; **12** (11), 3165–3173.

Lee, Hyo-Jong–Crystal structure and microwave dielectric properties of $M(Nb_xTa_{1-x})_2O_6$ solid solution (M = Mg or Zn).–Hyo-Jong Lee, Kug-Sun Hong, and In-Tae Kim; **12** (6), 1437–1440(L).

Lee, Hyukjae–Hardness and modulus properties in ion-beam-modified amorphous carbon: Temperature and dose rate dependences.–Deok-Hyung Lee, Hyukjae Lee, and Byungwoo Park; **12** (8), 2057–2063.

Lee, J. J.–Enhanced nucleation density of chemical vapor deposition diamonds by using interlayer.–J. J. Lee, W. S. Yang, and Jung Ho Je; **12** (3), 657–664.

Lee, Joon Sung–A study on the microstructure of preferred orientation of lead zirconate titanate (PZT) thin films.–Chang Jung Kim, Dae Sung Yoon, Joon Sung Lee, Chaun Gi Choi, and Kwangsoo No; **12** (4), 1043–1047.

Lee, K. L.–Metastable liquid phase separation in undercooled molten $Pd_{40.5}Ni_{40.5}P_{19}$.–C. W. Yuen, K. L. Lee, and H. W. Kui; **12** (2), 314–317(L).

Lee, Kyu-Mann–Mechanism of 1:1 nonstoichiometric short-range ordering in La-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics.–Kyu-Mann Lee, Hyun M. Jang, and Woo-Jin Park; **12** (6), 1603–1613.

–Enhanced diffuse phase transition and defect mechanism of Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics.–Kyu-Mann Lee and Hyun M. Jang; **12** (6), 1614–1624.

Lee, Min-Ku–Characteristics of TiN film deposited on stellite using reactive magnetron sputter ion plating.–Min-Ku Lee, Hee-Soo Kang, Whung-Whoe Kim, Joung-Soo Kim, and Won-Jong Lee; **12** (9), 2393–2400.

Lee, Sanboh–An alternative analysis of water vapor and gas transport in polyimide films.–H. Ouyang and Sanboh Lee; **12** (10), 2794–2798.

Lee, Sang-Jin–Bonding behavior of Cu/CuO thick film on a low-firing ceramic substrate.–Sang-Jin Lee, Waltraud M. Kriven, Jeong-Hyun Park, and Young-Soo Yoon; **12** (9), 2411–2418.

Lee, Seung-Yun–Interdiffusions and reactions in Cu/TiN/Ti/Si and $Cu/TiN/Ti/SiO_2/Si$ multilayer structures.–Sa-Kyun Rha, Won-Jun Lee, Seung-Yun Lee, Dong-Won Kim, Chong-Ook Park, and Soung-Soon Chun; **12** (12), 3367–3372.

Lee, Wei-Chang–Combustion synthesis of Si_3N_4 powder.–Wei-Chang Lee and Shyan-Lung Chung; **12** (3), 805–811.

Lee, Wen-Hao–Thermal stresses in carbon-coated optical fibers at low temperature.–Sham-Tsong Shiue and Wen-Hao Lee; **12** (9), 2493–2498.

Lee, Won-Jae–Electrical and structural properties of $SrTiO_3$ thin films deposited by plasma-enhanced metalorganic chemical vapor deposition.–Nam-Kyeong Kim, Soon-Gil Yoon, Won-Jae Lee, and Ho-Gi Kim; **12** (4), 1160–1164.

Lee, Won-Jong–Characteristics of TiN film deposited on stellite using reactive magnetron sputter ion plating.–Min-Ku Lee, Hee-Soo Kang, Whung-Whoe Kim, Joung-Soo Kim, and Won-Jong Lee; **12** (9), 2393–2400.

Lee, Won-Jun–Interdiffusions and reactions in Cu/TiN/Ti/Si and $Cu/TiN/Ti/SiO_2/Si$ multilayer structures.–Sa-Kyun Rha, Won-Jun Lee, Seung-Yun Lee, Dong-Won Kim, Chong-Ook Park, and Soung-Soon Chun; **12** (12), 3367–3372.

Leflem, G.–Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry.–S. Bruynooghe, A. Chabli, F. Bertin, F. Pierre, and G. Leflem; **12** (10), 2779–2783.

Lei, J. F.–Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy.–J. F. Lei, Q. J. Wang, Y. Y. Liu, S. X. Guan, Z. G. Wang, D. Li, and Z. Q. Hu; **12** (10), 2571–2574.

Lelovic, M.–Losses in ac of BSCCO-2223 superconducting monofilament and multifilament tapes at power frequencies.–S. Mench, M. Lelovic, T. Deis, N. G. Eror, U. Balachandran, and P. Haldar; **12** (11), 3085–3089.

LeMaire, Peter K.–Direct current electrical conductivity of Versicon™ blended in poly(vinyl chloride).–Rodney Speel and Peter K. LeMaire; **12** (5), 1183–1186(L).

Leonowicz, M.–Effect of Nd content on the magnetic properties and crystallographic alignment of Fe–Nd–B–Al sintered magnets.–W. Kaszuwara, M. Leonowicz, and H. A. Davies; **12** (10), 2715–2718.

Leung, H-T.–Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applications.–Wai Lo, D. A. Cardwell, C. D. Dewhurst, H-T. Leung, J. C. L. Chow, and Y. H. Shi; **12** (11), 2889–2900.

Leung, K. K.–Grain refinement mechanism in undercooled $Cu_{30}Ni_{70}$.–J. Z. Xiao, K. K. Leung, and H. W. Kui; **12** (4), 873–876(L).

Leung, K. M.–Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation.–C. K. H. Wong, Y. C. Chan, J. Pfleger, Y. W. Lam, K. M. Leung, and D. S. Chiu; **12** (1), 106–112.

Levine, L. E.–Finite size corrections for the Johnson–Mehl–Avrami–Kolmogorov equation.–L. E. Levine, K. Lakshmi Narayan, and K. F. Kelton; **12** (1), 124–132.

Levrangi, P.–Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder.–L. E. Depero, R. Bertoncello, T. Boni, P. Levrangi, I. Natali Sora, E. Tempesti, and F. Parmigiani; **12** (5), 1376–1384.

Li, C. L.–Low-load indentation behavior of HfN thin films deposited by reactive rf sputtering.–R. Nowak, C. L. Li, and S. Maruno; **12** (1), 64–69.

Li, D.–Martensite transition in rapidiy solidified Ti_3Al–2Nb alloy.–R. Xu, Y. Y. Cui, D. M. Xu, D. Li, Q. C. Li, and Z. Q. Hu; **12** (1), 5–8(L).

–Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy.–J. F. Lei, Q. J. Wang, Y. Y. Liu, S. X. Guan, Z. G. Wang, D. Li, and Z. Q. Hu; **12** (10), 2571–2574.

Li, D. X.–Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying.–J. Y. Huang, Y. D. Yu, Y. K. Wu, D. X. Li, and H. Q. Ye; **12** (4), 936–946.

–High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates.–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, and H. Q. Ye; **12** (7), 1790–1795.

–Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)].–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, H. Q. Ye, J. C. Rao, and Y. Zhou; **12** (11), 3182(E).

Li, Heng-De–Structure and properties of carbon nitride films synthesized by low energy ion bombardment.–Xiao-Ming He, Li Shu, Wen-Zhi Li, and Heng-De Li; **12** (6), 1595–1602.

–Simulation of nacre with TiN/Pt multilayers and a study of their hardness.–J. L. He, W. Z. Li, and H. D. Li; **12** (11), 3140–3145.

Li, J. C. M.–Contact area evolution during an indentation process.–Kangjie Li, T. W. Wu, and J. C. M. Li; **12** (8), 2064–2071.

–Impression recovery of PMMA.–Fuqian Yang and J. C. M. Li; **12** (10), 2809–2814.

Li, Kangjie–Contact area evolution during an indentation process.–Kangjie Li, T. W. Wu, and J. C. M. Li; **12** (8), 2064–2071.

Li, Q.–Fractal morphologies from decomposition of Fe–Ni–Invar alloys.–Q. Li, A. Wiedenmann, and H. Wollenberger; **12** (1), 83–92.

–Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate.–J. A. Parrell, D. C. Larbalestier, G. N. Riley, Jr., Q. Li, W. L. Carter, R. D. Parrella, and M. Teplitsky; **12** (11), 2997–3008.

Li, Q. C.–Martensite transition in rapidly solidified Ti_3Al–2Nb alloy.–R. Xu, Y. Y. Cui, D. M. Xu, D. Li, Q. C. Li, and Z. Q. Hu; **12** (1), 5–8(L).

Li, S. D.–Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying.–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (3), 616–618(L).

–Erratum: "Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying" [J. Mater. Res. **12**, 616–618 (1997)].–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (10), 2815(E).

Li, Tingkai–$SrBi_2Ta_2O_9$ thin films made by liquid source metal-organic chemical vapor deposition.–Yongfei Zhu, Seshu B. Desu, Tingkai Li, Sasangan Ramanathan, and Masaya Nagata; **12** (3), 783–792.

–The effect of excess bismuth on the ferroelectric properties of $SrBi_2Ta_2O_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (6), 1569–1575.

–Structure development studies of $SrBi_2(Ta_{1-x}Nb_x)_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (8), 2165–2174.

Li, Tuo–Low temperature synthesis of lead titanate by a hydrothermal method.–Jooho Moon, Tuo Li, Clive A. Randall, and James H. Adair; **12** (1), 189–197.

Li, Wen-Zhi–Structure and properties of carbon nitride films synthesized by low energy ion bombardment.–Xiao-Ming He, Li Shu, Wen-Zhi Li, and Heng-De Li; **12** (6), 1595–1602.

–Simulation of nacre with TiN/Pt multilayers and a study of their hardness.–J. L. He, W. Z. Li, and H. D. Li; **12** (11), 3140–3145.

Li, Xiaodong–Micromechanical and tribological characterization of doped single-crystal silicon and polysilicon films for microelectromechanical systems.–Bharat Bhushan and Xiaodong Li; **12** (1), 54–63.

Li, Y. L.–A novel method for synthesis of carbon nanotubes: Low temperature solid pyrolysis.–Y. L. Li, Y. D. Yu, and Y. Liang; **12** (7), 1678–1680(L).

Li, Yadong–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Li, Yijie–Formation of single-crystal $CoSi_2$ buffer layers on Si(100) substrates by high dose Co ion implantation for the deposition of $YBa_2Cu_3O_{7-x}$ thin films.–Yijie Li, P. Seidel, F. Machalett, S. Linzen, and F. Schmidl; **12** (8), 2072–2080.

Liang, K.–Short-range ordering of Cu_3Au above T_c in the topmost 80 A of a (001) face.–M. Kimura, J. B. Cohen, S. Chandavarkar, and K. Liang; **12** (1), 75–82.

Liang, K. S.–The crossover of preferred orientation in TiN film growth: A real time x-ray scattering study.–J. H. Je, D. Y. Noh, H. K. Kim, and K. S. Liang; **12** (1), 9–12(L).

Liang, Y.–A novel method for synthesis of carbon nanotubes: Low temperature solid pyrolysis.–Y. L. Li, Y. D. Yu, and Y. Liang; **12** (7), 1678–1680(L).

–Structure and surface morphology of highly conductive RuO_2 films grown on MgO by oxygen-plasma-assisted molecular beam epitaxy.–Y. Gao, G. Bai, Y. Liang, G. C. Dunham, and S. A. Chambers; **12** (7), 1844–1849.

Liao, L. S.–A high-resolution electron microscopy study of blue-light emitting β–SiC nanoparticles in C^+-implanted silicon.–Y. H. Gao, Z. Zhang, L. S. Liao, and X. M. Bao; **12** (6), 1640–1645.

Lieber, Charles M.–Nanostructured high-temperature superconductors: Creation of strong-pinning columnar defects in nanorod/superconductor composites.–Peidong Yang and Charles M. Lieber; **12** (11), 2981–2996.

Lim, Siakpiang–A study on magnesium diffusion into $LiNbO_3$ single crystal by x-ray diffraction, differential thermal analysis, and scanning electron microscopy.–Wenxiu Que, Siakpiang Lim, Xi Yao, and A. Q. Liu; **12** (12), 3380–3385.

Lin, Chenglu–Excimer laser deposition of *c*-axis oriented Pb(Zr, Ti)O_3 thin films on silicon substrates with direct-current glow discharge.–Lirong Zheng, Xuhong Hu, Pingxiong Yang, W-ping Xu, and Chenglu Lin; **12** (5), 1179–1182(L).

Lin, Hongy–Optically transparent polymethyl methacrylate composites made with glass fibers of varying refractive index.–Seunggu Kang, Hongy Lin, Delbert E. Day, and James O. Stoffer; **12** (4), 1091–1101.

Lin, M. C.–Composition of SiCN crystals consisting of a predominantly carbon-nitride network.–D. M. Bhusari, C. K. Chen, K. H. Chen, T. J. Chuang, L. C. Chen, and M. C. Lin; **12** (2), 322–325(L).

Lin, Wen-Tai–*In situ* growth of fatigue-free $SrBi_2Ta_2O_9$ films by pulsed laser ablation.–Hung-Ming Yang, Jian-Shing Luo, and Wen-Tai Lin; **12** (4), 1145–1151.

Lind, D. M.–Structural characterization of Fe_3O_4–NiO superlattices using high-resolution transmission electron microscopy.–A. Rečnik, D. L. Carroll, K. A. Shaw, D. M. Lind, and M. Rühle; **12** (8), 2143–2151.

Linke, J.–Material characterization in support of the development of an anode substrate for solid oxide fuel cells.–D. Simwonis, A. Naoumidis, F. J. Dias, J. Linke, and A. Moropoulou; **12** (6), 1508–1518.

Linzen, S.–Formation of single-crystal $CoSi_2$ buffer layers on Si(100) substrates by high dose Co ion implantation for the deposition of $YBa_2Cu_3O_{7-x}$ thin films.–Yijie Li, P. Seidel, F. Machalett, S. Linzen, and F. Schmidl; **12** (8), 2072–2080.

List, F. A.–Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique.–M. Paranthaman, F. A. List, A. Goyal, E. D. Specht, C. E. Vallet, D. M. Kroeger, and D. K. Christen; **12** (3), 619–623.

–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Liu, A. Q.–A study on magnesium diffusion into $LiNbO_3$ single crystal by x-ray diffraction, differential thermal analysis, and scanning electron microscopy.–Wenxiu Que, Siakpiang Lim, Xi Yao, and A. Q. Liu; **12** (12), 3380–3385.

Liu, Haozhe–The syntheses of SiC_p/Al nanocomposites under high pressure.–Haozhe Liu, Aimin Wang, Luhong Wang, Bingzhe Ding, Zhuangqi Hu, and Hongying Peng; **12** (5), 1187–1190(L).

Liu, L.–Correlation between energy transfers and solid state reactions induced by mechanical alloying on the $Mo_{33}Si_{66}$ system.–L. Liu and M. Magini; **12** (9), 2281–2287.

Liu, Min–Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system.–Jagdish Prasad, Oliver M. R. Chyan, Jin-Jian Chen, Min Liu, Ligang Chen, and Fei Xu; **12** (12), 3241–3245.

Liu, Ning–Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers.–Dongxia Shi, Ning Liu, Haiqiang Yang, Juning Gao, Yueshan Jiang, Shijin Pang, Xubiao Wu, and Zhen Ji; **12** (10), 2543–2547.

Liu, W.–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Liu, X. D.–Characterization of mechanical nanocrystallization process of amorphous Fe–Mo–Si–B alloy by transmission Mössbauer spectroscopy.–X. D. Liu, F. Q. Guo, K. Lu, and M. Umemoto; **12** (3), 681–687.

Liu, Y. Y.–Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy.–J. F. Lei, Q. J. Wang, Y. Y. Liu, S. X. Guan, Z. G. Wang, D. Li, and Z. Q. Hu; **12** (10), 2571–2574.

Liu, Z. G.–Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying.–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (3), 616–618(L).

–Erratum: "Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying" [J. Mater. Res. **12**, 616–618 (1997)].–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (10), 2815(E).

Liu, Zhi-Jie–Calculated phase diagrams for activated low pressure diamond growth from C–H, C–O, and C–H–O systems.–Ji-Tao Wang, Yong-Zhong Wan, David Wei Zhang, Zhi-Jie Liu, and Zhong-Qiang Huang; **12** (12), 3250–3253.

Livingston, James D.–Microstructures of two-phase Ti–Cr alloys containing the $TiCr_2$ Laves phase intermetallic.–Katherine C. Chen, Samuel M. Allen, and James D. Livingston; **12** (6), 1472–1480.

Ljungcrantz, Henrik–Characterization of the induced plastic zone in a single crystal TiN(001) film by nanoindentation and transmission electron microscopy.–Magnus Odén, Henrik Ljungcrantz, and Lars Hultman; **12** (8), 2134–2142.

Lo, Rung-Kuang–Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q. X. Jia, and D. Reagor; **12** (11), 2958–2975.

Lo, Wai–Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applications.–Wai Lo, D. A. Cardwell, C. D. Dewhurst, H-T. Leung, J. C. L. Chow, and Y. H. Shi; **12** (11), 2889–2900.

Loegel, B.–Ac irreversibility line of bismuth-based high temperature superconductors.–A. Mehdaoui, J. Beille, D. Berling, B. Loegel, J. G. Noudem, and R. Tournier; **12** (9), 2226–2233.

Logan, K. V.–Aluminothermic reaction path in the synthesis of a TiB_2–Al_2O_3 composite.–V. Sundaram, K. V. Logan, and R. F. Speyer; **12** (7), 1681–1684(L).

–Reaction path in the magnesium thermite reaction to synthesize titanium diboride.–V. Sundaram, K. V. Logan, and R. F. Speyer; **12** (10), 2657–2664.

Longtu, Li–Effects of electroless nickel plating on resistivity-temperature characteristics of $(Ba_{1-x}Pb_x)TiO_3$ thermistor.–Chen Wanping, Li Longtu, and Gui Zhilun; **12** (4), 877–879(L).

López, A.–Superparamagnetic particles in ZSM-5–type ferrisilicates.–A. López, F. J. Lázaro, J. L. García-Palacios, A. Larrea, Q. A. Pankhurst, C. Martínez, and A. Corma; **12** (6), 1519–1529.

Lou, Taiping–The synthesis of $NbSi_2$ by mechanical alloying.–Taiping Lou, Guojiang Fan, Bingzhe Ding, and Zhuangqi Hu; **12** (5), 1172–1175(L).

Lowndes, Douglas H.–The effects of the atmosphere on the surface modification of alumina by pulsed-laser-irradiation.–Siqi Cao, A. J. Pedraza, L. F. Allard, and D. H. Lowndes; **12** (7), 1747–1754.

–Adhesion mechanisms of copper films deposited onto laser-irradiated alumina.–Jae-Won Park, Anthony J. Pedraza, Douglas H. Lowndes, and William R. Allen; **12** (11), 3174–3181.

Loyalka, S. K.–Boron diffusion into diamond under electric bias.–T. Sung, G. Popovici, M. A. Prelas, R. G. Wilson, and S. K. Loyalka; **12** (5), 1169–1171(L).

Lozzi, L.–X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method.–S. Santucci, E. Cordeschi, L. Lozzi, M. Passacantando, P. Picozzi, and L. Mancinelli degli Esposti; **12** (1), 100–105.

Lu, Chung-Hsin–Stabilization of lead lithium iron tungstate with adding barium titanate.–Chung-Hsin Lu and Buh-Kuan Fang; **12** (1), 13–16(L).

–Secondary phase formation and microstructural development in the interaction between $SrBi_2Ta_2O_9$ films and $Pt/Ti/SiO_2/Si$ substrates.–Chung-Hsin Lu and Buh-Kuan Fang; **12** (8), 2104–2110.

Lu, Horng-Hwa–Fabrication of multilaminated Si_3N_4–Si_3N_4/TiN composites and its anisotropic fracture behavior.–Jow-Lay Huang, Yen-Lon Chang, and Horng-Hwa Lu; **12** (9), 2337–2344.

–Investigation of Si_3N_4–TiN/Si_3N_4–Si_3N_4 trilayer composites with residual surface compression.–Jow-Lay Huang, Feng-Chi Chou, and Horng-Hwa Lu; **12** (9), 2357–2365.

Lu, K.–Epitaxial dependence of the melting behavior of In nanoparticles embedded in Al matrices.–H. W. Sheng, G. Ren, L. M. Peng, Z. Q. Hu, and K. Lu; **12** (1), 119–123.

–Characterization of mechanical nanocrystallization process of amorphous Fe–Mo–Si–B alloy by transmission Mössbauer spectroscopy.–X. D. Liu, F. Q. Guo, K. Lu, and M. Umemoto; **12** (3), 681–687.

–Grain size dependence of mechanical properties in nanocrystalline selenium.–K. Lu, H. Y. Zhang, Y. Zhong, and H. J. Fecht; **12** (4), 923–930.

Lu, Y-C.–Observations of dislocations in Cu/Nb nanolayer composites after deformation.–Y-C. Lu, H. Kung, A. J. Griffin, Jr., M. A. Nastasi, and T. E. Mitchell; **12** (8), 1939–1941(L).

Lucadamo, G.–Reactive phase formation in sputter-deposited Ni/Al multilayer thin films.–K. Barmak, C. Michaelsen, and G. Lucadamo; **12** (1), 133–146.

Lucazeau, G.–Micro-Raman analysis of residual stresses and phase transformations in crystalline silicon under microindentation.–G. Lucazeau and L. Abello; **12** (9), 2262–2273.

–A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition.–L. Fayette, B. Marcus, M. Mermoux, N. Rosman, L. Abello, and G. Lucazeau; **12** (10), 2686–2698.

Lumpp, Janet K.–Excimer laser ablation of aluminum nitride.–Janet K. Lumpp and Susan D. Allen; **12** (1), 218–225.

Luo, Jian-Shing–*In situ* growth of fatigue-free $SrBi_2Ta_2O_9$ films by pulsed laser ablation.–Hung-Ming Yang, Jian-Shing Luo, and Wen-Tai Lin; **12** (4), 1145–1151.

Lvova, N.–Nano-sclerometry measurements of superhard materials and diamond hardness using scanning force microscope with

the ultrahard fullerite C_{60} tip.–V. Blank, M. Popov, N. Lvova, K. Gogolinsky, and V. Reshetov; **12** (11), 3109–3114.

M

Ma, Qing–A four-point bending technique for studying subcritical crack growth in thin films and at interfaces.–Qing Ma; **12** (3), 840–845.

Maad, R.–Phase coexistence and critical temperatures of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ phase under partial pressures of oxygen between 10^5 and 0.21 bar with and without additions of silver.–M. Däumling, R. Maad, A. Jeremie, and R. Flükiger; **12** (6), 1445–1450.

Mabuchi, Mamoru–Critical assessments of accommodation process by liquid phase for superplastic flow in Si_3N_4/Al–Mg–Si metal matrix composites.–Mamoru Mabuchi, Hajime Iwasaki, Ha-Guk Jeong, Kenji Hiraga, and Kenji Higashi; **12** (9), 2332–2336.

Machalett, F.–Formation of single-crystal $CoSi_2$ buffer layers on Si(100) substrates by high dose Co ion implantation for the deposition of $YBa_2Cu_3O_{7-x}$ thin films.–Yijie Li, P. Seidel, F. Machalett, S. Linzen, and F. Schmidl; **12** (8), 2072–2080.

Mackinnon, I. D. R.–Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials.–J. A. Alarco, E. Olsson, S. J. Golden, A. Bhargava, T. Yamashita, J. Barry, and I. D. R. Mackinnon; **12** (3), 624–635.

Madariaga, G.–Crystallographic structure of S' precipitates in Al–Li–Cu–Mg alloys.–J. I. Pérez-Landazábal, M. L. Nó, G. Madariaga, and J. San Juan; **12** (3), 577–580(L).

Madhukar, S.–Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack.–A. M. Dhote, S. Madhukar, D. Young, T. Venkatesan, R. Ramesh, C. M. Cotell, and Joseph M. Benedetto; **12** (6), 1589–1594.

Madras, Cynthia G.–The viscosity of germanium during substrate relaxation upon thermal anneal.–Sara E. Rosenberg, Cynthia G. Madras, Peter Y. Wong, and Ioannis N. Miaoulis; **12** (7), 1706–1710.

Madsen, L. D.–Domain structures in $Pb(Zr,Ti)O_3$ and $PbTiO_3$ thin films.–L. D. Madsen and E. M. Griswold; **12** (10), 2612–2616.

Maeda, Kouji–Glass transformation, heat capacity, and structure of Ge_xSe_{100-x} glasses studied by temperature-modulated differential scanning calorimetry experiments.–T. Wagner, S. O. Kasap, and Kouji Maeda; **12** (7), 1892–1899.

Magini, M.–Correlation between energy transfers and solid state reactions induced by mechanical alloying on the $Mo_{33}Si_{66}$ system.–L. Liu and M. Magini; **12** (9), 2281–2287.

Magruder III, R. H.–Ag:Sb and Sb:Ag implantations into high purity silica.–T. S. Anderson, R. H. Magruder, III, D. L. Kinser, J. E. Wittig, R. A. Zuhr, and D. K. Thomas; **12** (12), 3316–3321.

Mahajan, Y. R.–*In situ* formation of $MoSi_2$–SiC through reaction of SiO_2 or Si_3N_4 with Mo and carbon.–R. V. Krishnarao, V. V. Ramarao, and Y. R. Mahajan; **12** (12), 3322–3327.

Majling, Ján–Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels.–Ján Majling, Peter Znáik, Angela Palová, Stefan Svetík, Stefan Kovalík, Dinesh K. Agrawal, and Rustum Roy; **12** (1), 198–202.

Malengreau, F.–Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses.–F. Malengreau, M. Vermeersch, S. Hagège, R. Sporken, M. D. Lange, and R. Caudano; **12** (1), 175–188.

Maley, M. P.–Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S. R. Foltyn, E. J. Peterson, J. Y. Coulter, P. N. Arendt, Q. X. Jia, P. C. Dowden, M. P. Maley, X. D. Wu, and D. E. Peterson; **12** (11), 2941–2946.

Malič, Barbara–A structural study of amorphous alkoxide-derived lead titanium complexes.–Barbara Malič, Iztok Arčon, Marija Kosec, and Alojz Kodre; **12** (10), 2602–2611.

Manabe, T.–Preparation of epitaxial $La_{1-x}Sr_xMnO_3$ films on $SrTiO_3(001)$ by dipping-pyrolysis process.–T. Manabe, I. Yamaguchi, W. Kondo, S. Mizuta, and T. Kumagai; **12** (2), 541–545.

–Preparation of epitaxial $BaTiO_3$ thin films by the dipping-pyrolysis process.–S. Kim, T. Manabe, I. Yamaguchi, T. Kumagai, and S. Mizuta; **12** (4), 1141–1144.

Manara, A.–Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides.–M. D. Giardina, R. Feduzi, D. Inzaghi, H. Chiba, A. Manara, C. Giori, I. Natali Sora, and V. Dallacasa; **12** (8), 2009–2013.

Mancinelli degli Esposti, L.–X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method.–S. Santucci, E. Cordeschi, L. Lozzi, M. Passacantando, P. Picozzi, and L. Mancinelli degli Esposti; **12** (1), 100–105.

Mann, R. W.–Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral, Jr., L. A. Clevenger, J. M. E. Harper, F. M. d'Heurle, R. A. Roy, K. L. Saenger, G. L. Miles, and R. W. Mann; **12** (2), 304–307(L).

Mao, J. F.–Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope.–J. F. Mao, H. Q. Ye, X. G. Ning, L. L. He, and D. Z. Yang; **12** (2), 377–384.

Marchand, A.–Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature.–L. Filipozzi, L. Piraux, A. Marchand, A. Derré, A. Adouard, and M. Kinany-Alaoui; **12** (7), 1711–1721.

Marcus, B.–A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition.–L. Fayette, B. Marcus, M. Mermoux, N. Rosman, L. Abello, and G. Lucazeau; **12** (10), 2686–2698.

Mariotto, G.–Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia.–G. Fagherazzi, P. Canton, A. Benedetti, F. Pinna, G. Mariotto, and E. Zanghellini; **12** (2), 318–321(L).

Marks, L. D.–Computer simulations of interactions between ultrafine alumina particles produced by an arc discharge.–M. H. Teng, L. D. Marks, and D. L. Johnson; **12** (1), 235–243.

Marks, Tobin J.–Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

Maroni, V. A.–Raman microscopy examination of phase evolution in Bi(Pb)–Sr–Ca–Cu–O superconducting ceramics.–K. T. Wu, A. K. Fischer, V. A. Maroni, and M. W. Rupich; **12** (5), 1195–1204.

–The effects of variable oxygen partial pressures during Bi-2223 tape processing.–T. G. Holesinger, J. F. Bingert, J. O. Willis, V. A. Maroni, A. K. Fischer, and K. T. Wu; **12** (11), 3046–3054.

Marosi, L.–Morphological investigations on mesostructured metal oxides.–V. Weidenhof, F. Gropper, U. Müller, L. Marosi, G. Cox, R. Houbertz, and U. Hartmann; **12** (6), 1634–1639.

Martelli, S.–Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

–Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815(E).

Martin, G.–Amorphization mechanisms of $NiZr_2$ by ball-milling.–D. Galy, L. Chaffron, and G. Martin; **12** (3), 688–696.

Martín, M. J.–Pulsed laser deposition of $KNbO_3$ thin films.–M. J. Martín, J. E. Alfonso, J. Mendiola, C. Zaldo, D. S. Gill, R. W. Eason, and P. J. Chandler; **12** (10), 2699–2706.

Martin, P. M.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Martinelli, Giuliano–Microstructural characterization of a titanium-tungsten oxide gas sensor.–Matteo Ferroni, Vincenzo Guidi, Giuliano Martinelli, and Giorgio Sberveglieri; **12** (3), 793–798.

Martínez, C.–Superparamagnetic particles in ZSM-5–type ferrisilicates.–A. López, F. J. Lázaro, J. L. García-Palacios, A. Larrea, Q. A. Pankhurst, C. Martínez, and A. Corma; **12** (6), 1519–1529.

Martinez, J. A.–Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2-11.3 mol % Y_2O_3.–P. C. Rivas, M. C. Caracoche, J. A. Martinez, A. M. Rodríguez, R. Caruso, N. Pellegri, and O. de Sanctis; **12** (2), 493–500.

Maruno, S.–Low-load indentation behavior of HfN thin films deposited by reactive rf sputtering.–R. Nowak, C. L. Li, and S. Maruno; **12** (1), 64–69.

Maruyama, Shingo–Agglomeration of silica spheres under ultrasonication.–Naoya Enomoto, Shingo Maruyama, and Zenbe-e Nakagawa; **12** (5), 1410–1415.

Mason, Thomas O.–Magnetic properties of graphitically encapsulated nickel nanocrystals.–J-H. Hwang, Vinayak P. Dravid, M. H. Teng, Jonathon J. Host, B. R. Elliott, D. L. Johnson, and Thomas O. Mason; **12** (4), 1076–1082.

–Graphite encapsulated nanocrystals produced using a low carbon : metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

Masumoto, T.–Stoichiometric icosahedral phase in the Zn–Mg–Y system.–A. P. Tsai, A. Niikura, A. Inoue, and T. Masumoto; **12** (6), 1468–1471.

Matacotta, F. C.–X-ray diffraction line broadening effects in $MBa_2Cu_3O_{7-\delta}$ (M = Y, Gd) thin films.–P. Scardi, F. C. Matacotta, V. I. Dediu, and L. Correra; **12** (1), 28–37.

Mathis, J.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Matijević, Egon–Preparation and characterization of nanosized zirconium (hydrous) oxide particles.–Luis A. Pérez-Maqueda and Egon Matijević; **12** (12), 3286–3292.

Matikas, T. E.–Role of matrix microstructure in the ultrasonic characterization of fiber-reinforced metal matrix composites.–S. Krishnamurthy, T. E. Matikas, and P. Karpur; **12** (3), 754–763.

Matsuda, Motohide–Two-stage sintering of dense superconducting $YBa_2Cu_4O_8$ ceramics.–Motohide Matsuda, Yoshihisa Ogawa, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (5), 1205–1209.

–Superconducting properties and structural stability of $Bi_2Sr_2CaCu_2O_{8+\delta}$ compound prepared by electrochemical reduction in protogenic electrolyte.–Motohide Matsuda, Hideki Tamada, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (12), 3214–3218.

Matsumura, Hiroaki–Colloidal processing and mechanical properties of silicon carbide with alumina.–Yoshihiro Hirata, Kouji Hidaka, Hiroaki Matsumura, Yasuo Fukushige, and Soichiro Sameshima; **12** (11), 3146–3157.

Matsuo, Yohtaro–Crystallization of hafnia and zirconia during the pyrolysis of acetate gels.–Masatomo Yashima, Taka-aki Kato, Masato Kakihana, Mehmet Ali Gulgun, Yohtaro Matsuo, and Masahiro Yoshimura; **12** (10), 2575–2583.

McCormick, Terri L.–The characterization of strain, impurity content, and crush strength of synthetic diamond crystals.–Terri L. McCormick, W. E. Jackson, and R. J. Nemanich; **12** (1), 253–263.

McDevitt, John T.–Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q. X. Jia, and D. Reagor; **12** (11), 2958–2975.

McGinnis, Sean P.–Insights into the ion-assisted nucleation of diamond on silicon.–Sean P. McGinnis, Michael A. Kelly, and Stig B. Hagström; **12** (12), 3354–3366.

McMillin, Brian–Characterization of iron oxide-silica nanocomposites in flames: Part II. Comparison of discrete-sectional model predictions to experimental data.–Pratim Biswas, Chang Yu Wu, Michael R. Zachariah, and Brian McMillin; **12** (3), 714–723.

McNeely, Richard J.–Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

Mehdaoui, A.–Ac irreversibility line of bismuth-based high temperature superconductors.–A. Mehdaoui, J. Beille, D. Berling, B. Loegel, J. G. Noudem, and R. Tournier; **12** (9), 2226–2233.

Meldrum, A.–Electron-irradiation-induced nucleation and growth in amorphous $LaPO_4$, $ScPO_4$, and zircon.–A. Meldrum, L. A. Boatner, and R. C. Ewing; **12** (7), 1816–1827.

Melo, A. A.–Lattice site and photoluminescence of erbium implanted in α–Al_2O_3.–G. N. van den Hoven, A. Polman, E. Alves, M. F. da Silva, A. A. Melo, and J. C. Soares; **12** (5), 1401–1404.

Mench, S.–Losses in ac of BSCCO-2223 superconducting monofilament and multifilament tapes at power frequencies.–S. Mench, M. Lelovic, T. Deis, N. G. Eror, U. Balachandran, and P. Haldar; **12** (11), 3085–3089.

Menčík, J.–Determination of elastic modulus of thin layers using nanoindentation.–J. Menčík, D. Munz, E. Quandt, E. R. Weppelmann, and M. V. Swain; **12** (9), 2475–2484.

Mendiola, J.–Pulsed laser deposition of $KNbO_3$ thin films.–M. J. Martín, J. E. Alfonso, J. Mendiola, C. Zaldo, D. S. Gill, R. W. Eason, and P. J. Chandler; **12** (10), 2699–2706.

Meng, Wen-Jin–Selective chemical etching of hexagonal boron nitride compared to cubic boron nitride.–Stephen J. Harris, Anita M. Weiner, Gary L. Doll, and Wen-Jin Meng; **12** (2), 412–415.

Meng, Zhiguo–On the formation of solid state crystallized intrinsic polycrystalline germanium thin films.–Zhiguo Meng, Zhonghe Jin, Bhat A. Gururaj, Paul Chu, Hoi S. Kwok, and Man Wong; **12** (10), 2548–2551.

Mente, K.–Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4.–J. H. Booske, L. Zhang, W. Wang, K. Mente, N. Zjaba, C. Baum, and J. L. Shohet; **12** (5), 1356–1366.

Mermoux, M.–A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition.–L. Fayette, B. Marcus, M. Mermoux, N. Rosman, L. Abello, and G. Lucazeau; **12** (10), 2686–2698.

Meschke, F.–Failure behavior of alumina and alumina/silicon carbide nanocomposites with natural and artificial flaws.–F. Meschke, P. Alves-Riccardo, G. A. Schneider, and N. Claussen; **12** (12), 3307–3315.

Messier, R.–Preparation of highly oriented polycrystalline AlN thin films on glass, deposited at oblique-angle incidence.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1689–1692(L).

–Development of preferred orientation in polycrystalline AlN thin films deposited by rf sputtering system at low temperature.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1850–1855.

Meyers, E. A.–Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films.–P. K. Nair, L. Huang, M. T. S. Nair, Hailin Hu, E. A. Meyers, and R. A. Zingaro; **12** (3), 651–656.

Mezzasalma, A. M.–Investigation of the novel charge transfer complex Cd-*TCNQ*.–A. Arena, A. M. Mezzasalma, S. Patanè, and G. Saitta; **12** (7), 1693–1697.

Miao, C. R.–Vapor-deposited $CaWO_4$ phosphor.–P. F. Carcia, M. Reilly, C. C. Torardi, M. K. Crawford, C. R. Miao, and B. D. Jones; **12** (5), 1385–1390.

Miaoulis, Ioannis N.–The viscosity of germanium during substrate relaxation upon thermal anneal.–Sara E. Rosenberg, Cynthia G. Madras, Peter Y. Wong, and Ioannis N. Miaoulis; **12** (7), 1706–1710.

Miček, I.–Polyimide degradation induced by irradiation with N^+ ions.–V. Švorčík, I. Miček, V. Rybka, V. Hnatowicz, and F. Černý; **12** (6), 1661–1665.

Michaelsen, C.–Reactive phase formation in sputter-deposited Ni/Al multilayer thin films.–K. Barmak, C. Michaelsen, and G. Lucadamo; **12** (1), 133–146.

–Phase formation and thermodynamics of unstable Cu–Cr alloys.–C. Michaelsen, C. Gente, and R. Bormann; **12** (6), 1463–1467.

–A transmission electron microscopy investigation of inverse melting in $Nb_{45}Cr_{55}$.–W. Sinkler, C. Michaelsen, and R. Bormann; **12** (7), 1872–1884.

Michel, A.–Structural properties of molecular beam epitaxy grown Ni/Pt superlattices.–W. Staiger, A. Michel, V. Pierron-Bohnes, N. Hermann, and M. C. Cadeville; **12** (1), 161–174.

Migge, H.–Chemical stability of $CuInS_2$ in oxygen at 298 K.–J. Grzanna and H. Migge; **12** (2), 355–363.

Mikhail, P.–Czochralski growth of Yb^{3+} and Pr^{3+} doped Cafluoroapatite.–A. Caprez, P. Mikhail, C. Schwecke, and J. Hulliger; **12** (12), 3210–3213(L).

Mikirticheva, G. A.–Spinel solid solutions in the systems $MgAl_2O_4$–$ZnAl_2O_4$ and $MgAl_2O_4$–Mg_2TiO_4.–M. A. Petrova, G. A. Mikirticheva, A. S. Novikova, and V. F. Popova; **12** (10), 2584–2588.

Miles, G. L.–Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral, Jr., L. A. Clevenger, J. M. E. Harper, F. M. d'Heurle, R. A. Roy, K. L. Saenger, G. L. Miles, and R. W. Mann; **12** (2), 304–307(L).

Miller, Dean J.–Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

–From meandering to straight grain boundaries: Improving the structures of artificially induced grain boundaries in superconducting $YBa_2Cu_3O_y$ bicrystals.–Xiao-Feng Zhang, Volk R. Todt, and Dean J. Miller; **12** (11), 3029–3035.

Ming, Nai-Ben–Conductive $LaNiO_3$ electrode grown by pulsed laser ablation on Si substrate.–Li Sun, Tao Yu, Yan-Feng Chen, Jun Zhou, and Nai-Ben Ming; **12** (4), 931–935.

Miot, C.–X-ray photoelectron spectroscopy characterization of barium titanate ceramics prepared by the citric route. Residual carbon study.–C. Miot, E. Husson, C. Proust, R. Erre, and J. P. Coutures; **12** (9), 2388–2392.

Mishra, K. C.–Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$.–K. C. Mishra, I. Osterloh, H. Anton, B. Hannebauer, P. C. Schmidt, and K. H. Johnson; **12** (8), 2183–2190.

Misture, S. T.–High temperature x-ray and calorimetric studies of phase transformations in quasicrystalline Ti–Zr–Ni alloys.–R. M. Stroud, K. F. Kelton, and S. T. Misture; **12** (2), 434–438.

Mitchell, T. E.–Observations of dislocations in Cu/Nb nanolayer composites after deformation.–Y-C. Lu, H. Kung, A. J. Griffin, Jr., M. A. Nastasi, and T. E. Mitchell; **12** (8), 1939–1941(L).

Mitomo, Mamoru–High temperature strength of silicon nitride ceramics with ytterbium silicon oxynitride.–Toshiyuki Nishimura, Mamoru Mitomo, and Hisayuki Suematsu; **12** (1), 203–209.

–Microstructure of liquid phase sintered superplastic silicon carbide ceramics.–Chong-Min Wang, Mamoru Mitomo, and Hideyuki Emoto; **12** (12), 3266–3270.

Miyake, K.–Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors.–M. Kambara, Y. Watanabe, K. Miyake, A. Endo, K. Murata, Y. Shiohara, and T. Umeda; **12** (11), 2873–2879.

Miyake, Michihiro–Two-stage sintering of dense superconducting $YBa_2Cu_4O_8$ ceramics.–Motohide Matsuda, Yoshihisa Ogawa, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (5), 1205–1209.

–Superconducting properties and structural stability of $Bi_2Sr_2CaCu_2O_{8+\delta}$ compound prepared by electrochemical reduction in protogenic electrolyte.–Motohide Matsuda, Hideki Tamada, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (12), 3214–3218.

Miyayama, Masuru–Determination of local high-frequency dielectric function during the cubic-to-tetragonal phase transformation in barium titanate.–Kalpana S. Katti, Maoxu Qian, Mehmet Sarikaya, and Masuru Miyayama; **12** (6), 1582–1588.

Mizera, E.–Investigation of growth conditions of fibrous deposits in carbon arc.–P. Byszewski, K. Ukalski, E. Mizera, and E. Kowalska; **12** (6), 1551–1557.

Mizuta, S.–Preparation of epitaxial $La_{1-x}Sr_xMnO_3$ films on $SrTiO_3$-(001) by dipping-pyrolysis process.–T. Manabe, I. Yamaguchi, W. Kondo, S. Mizuta, and T. Kumagai; **12** (2), 541–545.

–Preparation of epitaxial $BaTiO_3$ thin films by the dipping-pyrolysis process.–S. Kim, T. Manabe, I. Yamaguchi, T. Kumagai, and S. Mizuta; **12** (4), 1141–1144.

Mizutani, Nobuyasu–Effect of calcium modification on the microstructure and oxidation property of submicron spherical palladium powders.–Shenglei Che, Osamu Sakurai, Hiroshi Funakubo, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (2), 392–397.

–Preparation of semiconductive $SrTiO_3$ thin films by metal-organic chemical vapor deposition and their electrical properties.–Daisuke Nagano, Hiroshi Funakubo, Osamu Sakurai, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (6), 1655–1660.

Moeckli, Pedro–Influence of texture on the switching behavior of $Pb(Zr_{0.70}Ti_{0.30})O_3$ sol-gel derived thin films.–Keith G. Brooks, Radosveta D. Klissurska, Pedro Moeckli, and N. Setter; **12** (2), 531–540.

Montanari, R.–Internal friction and Mössbauer study of C–Cr associates in MANET steel.–P. Gondi, R. Gupta, R. Montanari, G. Principi, and M. E. Tata; **12** (2), 296–299(L).

Monteiro, Othon R.–Deposition of mullite and mullite-like coatings on silicon carbide by dual-source metal plasma immersion.–Othon R. Monteiro, Zhi Wang, and Ian G. Brown; **12** (9), 2401–2410.

Montero, I.–Surface reactions of low-energy carbon ions with boron nitride thin films.–I. Montero and L. Galán; **12** (6), 1563–1568.

Montiel-Campos, R.–Modification of the phase transition temperatures in titania doped with various cations.–R. Rodríguez-Talavera, S. Vargas, R. Arroyo-Murillo, R. Montiel-Campos, and E. Haro-Poniatowski; **12** (2), 439–443.

Moon, Jooho–Low temperature synthesis of lead titanate by a hydrothermal method.–Jooho Moon, Tuo Li, Clive A. Randall, and James H. Adair; **12** (1), 189–197.

Mordo, David–Comparison of C_2F_6 and FASi-4 as fluorine dopant sources in plasma enhanced chemical vapor deposited fluorinated silica glass films.–Woo Sik Yoo, Richard Swope, Barbara Sparks, and David Mordo; **12** (1), 70–74.

Moricca, S.–The intercalation of Ar into C_{60} films.–G. E. Gadd, P. J. Evans, S. Moricca, and M. James; **12** (1), 1–4(L).

Moropoulou, A.–Material characterization in support of the development of an anode substrate for solid oxide fuel cells.–D. Simwonis, A. Naoumidis, F. J. Dias, J. Linke, and A. Moropoulou; **12** (6), 1508–1518.

Morosin, B.–Synthesis and properties of Tl–Ba–Ca–Cu–O superconductors.–M. P. Siegal, E. L. Venturini, B. Morosin, and T. L. Aselage; **12** (11), 2825–2854.

Morrison Jr., Philip W.–Optimizing diamond growth for an atmospheric oxyacetylene torch.–Lua'y A. Zeatoun and Philip W. Morrison, Jr.; **12** (5), 1237–1252.

Morten, Bruno–Interactions between lead oxide and ceramic substrates for thick film technology.–Massimo Bersani, Bruno Morten, Maria Prudenziati, and Alessandro Gualtieri; **12** (2), 501–508.

Moulding, K. M.–Sol-gel derived $Ba(Mg_{1/3}Ta_{2/3})O_3$ thin films: Preparation and structure.–Ji Zhou, Qing-Xin Su, K. M. Moulding, and D. J. Barber; **12** (3), 596–599(L).

Mukherjee, M.–Growth of nanocrystalline PbS within a glass.–M. Mukherjee, A. Datta, and D. Chakravorty; **12** (10), 2507–2510(L).

Müllejans, H.–Analytical electron microscopy of planar faults in SrO-doped $CaTiO_3$.–M. Čeh, H. Gu, H. Müllejans, and A. Rečnik; **12** (9), 2438–2446.

Mullen, R. L.–The fracture toughness of polysilicon microdevices: A first report.–R. Ballarini, R. L. Mullen, Y. Yin, H. Kahn, S. Stemmer, and A. H. Heuer; **12** (4), 915–922.

Müller, D.–Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO.–M. Reder, J. Krelaus, D. Müller, K. Heinemann, and H. C. Freyhardt; **12** (4), 906–914.

Müller, U.–Morphological investigations on mesostructured metal oxides.–V. Weidenhof, F. Gropper, U. Müller, L. Marosi, G. Cox, R. Houbertz, and U. Hartmann; **12** (6), 1634–1639.

Müllner, Peter–On the role of deformation twinning in domain reorganization and grain reorientation in ferroelastic crystals.–Peter Müllner and Waltraud M. Kriven; **12** (7), 1771–1776.

Muntasell, J.–Thermal cycling effects in high temperature Cu–Al–Ni–Mn–B shape memory alloys.–J. Font, J. Muntasell, J. Pons, and E. Cesari; **12** (9), 2288–2297.

–Solid-state mechanical alloying of plastic crystals.–J. Font, J. Muntasell, E. Cesari, and J. Pons; **12** (12), 3254–3259.

Munz, D.–Determination of Young's modulus by spherical indentation.–N. Huber, D. Munz, and Ch. Tsakmakis; **12** (9), 2459–2469.

–Determination of elastic modulus of thin layers using nanoindentation.–J. Menčík, D. Munz, E. Quandt, E. R. Weppelmann, and M. V. Swain; **12** (9), 2475–2484.

Murakami, M.–Refinement of Nd-422 phase trapped in a $Nd_{1+\delta}$-$Ba_{2-\delta}Cu_3O_{7-y}$ superconducting matrix.–F. Frangi, S. I. Yoo, N. Sakai, and M. Murakami; **12** (8), 1990–2001.

Muraoka, Y.–Growth of high-quality $Bi_2Sr_2CaCu_2O_z$ crystal and characterization.–H. Faqir, G. Vacquier, H. Chiba, M. Kikuchi, Y. Muraoka, and Y. Syono; **12** (10), 2522–2525.

Murata, K.–Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors.–M. Kambara, Y. Watanabe, K. Miyake, A. Endo, K. Murata, Y. Shiohara, and T. Umeda; **12** (11), 2873–2879.

Murduck, J. M.–Local cross-sectional profiling of multilayer thin films with an atomic force microscope for layer thickness determination.–J. R. LaGraff and J. M. Murduck; **12** (8), 1935–1938(L).

Musinu, Anna–Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling.–Anna Corrias, Guido Ennas, Anna Musinu, Giorgio Paschina, and Daniela Zedda; **12** (10), 2767–2772.

Musumeci, P.–Defect annealing in ion implanted silicon carbide.–L. Calcagno, M. G. Grimaldi, and P. Musumeci; **12** (7), 1727–1733.

Mutasa, B.–Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics.–D. Farkas, S. J. Zhou, C. Vailhé, B. Mutasa, and J. Panova; **12** (1), 93–99.

N

Nagano, Daisuke–Preparation of semiconductive $SrTiO_3$ thin films by metal-organic chemical vapor deposition and their electrical properties.–Daisuke Nagano, Hiroshi Funakubo, Osamu Sakurai, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (6), 1655–1660.

Nagashima, M.–The oxygen deficiency effect of VO_2 thin films prepared by laser ablation.–M. Nagashima and H. Wada; **12** (2), 416–422.

Nagata, Hirotoshi–Influence of Ar impurities on optical refractive index of sputter deposited a–Si films.–Hiroki Takahashi, Haruki Kataoka, and Hirotoshi Nagata; **12** (7), 1722–1726.

Nagata, Masaya–$SrBi_2Ta_2O_9$ thin films made by liquid source metal-organic chemical vapor deposition.–Yongfei Zhu, Seshu B. Desu, Tingkai Li, Sasangan Ramanathan, and Masaya Nagata; **12** (3), 783–792.

Nair, M. T. S.–Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films.–P. K. Nair, L. Huang, M. T. S. Nair, Hailin Hu, E. A. Meyers, and R. A. Zingaro; **12** (3), 651–656.

Nair, P. K.–Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films.–P. K. Nair, L. Huang, M. T. S. Nair, Hailin Hu, E. A. Meyers, and R. A. Zingaro; **12** (3), 651–656.

Nakadaira, M.–Excess Li ions in a small graphite cluster.–M. Nakadaira, R. Saito, T. Kimura, G. Dresselhaus, and M. S. Dresselhaus; **12** (5), 1367–1375.

Nakagawa, Zenbe-e–Microstructure of nitrate polycrystals solidified under ultrasonic vibration.–Naoya Enomoto, Yasushi Iimura, and Zenbe-e Nakagawa; **12** (2), 371–376.

–Agglomeration of silica spheres under ultrasonication.–Naoya Enomoto, Shingo Maruyama, and Zenbe-e Nakagawa; **12** (5), 1410–1415.

Nakamura, Koichi–Bi–Sr–Ca–Cu–O superconducting thin plates prepared by glass-ceramic processing: Dependence of T_c on the thickness.–Toshihiro Kasuga, Koichi Nakamura, Tetsuji Hattori, and Yoshihiro Abe; **12** (2), 332–337.

Nakamura, Masaru–Periodic fluctuation of Ba/Nd ratio in single crystals of high-J_c $NdBa_2Cu_3O_{7-\delta}$ superconductor.–Tsukasa Hirayama, Yuichi Ikuhara, Masaru Nakamura, Yasuji Yamada, and Yuh Shiohara; **12** (2), 293–295(L).

–Fabrication of NdBCO single crystal oxide superconductor with enhanced superconductive properties.–M. Kambara, X. Yao, M. Nakamura, Y. Shiohara, and T. Umeda; **12** (11), 2866–2872.

Nakamura, Y.–Unidirectional partial melting and solidification of SmBCO superconductor.–M. Sumida, Y. Nakamura, Y. Shiohara, and T. Umeda; **12** (8), 1979–1989.

Nakayama, H.–Auger valence electron spectra in Ca-silicides.–S. Abe, H. Nakayama, T. Nishino, and S. Iida; **12** (2), 407–411.

Nánai, László–Laser-assisted formation of metallic oxide microtubes.–László Nánai and Thomas F. George; **12** (1), 283–284(R).

Naoumidis, A.–Material characterization in support of the development of an anode substrate for solid oxide fuel cells.–D. Simwonis, A. Naoumidis, F. J. Dias, J. Linke, and A. Moropoulou; **12** (6), 1508–1518.

Narayan, J.–Electrical and microstructural characteristics of Ge/Cu ohmic contacts to *n*-type GaAs.–M. O. Aboelfotoh, S. Oktyabrsky, J. Narayan, and J. M. Woodall; **12** (9), 2325–2331.

Narayan, K. Lakshmi–Finite size corrections for the Johnson–Mehl–Avrami–Kolmogorov equation.–L. E. Levine, K. Lakshmi Narayan, and K. F. Kelton; **12** (1), 124–132.

Nastasi, Michael A.–Radiation-induced phase transformations in $MgAl_2O_4$ spinel.–Ning Yu, Ram Devanathan, Kurt E. Sickafus, and Michael Nastasi; **12** (7), 1766–1770.

–Observations of dislocations in Cu/Nb nanolayer composites after deformation.–Y-C. Lu, H. Kung, A. J. Griffin, Jr., M. A. Nastasi, and T. E. Mitchell; **12** (8), 1939–1941(L).

Nasu, Hiroyuki–Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method.–Masayuki

Hayashi, Takafumi Iwano, Hiroyuki Nasu, Naoki Sugimoto, Kanichi Kamiya, and Kazuyuki Hirao; **12** (10), 2552–2558.

Navrotsky, Alexandra–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Negami, Takayuki–Growth of $CuInSe_2$ crystals in Cu-rich Cu–In–Se thin films.–Takahiro Wada, Naoki Kohara, Takayuki Negami, and Mikihiko Nishitani; **12** (6), 1456–1462.

Negas, T.–Extended x-ray absorption fine structure study of incorporation of Bi and Pb atoms into the crystal structure of $Ba_{4.5}Nd_9Ti_{18}O_{54}$.–M. Valant, I. Arčon, D. Suvorov, A. Kodre, T. Negas, and R. Frahm; **12** (3), 799–804.

Nelson, J. C.–The mechanical behavior of a passivating surface under potentiostatic control.–D. F. Bahr, J. C. Nelson, N. I. Tymiak, and W. W. Gerberich; **12** (12), 3345–3353.

Nemanich, R. J.–The characterization of strain, impurity content, and crush strength of synthetic diamond crystals.–Terri L. McCormick, W. E. Jackson, and R. J. Nemanich; **12** (1), 253–263.

Neri, F.–Pulsed laser deposition and characterization of conductive RuO_2 thin films.–A. Iembo, F. Fuso, E. Arimondo, C. Ciofi, G. Pennelli, G. M. Currò, F. Neri, and M. Allegrini; **12** (6), 1433–1436(L).

Newnham, R. E.–A study of the frequency dependence of the dielectrophoretic effect in thermoset polymers.–C. P. Bowen, T. R. Shrout, R. E. Newnham, and C. A. Randall; **12** (9), 2345–2356.

Newport, R. J.–The structural characterization of amorphous thin films and coatings in their as-deposited state using x-rays at shallow angles of incidence.–J. S. Rigden, R. J. Newport, and G. Bushnell-Wye; **12** (1), 264–276.

Ng, Man Fai–Heteroepitaxial growth of lanthanum aluminate films derived from mixed metal nitrates.–Man Fai Ng and Michael J. Cima; **12** (5), 1306–1314.

Nicolaides, Ruth–Vacancy structures on the GaN(0001) surface.–William E. Packard, John D. Dow, Kathleen Doverspike, Ray Kaplan, and Ruth Nicolaides; **12** (3), 646–650.

Nieminen, R. M.–Does the shear-lag model apply to random fiber networks?.–V. I. Räisänen, M. J. Alava, K. J. Niskanen, and R. M. Nieminen; **12** (10), 2725–2732.

Niikura, A.–Stoichiometric icosahedral phase in the Zn–Mg–Y system.–A. P. Tsai, A. Niikura, A. Inoue, and T. Masumoto; **12** (6), 1468–1471.

Ning, X. G.–Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope.–J. F. Mao, H. Q. Ye, X. G. Ning, L. L. He, and D. Z. Yang; **12** (2), 377–384.

Ning, Zhao-Yuan–Pulsed electrodeposition of diamond-like carbon films.–Hao Wang, Ming-Rong Shen, Zhao-Yuan Ning, Chao Ye, and He-Sun Zhu; **12** (11), 3102–3105(L).

Nishimura, Toshiyuki–High temperature strength of silicon nitride ceramics with ytterbium silicon oxynitride.–Toshiyuki Nishimura, Mamoru Mitomo, and Hisayuki Suematsu; **12** (1), 203–209.

Nishino, T.–Auger valence electron spectra in Ca-silicides.–S. Abe, H. Nakayama, T. Nishino, and S. Iida; **12** (2), 407–411.

Nishitani, Mikihiko–Growth of $CuInSe_2$ crystals in Cu-rich Cu–In–Se thin films.–Takahiro Wada, Naoki Kohara, Takayuki Negami, and Mikihiko Nishitani; **12** (6), 1456–1462.

Nishitani-Gamo, Mikka–Nucleation and growth of oriented diamond on Si(100) by bias-assisted chemical vapor deposition.–Mikka Nishitani-Gamo, Toshihiro Ando, Kazuo Yamamoto, Paul A. Dennig, and Yoichiro Sato; **12** (5), 1351–1355.

Nishu, Keisuki–Mullite precursor I. Characterization of mullite precursor formed by a reaction of monosilicic acid on aluminum hydroxide.–Takushi Yokoyama, Keisuki Nishu, Shunsuke Torii, Yoshio Ikeda, and Tokuko Watanabe; **12** (8), 2111–2116.

Niskanen, K. J.–Does the shear-lag model apply to random fiber networks?.–V. I. Räisänen, M. J. Alava, K. J. Niskanen, and R. M. Nieminen; **12** (10), 2725–2732.

Nistor, L. C.–Structural studies of diamond thin films grown from dc arc plasma.–L. C. Nistor, J. Van Landuyt, V. G. Ralchenko, A. A. Smolin, K. G. Korotushenko, and E. D. Obraztsova; **12** (10), 2533–2542.

Nix, W. D.–A simple technique for measuring the adhesion of brittle films to ductile substrates with application to diamond-coated titanium.–Joost J. Vlassak, M. D. Drory, and W. D. Nix; **12** (7), 1900–1910.

–Void nucleation on a contaminated patch.–B. M. Clemens, W. D. Nix, and R. J. Gleixner; **12** (8), 2038–2042.

–Void nucleation in passivated interconnect lines: Effects of site geometries, interfaces, and interface flaws.–R. J. Gleixner, B. M. Clemens, and W. D. Nix; **12** (8), 2081–2090.

No, Kwangsoo–Effect of heat treatment on formation of sol-gel (Pb, La)TiO_3 films for optical application.–Junmo Koo, Sung-Uk Kim, Dae Sung Yoon, Kwangsoo No, and Byeong-Soo Bae; **12** (3), 812–818.

–A study on the microstructure of preferred orientation of lead zirconate titanate (PZT) thin films.–Chang Jung Kim, Dae Sung Yoon, Joon Sung Lee, Chaun Gi Choi, and Kwangsoo No; **12** (4), 1043–1047.

Nó, M. L.–Crystallographic structure of S' precipitates in Al–Li–Cu–Mg alloys.–J. I. Pérez-Landazábal, M. L. Nó, G. Madariaga, and J. San Juan; **12** (3), 577–580(L).

Noever, David–Neural net formulations for organically modified, hydrophobic silica aerogel.–David Noever, Laurent Sibille, Raymond Cronise, Subbiah Baskaran, and Arlon Hunt; **12** (7), 1837–1843.

Noh, D. Y.–The crossover of preferred orientation in TiN film growth: A real time x-ray scattering study.–J. H. Je, D. Y. Noh, H. K. Kim, and K. S. Liang; **12** (1), 9–12(L).

Norton, D. P.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Noudem, J. G.–Ac irreversibility line of bismuth-based high temperature superconductors.–A. Mehdaoui, J. Beille, D. Berling, B. Loegel, J. G. Noudem, and R. Tournier; **12** (9), 2226–2233.

Novikova, A. S.–Spinel solid solutions in the systems $MgAl_2O_4$–$ZnAl_2O_4$ and $MgAl_2O_4$–Mg_2TiO_4.–M. A. Petrova, G. A. Mikirticheva, A. S. Novikova, and V. F. Popova; **12** (10), 2584–2588.

Nowak, R.–Low-load indentation behavior of HfN thin films deposited by reactive rf sputtering.–R. Nowak, C. L. Li, and S. Maruno; **12** (1), 64–69.

Nygren, M.–Carbothermal synthesis of TaC whiskers via a vapor-liquid-solid growth mechanism.–M. Johnsson and M. Nygren; **12** (9), 2419–2427.

O

Obradors, X.–Precipitate size refinement by CeO_2 and Y_2BaCuO_5 additions in directionally solidified $YBa_2Cu_3O_7$.–N. Vilalta, F. Sandiumenge, S. Piñol, and X. Obradors; **12** (1), 38–46.

Obraztsova, E. D.–Structural studies of diamond thin films grown from dc arc plasma.–L. C. Nistor, J. Van Landuyt, V. G. Ralchenko, A. A. Smolin, K. G. Korotushenko, and E. D. Obraztsova; **12** (10), 2533–2542.

Ocko, B. M.–*In situ* x-ray investigation of hydrogen charging in thin film bimetallic electrodes.–Najeh M. Jisrawi, Harold Wiesmann, M. W. Ruckman, T. R. Thurston, G. Reisfeld, B. M. Ocko, and Myron Strongin; **12** (8), 2091–2098.

Odén, Magnus–Characterization of the induced plastic zone in a single crystal TiN(001) film by nanoindentation and transmission

electron microscopy.–Magnus Odén, Henrik Ljungcrantz, and Lars Hultman; **12** (8), 2134–2142.

Odier, P.–Chemical analysis in $YBa_2Cu_3O_{7-x}$ melt-textured samples.–F. J. Gotor, J. Ayache, N. Pellerin, and P. Odier; **12** (2), 338–346.

Odlyha, M.–Compensation phenomena in oil-resin mixtures: A new dielectric approach to percolative processes.–O. Pagés, A. Lamure, C. Lacabanne, M. Odlyha, and D. Craig; **12** (10), 2784–2793.

Ogawa, Yoshihisa–Two-stage sintering of dense superconducting $YBa_2Cu_4O_8$ ceramics.–Motohide Matsuda, Yoshihisa Ogawa, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (5), 1205–1209.

Ogbuji, Linus U. J. T.–Evaluation of a porous fiber coating in SiC–Si_3N_4 minicomposite.–Linus U. J. T. Ogbuji; **12** (5), 1287–1296.

Ogura, Katsuhiko–High strength, electrically conductive pore-free TiO_2 ceramics made by hot isostatic pressing.–Yukio Kishi, Katsuhiko Ogura, Kiichiro Kamata, Hidetoshi Saitoh, and Keizo Uematsu; **12** (4), 1056–1061.

Oh, Junrok–Deposition process and property of silica films containing organic groups from aqueous solution of alkoxides.–Junrok Oh, Hiroaki Imai, Hiroshi Hirashima, and Koji Tsukuma; **12** (4), 1008–1016.

Oh, Young-Jei–Preparation of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films on Pt/RuO_2 double electrode by a new sol-gel route.–Seung-Hyun Kim, Yong-Soo Choi, Chang-Eun Kim, and Young-Jei Oh; **12** (6), 1576–1581.

O'Hare, P. A. G.–The standard molar enthalpies of formation of α–Si_3N_4 and β–Si_3N_4 by combustion calorimetry in fluorine, and the enthalpy of the α-to-β transition at the temperature 298.15 K.–P. A. G. O'Hare, Iwona Tomaszkiewicz, and H. J. Seifert; **12** (12), 3203–3205(L).

Ohkuma, T.–Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts.–S. Honjo, Michael J. Cima, M. C. Flemings, T. Ohkuma, H. Shen, K. Rigby, and T. H. Sung; **12** (4), 880–890.

Okoshi, Masayuki–Pulsed laser deposition of carbon nitride thin films in nitrogen gas ambient.–Masayuki Okoshi, Hiroshi Kumagai, and Koichi Toyoda; **12** (12), 3376–3379.

Oktyabrsky, S.–Electrical and microstructural characteristics of Ge/Cu ohmic contacts to *n*-type GaAs.–M. O. Aboelfotoh, S. Oktyabrsky, J. Narayan, and J. M. Woodall; **12** (9), 2325–2331.

Oliveira, V.–Laser micromachining of Al_2O_3–TiC ceramics.–V. Oliveira, R. Vilar, O. Conde, and P. Freitas; **12** (12), 3206–3209(L).

Olmstead, Forrest A.–SiC (SCS-6) fiber reinforced-reaction formed SiC matrix composites: Microstructure and interfacial properties.–M. Singh, R. M. Dickerson, Forrest A. Olmstead, and J. I. Eldridge; **12** (3), 706–713.

Olness, Gwen E.–The nature of residues following the ashing of arsenic implanted photoresist.–Clifton W. Draper, Chuck W. Pearce, Jere T. Glick, Mike Gordon, Gwen E. Olness, and Steven L. Bernasek; **12** (10), 2799–2808.

Olsson, E.–Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials.–J. A. Alarco, E. Olsson, S. J. Golden, A. Bhargava, T. Yamashita, J. Barry, and I. D. R. Mackinnon; **12** (3), 624–635.

Ong, H. C.–Development of flat, smooth (100) faceted diamond thin films using microwave plasma chemical vapor deposition.–Andrew L. Yee, H. C. Ong, L. M. Stewart, and R. P. H. Chang; **12** (7), 1796–1805.

Osterloh, I.–Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$.–K. C. Mishra, I. Osterloh, H. Anton, B. Hannebauer, P. C. Schmidt, and K. H. Johnson; **12** (8), 2183–2190.

Otaño-Rivera, W.–Preparation of highly oriented polycrystalline AlN thin films on glass, deposited at oblique-angle incidence.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1689–1692(L).

–Development of preferred orientation in polycrystalline AlN thin films deposited by rf sputtering system at low temperature.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1850–1855.

Otto, J. W.–Equation of state of polycrystalline $Ni_{50}Al_{50}$.–J. W. Otto, J. K. Vassiliou, and G. Frommeyer; **12** (11), 3106–3108(L).

Ouyang, H.–An alternative analysis of water vapor and gas transport in polyimide films.–H. Ouyang and Sanboh Lee; **12** (10), 2794–2798.

Oyama, S. T.–Measurement of solid state diffusion coefficients by a temperature-programmed method.–Rajat Kapoor and S. T. Oyama; **12** (2), 467–473.

–Linear free energy relationships in solid state diffusion processes.–Rajat Kapoor and S. T. Oyama; **12** (2), 474–479.

Oyamada, Kyoko–Preparation of TiO_2-based powders with high photocatalytic activities.–Tomoko Kasuga, Masayoshi Hiramatsu, Masayoshi Hirano, Akihiko Hoson, and Kyoko Oyamada; **12** (3), 607–609(L).

P

Packard, William E.–Vacancy structures on the GaN(0001) surface.–William E. Packard, John D. Dow, Kathleen Doverspike, Ray Kaplan, and Ruth Nicolaides; **12** (3), 646–650.

Pagés, O.–Compensation phenomena in oil-resin mixtures: A new dielectric approach to percolative processes.–O. Pagés, A. Lamure, C. Lacabanne, M. Odlyha, and D. Craig; **12** (10), 2784–2793.

Palová, Angela–Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels.–Ján Majling, Peter Znáik, Angela Palová, Stefan Svetík, Stefan Kovalík, Dinesh K. Agrawal, and Rustum Roy; **12** (1), 198–202.

Pan, V. M.–Surface nucleation, domain growth mechanisms, and factors dominating superconducting properties in seeded melt grown $YBa_2Cu_3O_x$.–Donglu Shi, K. Lahiri, D. Qu, S. Sagar, V. F. Solovjov, and V. M. Pan; **12** (11), 3036–3045.

Pandey, R. K.–Growth of (11*n*) oriented Bi–Ca–Sr–Cu–O films by liquid phase epitaxial method.–K. K. Raina and R. K. Pandey; **12** (3), 636–640.

–Role of antimony sulfide buffer layers in the growth of ferroelectric antimony sulfo-iodide thin films.–N. Solayappan, K. K. Raina, R. K. Pandey, and U. Varshney; **12** (3), 825–832.

Pang, Shijin–Scanning tunneling microscopy and atomic force microscopy investigation of organic tetracyanoquinodimethane thin films.–H. J. Gao, H. X. Zhang, Z. Q. Xue, and S. J. Pang; **12** (8), 1942–1945(L).

–Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers.–Dongxia Shi, Ning Liu, Haiqiang Yang, Juning Gao, Yueshan Jiang, Shijin Pang, Xubiao Wu, and Zhen Ji; **12** (10), 2543–2547.

Pankhurst, Q. A.–Superparamagnetic particles in ZSM-5–type ferrisilicates.–A. López, F. J. Lázaro, J. L. García-Palacios, A. Larrea, Q. A. Pankhurst, C. Martínez, and A. Corma; **12** (6), 1519–1529.

Panova, J.–Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics.–D. Farkas, S. J. Zhou, C. Vailhé, B. Mutasa, and J. Panova; **12** (1), 93–99.

Paranthaman, Mariappan–Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique.–M. Paranthaman, F. A. List, A. Goyal, E. D. Specht, C. E. Vallet, D. M. Kroeger, and D. K. Christen; **12** (3), 619–623.

–Sol-gel synthesis of $LaAlO_3$; Epitaxial growth of $LaAlO_3$ thin films on $SrTiO_3$ (100).–Shara S. Shoup, Mariappan Paranthaman, David B. Beach, E. D. Specht, and Robert K. Williams; **12** (4), 1017–1021.

–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List,

D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Park, Byungwoo–Hardness and modulus properties in ion-beam-modified amorphous carbon: Temperature and dose rate dependences.–Deok-Hyung Lee, Hyukjae Lee, and Byungwoo Park; **12** (8), 2057–2063.

Park, C.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Park, Chong-Ook–Interdiffusions and reactions in Cu/TiN/Ti/Si and Cu/TiN/Ti/SiO_2/Si multilayer structures.–Sa-Kyun Rha, Won-Jun Lee, Seung-Yun Lee, Dong-Won Kim, Chong-Ook Park, and Soung-Soon Chun; **12** (12), 3367–3372.

Park, J. K.–Influence of elemental B addition on the heat-treated cast structures of Ti–47Al–2Cr–(2–4)Nb alloys.–J. Y. Jung and J. K. Park; **12** (3), 665–680.

Park, Jae-Won–Adhesion mechanisms of copper films deposited onto laser-irradiated alumina.–Jae-Won Park, Anthony J. Pedraza, Douglas H. Lowndes, and William R. Allen; **12** (11), 3174–3181.

Park, Jeong-Hyun–Bonding behavior of Cu/CuO thick film on a low-firing ceramic substrate.–Sang-Jin Lee, Waltraud M. Kriven, Jeong-Hyun Park, and Young-Soo Yoon; **12** (9), 2411–2418.

Park, Seung-Eek–Variations of structure and dielectric properties on substituting A-site cations for Sr^{2+} in $(Na_{1/2}Bi_{1/2})TiO_3$.–Seung-Eek Park and Kug-Sun Hong; **12** (8), 2152–2157.

Park, Woo-Jin–Mechanism of 1 : 1 nonstoichiometric short-range ordering in La-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ferroelectrics.–Kyu-Mann Lee, Hyun M. Jang, and Woo-Jin Park; **12** (6), 1603–1613.

Parlinski, K.–Computer simulation of ferroelastic phase transition in $LaNbO_4$.–K. Parlinski, Y. Hashi, S. Tsunekawa, and Y. Kawazoe; **12** (9), 2428–2437.

–Domain pattern formation in ferroelastic $Pb_3(PO_4)_2$ by computer simulation.–K. Parlinski and Y. Kawazoe; **12** (9), 2366–2373.

Parmigiani, F.–Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder.–L. E. Depero, R. Bertoncello, T. Boni, P. Levrangi, I. Natali Sora, E. Tempesti, and F. Parmigiani; **12** (5), 1376–1384.

Parrell, J. A.–Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate.–J. A. Parrell, D. C. Larbalestier, G. N. Riley, Jr., Q. Li, W. L. Carter, R. D. Parrella, and M. Teplitsky; **12** (11), 2997–3008.

Parrella, R. D.–Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate.–J. A. Parrell, D. C. Larbalestier, G. N. Riley, Jr., Q. Li, W. L. Carter, R. D. Parrella, and M. Teplitsky; **12** (11), 2997–3008.

Paschina, Giorgio–Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling.–Anna Corrias, Guido Ennas, Anna Musinu, Giorgio Paschina, and Daniela Zedda; **12** (10), 2767–2772.

Passacantando, M.–X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method.–S. Santucci, E. Cordeschi, L. Lozzi, M. Passacantando, P. Picozzi, and L. Mancinelli degli Esposti; **12** (1), 100–105.

Patanè, S.–Spectroscopic study of Na–TCNQ in a poly(ethylene oxide) matrix (TCNQ = 7,7′,8, and 8′ tetracyanoquinodimethane).–A. Arena, G. Di Marco, M. Lanza, S. Patanè, and G. Saitta; **12** (5), 1405–1409.

–Investigation of the novel charge transfer complex Cd-*TCNQ*.–A. Arena, A. M. Mezzasalma, S. Patanè, and G. Saitta; **12** (7), 1693–1697.

Patlagan, L.–The thermopower of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ in a comparative study of effects of Ba-site doping versus chain-Cu-site doping.–B. Fisher, J. Genossar, L. Patlagan, G. M. Reisner, and A. Knizhnik; **12** (11), 2907–2912.

Payne, D. A.–Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films.–R. W. Schwartz, J. A. Voigt, B. A. Tuttle, D. A. Payne, T. L. Reichert, and R. S. DaSalla; **12** (2), 444–456.

–Elastic properties of tetragonal $PbTiO_3$ single crystals by Brillouin scattering.–A. G. Kalinichev, J. D. Bass, B. N. Sun, and D. A. Payne; **12** (10), 2623–2627.

Paz, Y.–Photo-oxidatively self-cleaning transparent titanium dioxide films on soda lime glass: The deleterious effect of sodium contamination and its prevention.–Y. Paz and A. Heller; **12** (10), 2759–2766.

Pearce, Chuck W.–The nature of residues following the ashing of arsenic implanted photoresist.–Clifton W. Draper, Chuck W. Pearce, Jere T. Glick, Mike Gordon, Gwen E. Olness, and Steven L. Bernasek; **12** (10), 2799–2808.

Peck Jr., W. F.–Dielectric properties of barium titanium niobates.–G. L. Roberts, R. J. Cava, W. F. Peck, Jr., and J. J. Krajewski; **12** (2), 526–530.

Peddada, S. Rao–Growth of Ti thin films on sapphire substrates.–S. Rao Peddada, I. M. Robertson, and H. K. Birnbaum; **12** (7), 1856–1865.

Pedraza, Anthony J.–The effects of the atmosphere on the surface modification of alumina by pulsed-laser-irradiation.–Siqi Cao, A. J. Pedraza, L. F. Allard, and D. H. Lowndes; **12** (7), 1747–1754.

–Adhesion mechanisms of copper films deposited onto laser-irradiated alumina.–Jae-Won Park, Anthony J. Pedraza, Douglas H. Lowndes, and William R. Allen; **12** (11), 3174–3181.

Peigney, A.–Carbon nanotubes grown *in situ* by a novel catalytic method.–A. Peigney, Ch. Laurent, F. Dobigeon, and A. Rousset; **12** (3), 613–615(L).

Peins, G. A.–Materials reliability issues with coaxial cable systems for the information superhighway.–R. B. Comizzoli, G. R. Crane, M. E. Fiorino, R. P. Frankenthal, H. W. Krautter, G. A. Peins, D. J. Siconolfi, and J. D. Sinclair; **12** (3), 857–865(R).

Pellegri, N.–Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2-11.3 mol % Y_2O_3.–P. C. Rivas, M. C. Caracoche, J. A. Martinez, A. M. Rodríguez, R. Caruso, N. Pellegri, and O. de Sanctis; **12** (2), 493–500.

Pellerin, N.–Chemical analysis in $YBa_2Cu_3O_{7-x}$ melt-textured samples.–F. J. Gotor, J. Ayache, N. Pellerin, and P. Odier; **12** (2), 338–346.

Peng, Hongying–The syntheses of SiC_p/Al nanocomposites under high pressure.–Haozhe Liu, Aimin Wang, Luhong Wang, Bingzhe Ding, Zhuangqi Hu, and Hongying Peng; **12** (5), 1187–1190(L).

Peng, L. M.–Epitaxial dependence of the melting behavior of In nanoparticles embedded in Al matrices.–H. W. Sheng, G. Ren, L. M. Peng, Z. Q. Hu, and K. Lu; **12** (1), 119–123.

Pennelli, G.–Pulsed laser deposition and characterization of conductive RuO_2 thin films.–A. Iembo, F. Fuso, E. Arimondo, C. Ciofi, G. Pennelli, G. M. Currò, F. Neri, and M. Allegrini; **12** (6), 1433–1436(L).

Perepezko, J. H.–Uniformity and interfaces in ion-beam deposited Al/Ni multilayers.–A. S. Edelstein, R. K. Everett, J. H. Perepezko, and M. H. da Silva Bassani; **12** (2), 385–391.

Perez, R. J.–Formation kinetics of nanocrystalline Fe–4 wt. % Al solid solution during ball milling.–H. G. Jiang, R. J. Perez, M. L. Lau, and E. J. Lavernia; **12** (6), 1429–1432(L).

Pérez-Landazábal, J. I.–Crystallographic structure of *S′* precipitates in Al–Li–Cu–Mg alloys.–J. I. Pérez-Landazábal, M. L. Nó, G. Madariaga, and J. San Juan; **12** (3), 577–580(L).

Pérez-Maqueda, Luis A.–Preparation and characterization of nanosized zirconium (hydrous) oxide particles.–Luis A. Pérez-Maqueda and Egon Matijević; **12** (12), 3286–3292.

Perry, Anthony J.–Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate.–Michael V. Swain, Anthony J. Perry,

James R. Treglio, Alex Elkind, and J. Derek Demaree; **12** (7), 1917–1926.

Peterson, D. E.–Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S. R. Foltyn, E. J. Peterson, J. Y. Coulter, P. N. Arendt, Q. X. Jia, P. C. Dowden, M. P. Maley, X. D. Wu, and D. E. Peterson; **12** (11), 2941–2946.

Peterson, E. J.–Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S. R. Foltyn, E. J. Peterson, J. Y. Coulter, P. N. Arendt, Q. X. Jia, P. C. Dowden, M. P. Maley, X. D. Wu, and D. E. Peterson; **12** (11), 2941–2946.

Petrova, M. A.–Spinel solid solutions in the systems $MgAl_2O_4$–$ZnAl_2O_4$ and $MgAl_2O_4$–Mg_2TiO_4.–M. A. Petrova, G. A. Mikirticheva, A. S. Novikova, and V. F. Popova; **12** (10), 2584–2588.

Pfleger, J.–Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation.–C. K. H. Wong, Y. C. Chan, J. Pfleger, Y. W. Lam, K. M. Leung, and D. S. Chiu; **12** (1), 106–112.

Phillips, Julia M.–Introduction.–Julia M. Phillips, Koichi Kugimiya, Shoji Tanaka, and Yuh Shiohara; **12** (11), 2823–2824.

Picozzi, P.–X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method.–S. Santucci, E. Cordeschi, L. Lozzi, M. Passacantando, P. Picozzi, and L. Mancinelli degli Esposti; **12** (1), 100–105.

Pierre, F.–Preparation and characterization of Nd^{3+} and Er^{3+}-doped silica sol-gel coatings by Rutherford backscattering spectroscopy and spectroscopic ellipsometry.–S. Bruynooghe, A. Chabli, F. Bertin, F. Pierre, and G. Leflem; **12** (10), 2779–2783.

Pierron-Bohnes, V.–Structural properties of molecular beam epitaxy grown Ni/Pt superlattices.–W. Staiger, A. Michel, V. Pierron-Bohnes, N. Hermann, and M. C. Cadeville; **12** (1), 161–174.

Pilione, L. J.–Preparation of highly oriented polycrystalline AlN thin films on glass, deposited at oblique-angle incidence.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1689–1692(L).

–Development of preferred orientation in polycrystalline AlN thin films deposited by rf sputtering system at low temperature.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1850–1855.

Pinna, F.–Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia.–G. Fagherazzi, P. Canton, A. Benedetti, F. Pinna, G. Mariotto, and E. Zanghellini; **12** (2), 318–321(L).

Piñol, S.–Precipitate size refinement by CeO_2 and Y_2BaCuO_5 additions in directionally solidified $YBa_2Cu_3O_7$.–N. Vilalta, F. Sandiumenge, S. Piñol, and X. Obradors; **12** (1), 38–46.

Piraux, L.–Unusual behavior of the magnetoresistance of boron carbonitride films at low temperature.–L. Filipozzi, L. Piraux, A. Marchand, A. Derré, A. Adouard, and M. Kinany-Alaoui; **12** (7), 1711–1721.

Plucknett, K. P.–Melt-infiltration processing of TiC/Ni_3Al composites.–K. P. Plucknett, P. F. Becher, and R. Subramanian; **12** (10), 2515–2517(L).

Polman, A.–Lattice site and photoluminescence of erbium implanted in α–Al_2O_3.–G. N. van den Hoven, A. Polman, E. Alves, M. F. da Silva, A. A. Melo, and J. C. Soares; **12** (5), 1401–1404.

Pons, J.–Thermal cycling effects in high temperature Cu–Al–Ni–Mn–B shape memory alloys.–J. Font, J. Muntasell, J. Pons, and E. Cesari; **12** (9), 2288–2297.

–Solid-state mechanical alloying of plastic crystals.–J. Font, J. Muntasell, E. Cesari, and J. Pons; **12** (12), 3254–3259.

Popov, M.–Nano-sclerometry measurements of superhard materials and diamond hardness using scanning force microscope with the ultrahard fullerite C_{60} tip.–V. Blank, M. Popov, N. Lvova, K. Gogolinsky, and V. Reshetov; **12** (11), 3109–3114.

Popova, V. F.–Spinel solid solutions in the systems $MgAl_2O_4$–$ZnAl_2O_4$ and $MgAl_2O_4$–Mg_2TiO_4.–M. A. Petrova, G. A. Mikirticheva, A. S. Novikova, and V. F. Popova; **12** (10), 2584–2588.

Popovici, G.–Boron diffusion into diamond under electric bias.–T. Sung, G. Popovici, M. A. Prelas, R. G. Wilson, and S. K. Loyalka; **12** (5), 1169–1171(L).

Potdar, H. S.–Chemical synthesis of a new tin dioxide based (SnO_2 : Co, Al, Nb) varistor.–P. N. Santhosh, H. S. Potdar, and S. K. Date; **12** (2), 326–328(L).

Potter Jr., B. G.–Waveguide refractometry as a probe of thin film optical uniformity.–B. G. Potter, Jr., D. Dimos, and M. B. Sinclair; **12** (2), 546–551.

Powell, Quint H.–Gas-phase coating of TiO_2 with SiO_2 in a continuous flow hot-wall aerosol reactor.–Quint H. Powell, George P. Fotou, Toivo T. Kodas, Bruce M. Anderson, and Yongxiang Guo; **12** (2), 552–559.

Prasad, Jagdish–Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system.–Jagdish Prasad, Oliver M. R. Chyan, Jin-Jian Chen, Min Liu, Ligang Chen, and Fei Xu; **12** (12), 3241–3245.

Prater, J. T.–*In situ* mass spectrometry during diamond chemical vapor deposition using a low pressure flat flame.–C. A. Wolden, R. F. Davis, Z. Sitar, and J. T. Prater; **12** (10), 2733–2742.

Pratsinis, Sotiris E.–Electrically controlled flame synthesis of nanophase TiO_2, SiO_2, and SnO_2 powders.–Srinivas Vemury, Sotiris E. Pratsinis, and Lowinn Kibbey; **12** (4), 1031–1042.

Prelas, M. A.–Boron diffusion into diamond under electric bias.–T. Sung, G. Popovici, M. A. Prelas, R. G. Wilson, and S. K. Loyalka; **12** (5), 1169–1171(L).

Price, David L.–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Principi, G.–Internal friction and Mössbauer study of C–Cr associates in MANET steel.–P. Gondi, R. Gupta, R. Montanari, G. Principi, and M. E. Tata; **12** (2), 296–299(L).

Proust, C.–X-ray photoelectron spectroscopy characterization of barium titanate ceramics prepared by the citric route. Residual carbon study.–C. Miot, E. Husson, C. Proust, R. Erre, and J. P. Coutures; **12** (9), 2388–2392.

Prozorov, R.–Synthesis of pure amorphous Fe_2O_3.–X. Cao, R. Prozorov, Yu. Koltypin, G. Kataby, I. Felner, and A. Gedanken; **12** (2), 402–406.

Prudenziati, Maria–Interactions between lead oxide and ceramic substrates for thick film technology.–Massimo Bersani, Bruno Morten, Maria Prudenziati, and Alessandro Gualtieri; **12** (2), 501–508.

Q

Qian, Maoxu–Determination of local high-frequency dielectric function during the cubic-to-tetragonal phase transformation in barium titanate.–Kalpana S. Katti, Maoxu Qian, Mehmet Sarikaya, and Masuru Miyayama; **12** (6), 1582–1588.

Qian, Y. T.–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Qu, D.–Surface nucleation, domain growth mechanisms, and factors dominating superconducting properties in seeded melt grown $YBa_2Cu_3O_x$.–Donglu Shi, K. Lahiri, D. Qu, S. Sagar, V. F. Solovjov, and V. M. Pan; **12** (11), 3036–3045.

Quan, M. X.–Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying.–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (3), 616–618(L).

–Erratum: "Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying" [J. Mater. Res. **12**, 616–618 (1997)].–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (10), 2815(E).

Quandt, E.–Determination of elastic modulus of thin layers using nanoindentation.–J. Menčík, D. Munz, E. Quandt, E.R. Weppelmann, and M.V. Swain; **12** (9), 2475–2484.

Que, Wenxiu–A study on magnesium diffusion into $LiNbO_3$ single crystal by x-ray diffraction, differential thermal analysis, and scanning electron microscopy.–Wenxiu Que, Siakpiang Lim, Xi Yao, and A.Q. Liu; **12** (12), 3380–3385.

R

Radnóczi, G.–Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition.–K. Järrendahl, I. Ivanov, J-E. Sundgren, G. Radnóczi, Zs. Czigány, and J.E. Greene; **12** (7), 1806–1815.

–Annealing induced interdiffusion and crystallization in sputtered amorphous Si/Ge multilayers.–Zs. Czigány, G. Radnóczi, K. Järrendahl, and J-E. Sundgren; **12** (9), 2255–2261.

Raina, K.K.–Growth of (11*n*) oriented Bi–Ca–Sr–Cu–O films by liquid phase epitaxial method.–K.K. Raina and R.K. Pandey; **12** (3), 636–640.

–Role of antimony sulfide buffer layers in the growth of ferroelectric antimony sulfo-iodide thin films.–N. Solayappan, K.K. Raina, R.K. Pandey, and U. Varshney; **12** (3), 825–832.

Räisänen, V.I.–Does the shear-lag model apply to random fiber networks?.–V.I. Räisänen, M.J. Alava, K.J. Niskanen, and R.M. Nieminen; **12** (10), 2725–2732.

Rajendran, M.–Strontium and calcium zirconyl citrates as precursors for the low-temperature synthesis of $SrZrO_3$ and $CaZrO_3$ fine powders.–M. Rajendran and M. Subba Rao; **12** (10), 2665–2672.

Ralchenko, V.G.–Structural studies of diamond thin films grown from dc arc plasma.–L.C. Nistor, J. Van Landuyt, V.G. Ralchenko, A.A. Smolin, K.G. Korotushenko, and E.D. Obraztsova; **12** (10), 2533–2542.

Ramanathan, Sasangan–$SrBi_2Ta_2O_9$ thin films made by liquid source metal-organic chemical vapor deposition.–Yongfei Zhu, Seshu B. Desu, Tingkai Li, Sasangan Ramanathan, and Masaya Nagata; **12** (3), 783–792.

Ramarao, V.V.–*In situ* formation of $MoSi_2$–SiC through reaction of SiO_2 or Si_3N_4 with Mo and carbon.–R.V. Krishnarao, V.V. Ramarao, and Y.R. Mahajan; **12** (12), 3322–3327.

Ramesh, R.–Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack.–A.M. Dhote, S. Madhukar, D. Young, T. Venkatesan, R. Ramesh, C.M. Cotell, and Joseph M. Benedetto; **12** (6), 1589–1594.

Ramesh, Sivarajan–Ultrasound driven aggregation and surface silanol modification in amorphous silica microspheres.–Sivarajan Ramesh, Yuri Koltypin, and Aharon Gedanken; **12** (12), 3271–3277.

Randall, Clive A.–Low temperature synthesis of lead titanate by a hydrothermal method.–Jooho Moon, Tuo Li, Clive A. Randall, and James H. Adair; **12** (1), 189–197.

–Thermochemistry and electrical contact properties at the interface between semiconducting $BaTiO_3$ and (Au–Ti) electrodes.–David P. Cann and Clive A. Randall; **12** (7), 1685–1688(L).

–A study of the frequency dependence of the dielectrophoretic effect in thermoset polymers.–C.P. Bowen, T.R. Shrout, R.E. Newnham, and C.A. Randall; **12** (9), 2345–2356.

Rangarajan, S.–Fatigue of *in situ* reinforced Ti–8.5Al–1B–1Si.–S. Rangarajan, P.B. Aswath, and W.O. Soboyejo; **12** (4), 1102–1111.

Rao, C.N.R.–Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts.–S. Ayyappan, R. Srinivasa Gopalan, G.N. Subbanna, and C.N.R. Rao; **12** (2), 398–401.

–Oxide nanotubes prepared using carbon nanotubes as templates.–B.C. Satishkumar, A. Govindaraj, Erasmus M. Vogl, Lipika Basumallick, and C.N.R. Rao; **12** (3), 604–606(L).

Rao, J.C.–Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)].–L.G. Yu, J.Y. Dai, Z.P. Xing, D.X. Li, J.T. Guo, H.Q. Ye, J.C. Rao, and Y. Zhou; **12** (11), 3182(E).

Rao, K.J.–Microwave assisted synthesis of technologically important transition metal silicides.–B. Vaidhyanathan and K.J. Rao; **12** (12), 3225–3229.

Rao, M. Subba–Strontium and calcium zirconyl citrates as precursors for the low-temperature synthesis of $SrZrO_3$ and $CaZrO_3$ fine powders.–M. Rajendran and M. Subba Rao; **12** (10), 2665–2672.

Ravichandran, D.–Synthesis and characterization of sol-gel derived hexa-aluminate phosphors.–D. Ravichandran, R. Roy, W.B. White, and S. Erdei; **12** (3), 819–824.

Rawers, J.C.–Similarities and differences in the microstructure of attritor-milled Fe–Al–N compositions.–J.C. Rawers and D. Cook; **12** (4), 947–952.

Raymond, M.V.–Metallization schemes for dielectric thin film capacitors.–H.N. Al-Shareef, D. Dimos, B.A. Tuttle, and M.V. Raymond; **12** (2), 347–354.

Reagor, D.–Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q.X. Jia, and D. Reagor; **12** (11), 2958–2975.

Rečnik, A.–Structural characterization of Fe_3O_4–NiO superlattices using high-resolution transmission electron microscopy.–A. Rečnik, D.L. Carroll, K.A. Shaw, D.M. Lind, and M. Rühle; **12** (8), 2143–2151.

–Analytical electron microscopy of planar faults in SrO-doped $CaTiO_3$.–M. Čeh, H. Gu, H. Müllejans, and A. Rečnik; **12** (9), 2438–2446.

Reder, M.–Transmission electron microscopy observation of the decomposition of $YBa_2Cu_4O_8$ into $YBa_2Cu_3O_{7-\delta}$ and CuO.–M. Reder, J. Krelaus, D. Müller, K. Heinemann, and H.C. Freyhardt; **12** (4), 906–914.

Redlich, Ph.–Balance of graphite deposition and multishell carbon nanotube growth in the carbon arc discharge.–P.M. Ajayan, Ph. Redlich, and M. Rühle; **12** (1), 244–252.

Reichert, T.L.–Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films.–R.W. Schwartz, J.A. Voigt, B.A. Tuttle, D.A. Payne, T.L. Reichert, and R.S. DaSalla; **12** (2), 444–456.

Reilly, M.–Vapor-deposited $CaWO_4$ phosphor.–P.F. Carcia, M. Reilly, C.C. Torardi, M.K. Crawford, C.R. Miao, and B.D. Jones; **12** (5), 1385–1390.

Reisfeld, G.–*In situ* x-ray investigation of hydrogen charging in thin film bimetallic electrodes.–Najeh M. Jisrawi, Harold Wiesmann, M.W. Ruckman, T.R. Thurston, G. Reisfeld, B.M. Ocko, and Myron Strongin; **12** (8), 2091–2098.

Reisner, G.M.–The thermopower of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ in a comparative study of effects of Ba-site doping versus chain-Cu-site doping.–B. Fisher, J. Genossar, L. Patlagan, G.M. Reisner, and A. Knizhnik; **12** (11), 2907–2912.

Rèmiens, D.–*In situ* sputter deposition of $PbTiO_3$ thin films on different substrates: Influence of the growth temperature and the sputtered lead flux on the perovskite phase formation.–B. Jaber, D. Rèmiens, and B. Thierry; **12** (4), 997–1007.

Ren, G.–Epitaxial dependence of the melting behavior of In nanoparticles embedded in Al matrices.–H.W. Sheng, G. Ren, L.M. Peng, Z.Q. Hu, and K. Lu; **12** (1), 119–123.

Reshetov, V.–Nano-sclerometry measurements of superhard materials and diamond hardness using scanning force microscope with the ultrahard fullerite C_{60} tip.–V. Blank, M. Popov, N. Lvova, K. Gogolinsky, and V. Reshetov; **12** (11), 3109–3114.

Rha, Sa-Kyun–Interdiffusions and reactions in Cu/TiN/Ti/Si and Cu/TiN/Ti/SiO_2/Si multilayer structures.–Sa-Kyun Rha, Won-Jun Lee, Seung-Yun Lee, Dong-Won Kim, Chong-Ook Park, and Soung-Soon Chun; **12** (12), 3367–3372.

Rickman, J. M.–Impact of boundary nucleation on product grain size distribution.–W. S. Tong, J. M. Rickman, and K. Barmak; **12** (6), 1501–1507.

Rigby, K.–Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts.–S. Honjo, Michael J. Cima, M. C. Flemings, T. Ohkuma, H. Shen, K. Rigby, and T. H. Sung; **12** (4), 880–890.

Rigden, J. S.–The structural characterization of amorphous thin films and coatings in their as-deposited state using x-rays at shallow angles of incidence.–J. S. Rigden, R. J. Newport, and G. Bushnell-Wye; **12** (1), 264–276.

Riley Jr., Gilbert N.–Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate.–J. A. Parrell, D. C. Larbalestier, G. N. Riley, Jr., Q. Li, W. L. Carter, R. D. Parrella, and M. Teplitsky; **12** (11), 2997–3008.

–Effect of filament architecture on magnetic flux distributions in multifilamentary $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$/Ag composites.–Debra L. Kaiser, Marina Turchinskaya, Gilbert N. Riley, Jr., and Craig Christopherson; **12** (11), 3074–3084.

Ritter, John E.–Residual surface stress by localized contact-creep.–Sujanto Widjaja, Karl Jakus, Revti Atri, John E. Ritter, and Sandeepan Bhattacharya; **12** (1), 210–217.

Rivas, P. C.–Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2–11.3 mol % Y_2O_3.–P. C. Rivas, M. C. Caracoche, J. A. Martinez, A. M. Rodríguez, R. Caruso, N. Pellegri, and O. de Sanctis; **12** (2), 493–500.

–Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3.–R. Caruso, E. Benavídez, O. de Sanctis, M. C. Caracoche, P. C. Rivas, M. Cervera, A. Caneiro, and A. Serquis; **12** (10), 2594–2601.

Roberts, G. L.–Dielectric properties of barium titanium niobates.–G. L. Roberts, R. J. Cava, W. F. Peck, Jr., and J. J. Krajewski; **12** (2), 526–530.

Robertson, I. M.–Growth of Ti thin films on sapphire substrates.–S. Rao Peddada, I. M. Robertson, and H. K. Birnbaum; **12** (7), 1856–1865.

Rodríguez, A.–Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy.–A. Rodríguez, T. Rodríguez, A. Sanz-Hervás, A. Kling, J. C. Soares, M. F. da Silva, C. Ballesteros, and R. M. Gwilliam; **12** (7), 1698–1705.

Rodríguez, A. M.–Phase structure and thermal evolution in coatings and powders obtained by the sol-gel process: Part I. ZrO_2–11.3 mol % Y_2O_3.–P. C. Rivas, M. C. Caracoche, J. A. Martinez, A. M. Rodríguez, R. Caruso, N. Pellegri, and O. de Sanctis; **12** (2), 493–500.

Rodríguez, Julio–Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate.–Anatoly I. Bortun, Lyudmila Bortun, Abraham Clearfield, Enrique Jaimez, María A. Villa-García, José R. García, and Julio Rodríguez; **12** (4), 1122–1130.

Rodríguez, T.–Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy.–A. Rodríguez, T. Rodríguez, A. Sanz-Hervás, A. Kling, J. C. Soares, M. F. da Silva, C. Ballesteros, and R. M. Gwilliam; **12** (7), 1698–1705.

Rodríguez-Navarro, A.–Preparation of highly oriented polycrystalline AlN thin films on glass, deposited at oblique-angle incidence.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1689–1692(L).

–Development of preferred orientation in polycrystalline AlN thin films deposited by rf sputtering system at low temperature.–A. Rodríguez-Navarro, W. Otaño-Rivera, J. M. García-Ruiz, R. Messier, and L. J. Pilione; **12** (7), 1850–1855.

Rodríguez-Talavera, R.–Modification of the phase transition temperatures in titania doped with various cations.–R. Rodríguez-Talavera, S. Vargas, R. Arroyo-Murillo, R. Montiel-Campos, and E. Haro-Poniatowski; **12** (2), 439–443.

Rogachev, A. S.–A time-resolved x-ray diffraction study of Ti_5Si_3 product formation during combustion synthesis.–C. R. Kachelmyer, I. O. Khomenko, A. S. Rogachev, and A. Varma; **12** (12), 3230–3240.

Rogalla, Horst–The effect of ion milling on the morphology of ramp-type Josephson junctions.–Dave H. A. Blank and Horst Rogalla; **12** (11), 2952–2957.

Román, J.–Synthesis, structure, and gas sensitivity properties of SnO_2–CuO mixture phase obtained by pyrolysis of an aerosol.–J. Román, J. C. Fabian, M. Labeau, G. Delabouglise, and M. Vallet-Regí; **12** (2), 560–565.

Rosa, A. R.–High pressure compaction of nanosize ceramic powders.–M. R. Gallas, A. R. Rosa, T. H. Costa, and J. A. H. da Jornada; **12** (3), 764–768.

Rosenberg, Sara E.–The viscosity of germanium during substrate relaxation upon thermal anneal.–Sara E. Rosenberg, Cynthia G. Madras, Peter Y. Wong, and Ioannis N. Miaoulis; **12** (7), 1706–1710.

Rosman, N.–A sequential Raman analysis of the growth of diamond films on silicon substrates in a microwave plasma assisted chemical vapor deposition.–L. Fayette, B. Marcus, M. Mermoux, N. Rosman, L. Abello, and G. Lucazeau; **12** (10), 2686–2698.

Rosolovsky, J.–Supercritical fluid infusion of silver into polyimide films of varying chemical composition.–J. Rosolovsky, R. K. Boggess, A. F. Rubira, L. T. Taylor, D. M. Stoakley, and A. K. St. Clair; **12** (11), 3127–3133.

Rossi, Laura–Optical properties of potassium acid phthalate.–Davide Comoretto, Laura Rossi, and Alessandro Borghesi; **12** (5), 1262–1267.

Rossignol, Fabrice–Superplastic forming of an α-phase rich silicon nitride.–Tanguy Rouxel, Fabrice Rossignol, Jean-Louis Besson, and Paul Goursat; **12** (2), 480–492.

Rousset, A.–Carbon nanotubes grown *in situ* by a novel catalytic method.–A. Peigney, Ch. Laurent, F. Dobigeon, and A. Rousset; **12** (3), 613–615(L).

Rouxel, Tanguy–Superplastic forming of an α-phase rich silicon nitride.–Tanguy Rouxel, Fabrice Rossignol, Jean-Louis Besson, and Paul Goursat; **12** (2), 480–492.

Roy, R. A.–Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral, Jr., L. A. Clevenger, J. M. E. Harper, F. M. d'Heurle, R. A. Roy, K. L. Saenger, G. L. Miles, and R. W. Mann; **12** (2), 304–307(L).

Roy, Rustum–Sintering of the ultrahigh pressure densified hydroxy-apatite monolithic xerogels.–Ján Majling, Peter Znáik, Angela Palová, Stefan Svetík, Stefan Kovalík, Dinesh K. Agrawal, and Rustum Roy; **12** (1), 198–202.

–Synthesis and characterization of sol-gel derived hexa-aluminate phosphors.–D. Ravichandran, R. Roy, W. B. White, and S. Erdei; **12** (3), 819–824.

Roy, S.–Low temperature synthesis of ultrafine $Pb(Zr,Ti)O_3$ powder by sol-gel combustion.–J. Schäfer, W. Sigmund, S. Roy, and F. Aldinger; **12** (10), 2518–2521(L).

Ruano, Oscar A.–Superplastic behavior of a kappa carbide material (Fe_3AlC_x).–Woo-Jin Kim, Oscar A. Ruano, Jeffrey Wolfenstine, Georg Frommeyer, and Oleg D. Sherby; **12** (9), 2317–2324.

Rubira, A. F.–Supercritical fluid infusion of silver into polyimide films of varying chemical composition.–J. Rosolovsky, R. K. Boggess, A. F. Rubira, L. T. Taylor, D. M. Stoakley, and A. K. St. Clair; **12** (11), 3127–3133.

Ruckman, M. W.–*In situ* x-ray investigation of hydrogen charging in thin film bimetallic electrodes.–Najeh M. Jisrawi, Harold Wiesmann, M. W. Ruckman, T. R. Thurston, G. Reisfeld, B. M. Ocko, and Myron Strongin; **12** (8), 2091–2098.

Rühle, M.–Balance of graphite deposition and multishell carbon nanotube growth in the carbon arc discharge.–P. M. Ajayan, Ph. Redlich, and M. Rühle; **12** (1), 244–252.

–The thermal stability of thin copper films deposited on $TiO_2(110)$ studied by scanning tunneling microscopy.–D. L. Carroll, M. Wagner, M. Rühle, and D. A. Bonnell; **12** (4), 975–983.

–Structural characterization of Fe_3O_4–NiO superlattices using high-resolution transmission electron microscopy.–A. Rečnik, D.L. Carroll, K.A. Shaw, D.M. Lind, and M. Rühle; **12** (8), 2143–2151.

Rühle, Manfred–The reaction between a TiNi shape memory thin film and silicon.–Susanne Stemmer, Gerd Duscher, Christina Scheu, Arthur H. Heuer, and Manfred Rühle; **12** (7), 1734–1740.

Rulmont, A.–Directional solidification by appropriate chemically active single crystal seed: An alternative way of generating large superconducting 123 single domain.–R. Cloots, Fr. Auguste, A. Rulmont, N. Vandewalle, and M. Ausloos; **12** (12), 3199–3202(L).

Rupich, M.W.–Raman microscopy examination of phase evolution in Bi(Pb)–Sr–Ca–Cu–O superconducting ceramics.–K.T. Wu, A.K. Fischer, V.A. Maroni, and M.W. Rupich; **12** (5), 1195–1204.

Rybka, V.–Polyimide degradation induced by irradiation with N^+ ions.–V. Švorčík, I. Míček, V. Rybka, V. Hnatowicz, and F. Černý; **12** (6), 1661–1665.

S

Sabatini, R.L.–Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes.–Li-jun Wu, Y-L. Wang, Weimin Bian, Yimei Zhu, T.R. Thurston, R.L. Sabatini, P. Haldar, and M. Suenaga; **12** (11), 3055–3073.

Sadakata, N.–Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition.–Y. Iijima, M. Hosaka, N. Tanabe, N. Sadakata, T. Saitoh, O. Kohno, and K. Takeda; **12** (11), 2913–2923.

Sadler, L.Y.–Response of silicon carbide to high-intensity laser irradiation in a high-pressure inert gas atmosphere.–L.Y. Sadler and M. Shamsuzzoha; **12** (1), 147–160.

Saenger, K.L.–Lowering the formation temperature of the C54-$TiSi_2$ phase using a metallic interfacial layer.–C. Cabral, Jr., L.A. Clevenger, J.M.E. Harper, F.M. d'Heurle, R.A. Roy, K.L. Saenger, G.L. Miles, and R.W. Mann; **12** (2), 304–307(L).

Saffian, B.–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D.P. Norton, D.M. Kroeger, D.K. Christen, M. Paranthaman, E.D. Specht, J.D. Budai, Q. He, B. Saffian, F.A. List, D.F. Lee, E. Hatfield, C.E. Klabunde, P.M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Sagar, S.–Surface nucleation, domain growth mechanisms, and factors dominating superconducting properties in seeded melt grown $YBa_2Cu_3O_x$.–Donglu Shi, K. Lahiri, D. Qu, S. Sagar, V.F. Solovjov, and V.M. Pan; **12** (11), 3036–3045.

Saito, R.–Excess Li ions in a small graphite cluster.–M. Nakadaira, R. Saito, T. Kimura, G. Dresselhaus, and M.S. Dresselhaus; **12** (5), 1367–1375.

Saitoh, Hidetoshi–High strength, electrically conductive pore-free TiO_2 ceramics made by hot isostatic pressing.–Yukio Kishi, Katsuhiko Ogura, Kiichiro Kamata, Hidetoshi Saitoh, and Keizo Uematsu; **12** (4), 1056–1061.

Saitoh, T.–Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition.–Y. Iijima, M. Hosaka, N. Tanabe, N. Sadakata, T. Saitoh, O. Kohno, and K. Takeda; **12** (11), 2913–2923.

Saitta, G.–Spectroscopic study of Na–TCNQ in a poly(ethylene oxide) matrix (TCNQ = 7,7′,8, and 8′ tetracyanoquinodimethane).–A. Arena, G. Di Marco, M. Lanza, S. Patanè, and G. Saitta; **12** (5), 1405–1409.

–Investigation of the novel charge transfer complex Cd-*TCNQ*.–A. Arena, A.M. Mezzasalma, S. Patanè, and G. Saitta; **12** (7), 1693–1697.

Sajith, P.K.–$REBa_2ZrO_{5.5}$ (Re = La, Ce, Eu, and Yb): Synthesis, characterization, and their potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductors.–R. Jose, Asha M. John, J. Kurian, P.K. Sajith, and J. Koshy; **12** (11), 2976–2980.

Sakai, N.–Refinement of Nd-422 phase trapped in a $Nd_{1+\delta}Ba_{2-\delta}Cu_3O_{7-y}$ superconducting matrix.–F. Frangi, S.I. Yoo, N. Sakai, and M. Murakami; **12** (8), 1990–2001.

Sakuma, H.–Growth and structures of C_{60} shells.–H. Sakuma, M. Tachibana, H. Sugiura, K. Kojima, S. Ito, T. Sekiguchi, and Y. Achiba; **12** (6), 1545–1550.

Sakurai, Osamu–Effect of calcium modification on the microstructure and oxidation property of submicron spherical palladium powders.–Shenglei Che, Osamu Sakurai, Hiroshi Funakubo, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (2), 392–397.

–Preparation of semiconductive $SrTiO_3$ thin films by metal-organic chemical vapor deposition and their electrical properties.–Daisuke Nagano, Hiroshi Funakubo, Osamu Sakurai, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (6), 1655–1660.

Salamo, G.J.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K.Y. Chen, Q. Xiong, Y.Q. Tang, G.J. Salamo, F.T. Chan, J. Cooksey, S. Scott, Y.J. Shi, S. Ang, W.D. Brown, and L.W. Schaper; **12** (11), 2947–2951.

Sameshima, Soichiro–Colloidal processing and mechanical properties of silicon carbide with alumina.–Yoshihiro Hirata, Kouji Hidaka, Hiroaki Matsumura, Yasuo Fukushige, and Soichiro Sameshima; **12** (11), 3146–3157.

Sánchez, F.–Oxygen content and inhomogeneity effects on the electrical properties of $YBa_2Cu_3O_y$ thin films.–R. Aguiar, F. Sánchez, and M. Varela; **12** (1), 47–53.

Sanchez Jr., J.E.–Quantitative analysis of electromigration damage in Al-based conductor lines.–O. Kraft, J.E. Sanchez, Jr., M. Bauer, and E. Arzt; **12** (8), 2027–2037.

Sandiumenge, F.–Precipitate size refinement by CeO_2 and Y_2BaCuO_5 additions in directionally solidified $YBa_2Cu_3O_7$.–N. Vilalta, F. Sandiumenge, S. Piñol, and X. Obradors; **12** (1), 38–46.

Sandrolini, Franco–New hybrid nanocomposites based on an organophilic clay and poly(styrene-*b*-butadiene) copolymers.–Michele Laus, Oriano Francescangeli, and Franco Sandrolini; **12** (11), 3134–3139.

San Juan, J.–Crystallographic structure of S' precipitates in Al–Li–Cu–Mg alloys.–J.I. Pérez-Landazábal, M.L. Nó, G. Madariaga, and J. San Juan; **12** (3), 577–580(L).

Santhosh, P.N.–Chemical synthesis of a new tin dioxide based (SnO_2 : Co, Al, Nb) varistor.–P.N. Santhosh, H.S. Potdar, and S.K. Date; **12** (2), 326–328(L).

Santucci, S.–X-ray photoelectron spectroscopy studies of silicon suboxides obtained by the sol-gel method.–S. Santucci, E. Cordeschi, L. Lozzi, M. Passacantando, P. Picozzi, and L. Mancinelli degli Esposti; **12** (1), 100–105.

Sanz-Hervás, A.–Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy.–A. Rodríguez, T. Rodríguez, A. Sanz-Hervás, A. Kling, J.C. Soares, M.F. da Silva, C. Ballesteros, and R.M. Gwilliam; **12** (7), 1698–1705.

Sarikaya, Mehmet–Determination of local high-frequency dielectric function during the cubic-to-tetragonal phase transformation in barium titanate.–Kalpana S. Katti, Maoxu Qian, Mehmet Sarikaya, and Masuru Miyayama; **12** (6), 1582–1588.

Sasaki, G.–Microstructure and strength of Al-sapphire interface by means of the surface activated bonding method.–T. Akatsu, G. Sasaki, N. Hosoda, and T. Suga; **12** (3), 852–856.

Satishkumar, B.C.–Oxide nanotubes prepared using carbon nanotubes as templates.–B.C. Satishkumar, A. Govindaraj, Erasmus M. Vogl, Lipika Basumallick, and C.N.R. Rao; **12** (3), 604–606(L).

Sato, Tadao–Copper-boron nitride interaction in hot-pressed ceramics.–Milan Hubáček, Tadao Sato, and Masanori Ueki; **12** (1), 113–118.

Sato, Yoichiro–Phase formation in molybdenum disilicide powders during in-flight induction plasma treatment.–Xiaobao Fan, Takamasa Ishigaki, and Yoichiro Sato; **12** (5), 1315–1326.

–Nucleation and growth of oriented diamond on Si(100) by bias-assisted chemical vapor deposition.–Mikka Nishitani-Gamo, Toshihiro Ando, Kazuo Yamamoto, Paul A. Dennig, and Yoichiro Sato; **12** (5), 1351–1355.

Sberveglieri, Giorgio–Microstructural characterization of a titanium-tungsten oxide gas sensor.–Matteo Ferroni, Vincenzo Guidi, Giuliano Martinelli, and Giorgio Sberveglieri; **12** (3), 793–798.

Scardi, P.–X-ray diffraction line broadening effects in $MBa_2Cu_3O_{7-\delta}$ (M = Y, Gd) thin films.–P. Scardi, F.C. Matacotta, V.I. Dediu, and L. Correra; **12** (1), 28–37.

Schäfer, J.–Low temperature synthesis of ultrafine $Pb(Zr,Ti)O_3$ powder by sol-gel combustion.–J. Schäfer, W. Sigmund, S. Roy, and F. Aldinger; **12** (10), 2518–2521(L).

Schaper, L.W.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K.Y. Chen, Q. Xiong, Y.Q. Tang, G.J. Salamo, F.T. Chan, J. Cooksey, S. Scott, Y.J. Shi, S. Ang, W.D. Brown, and L.W. Schaper; **12** (11), 2947–2951.

Schenck, P.K.–Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition.–B.W. Lee, L.P. Cook, P.K. Schenck, W. Wong-Ng, C.K. Chiang, P.S. Brody, and K.W. Bennett; **12** (2), 509–517.

Scheu, Christina–The reaction between a TiNi shape memory thin film and silicon.–Susanne Stemmer, Gerd Duscher, Christina Scheu, Arthur H. Heuer, and Manfred Rühle; **12** (7), 1734–1740.

Schindler, Jon L.–Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

Schlom, D.G.–Domain structure of epitaxial $PbTiO_3$ films grown on vicinal (001) $SrTiO_3$.–C.D. Theis and D.G. Schlom; **12** (5), 1297–1305.

Schmidl, F.–Formation of single-crystal $CoSi_2$ buffer layers on Si(100) substrates by high dose Co ion implantation for the deposition of $YBa_2Cu_3O_{7-x}$ thin films.–Yijie Li, P. Seidel, F. Machalett, S. Linzen, and F. Schmidl; **12** (8), 2072–2080.

Schmidt, P.C.–Electronic structures and host excitation of $LaPO_4$, La_2O_3, and $AlPO_4$.–K.C. Mishra, I. Osterloh, H. Anton, B. Hannebauer, P.C. Schmidt, and K.H. Johnson; **12** (8), 2183–2190.

Schmitz, G.J.–Modeling of peritectic $YBa_2Cu_3O_{7-x}$ growth using transparent organic analogues.–R. Terborg and G.J. Schmitz; **12** (8), 2002–2008.

Schneemeyer, L.F.–Single crystal growth of cuprates from hydroxide fluxes.–S.A. Sunshine, T. Siegrist, and L.F. Schneemeyer; **12** (5), 1210–1213.

Schneider, G.A.–Failure behavior of alumina and alumina/silicon carbide nanocomposites with natural and artificial flaws.–F. Meschke, P. Alves-Riccardo, G.A. Schneider, and N. Claussen; **12** (12), 3307–3315.

Schonenberg, K.–The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon.–K. Schonenberg, Siu-Wai Chan, D. Harame, M. Gilbert, C. Stanis, and L. Gignac; **12** (2), 364–370.

Schulz, Robert–High energy ball-milled Ti_2RuFe electrocatalyst for hydrogen evolution in the chlorate industry.–Marco Blouin, Daniel Guay, Jacques Hout, and Robert Schulz; **12** (6), 1492–1500.

Schulze, Walter A.–Electrical properties of ultrafine-grained yttria-stabilized zirconia ceramics.–Shusheng Jiang, Walter A. Schulze, Vasantha R.W. Amarakoon, and Gregory C. Stangle; **12** (9), 2374–2380.

Schwartz, R.W.–Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films.–R.W. Schwartz, J.A. Voigt, B.A. Tuttle, D.A. Payne, T.L. Reichert, and R.S. DaSalla; **12** (2), 444–456.

Schwartz, Robert W.–Aging characteristics of a hybrid sol-gel $Pb(Zr,Ti)O_3$ precursor solution.–Timothy J. Boyle, Duane B. Dimos, Robert W. Schwartz, Todd M. Alam, Michael B. Sinclair, and Catherine D. Buchheit; **12** (4), 1022–1030.

Schwecke, C.–Czochralski growth of Yb^{3+} and Pr^{3+} doped Ca-fluoroapatite.–A. Caprez, P. Mikhail, C. Schwecke, and J. Hulliger; **12** (12), 3210–3213(L).

Scott, S.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K.Y. Chen, Q. Xiong, Y.Q. Tang, G.J. Salamo, F.T. Chan, J. Cooksey, S. Scott, Y.J. Shi, S. Ang, W.D. Brown, and L.W. Schaper; **12** (11), 2947–2951.

Segal, Vladimir M.–Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular extrusion.–Stephane Ferrasse, Vladimir M. Segal, K. Theodore Hartwig, and Ramon E. Goforth; **12** (5), 1253–1261.

Seidel, P.–Formation of single-crystal $CoSi_2$ buffer layers on Si(100) substrates by high dose Co ion implantation for the deposition of $YBa_2Cu_3O_{7-x}$ thin films.–Yijie Li, P. Seidel, F. Machalett, S. Linzen, and F. Schmidl; **12** (8), 2072–2080.

Seifert, H.J.–The standard molar enthalpies of formation of α–Si_3N_4 and β–Si_3N_4 by combustion calorimetry in fluorine, and the enthalpy of the α-to-β transition at the temperature 298.15 K.–P.A.G. O'Hare, Iwona Tomaszkiewicz, and H.J. Seifert; **12** (12), 3203–3205(L).

Seitzman, L.E.–The origin of an anomalous, low 2θ peak in x-ray diffraction spectra of MoS_2 films grown by ion beam assisted deposition.–D.N. Dunn, L.E. Seitzman, and I.L. Singer; **12** (5), 1191–1194(L).

Sekiguchi, T.–Growth and structures of C_{60} shells.–H. Sakuma, M. Tachibana, H. Sugiura, K. Kojima, S. Ito, T. Sekiguchi, and Y. Achiba; **12** (6), 1545–1550.

Seraphin, A.A.–Influence of nanostructure size on the luminescence behavior of silicon nanoparticle thin films.–A.A. Seraphin, E. Werwa, and K.D. Kolenbrander; **12** (12), 3386–3392.

Sernelius, Bo E.–Metal-nonmetal transition and resistivity of silicon implanted with bismuth.–E. Abramof, A. Ferreira da Silva, Bo E. Sernelius, J.P. de Souza, and H. Boudinov; **12** (3), 641–645.

Serquis, A.–Phase structure and thermal evolution in coating films and powders obtained by sol-gel process: Part II. ZrO_2–2.5 mole % Y_2O_3.–R. Caruso, E. Benavídez, O. de Sanctis, M.C. Caracoche, P.C. Rivas, M. Cervera, A. Caneiro, and A. Serquis; **12** (10), 2594–2601.

Servant, C.–Aging of the Inconel 718 alloy between 500 and 750 °C.–C. Slama, C. Servant, and G. Cizeron; **12** (9), 2298–2316.

Setlur, A.A.–The effect of arc parameters on the growth of carbon nanotubes.–J.M. Lauerhaas, J.Y. Dai, A.A. Setlur, and R.P.H. Chang; **12** (6), 1536–1544.

Setter, N.–Influence of texture on the switching behavior of $Pb(Zr_{0.70}Ti_{0.30})O_3$ sol-gel derived thin films.–Keith G. Brooks, Radosveta D. Klissurska, Pedro Moeckli, and N. Setter; **12** (2), 531–540.

Shamsuzzoha, M.–Response of silicon carbide to high-intensity laser irradiation in a high-pressure inert gas atmosphere.–L.Y. Sadler and M. Shamsuzzoha; **12** (1), 147–160.

Shaw, K.A.–Structural characterization of Fe_3O_4–NiO superlattices using high-resolution transmission electron microscopy.–A. Rečnik, D.L. Carroll, K.A. Shaw, D.M. Lind, and M. Rühle; **12** (8), 2143–2151.

Shen, H.–Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts.–S. Honjo, Michael J. Cima, M.C. Flemings, T. Ohkuma, H. Shen, K. Rigby, and T.H. Sung; **12** (4), 880–890.

Shen, Ming-Rong–Pulsed electrodeposition of diamond-like carbon films.–Hao Wang, Ming-Rong Shen, Zhao-Yuan Ning, Chao Ye, and He-Sun Zhu; **12** (11), 3102–3105(L).

Shen, Y-L.–Thermal stresses in multilevel interconnections: Aluminum lines at different levels.–Y-L. Shen; **12** (9), 2219–2222(L).

Sheng, H. W.–Epitaxial dependence of the melting behavior of In nanoparticles embedded in Al matrices.–H. W. Sheng, G. Ren, L. M. Peng, Z. Q. Hu, and K. Lu; **12** (1), 119–123.

Sherby, Oleg D.–Superplastic behavior of a kappa carbide material (Fe_3AlC_x).–Woo-Jin Kim, Oscar A. Ruano, Jeffrey Wolfenstine, Georg Frommeyer, and Oleg D. Sherby; **12** (9), 2317–2324.

Sherman, Dov–The ballistic failure mechanisms and sequence in semi-infinite supported alumina tiles.–Dov Sherman and D. G. Brandon; **12** (5), 1335–1343.

Shi, Donglu–Surface nucleation, domain growth mechanisms, and factors dominating superconducting properties in seeded melt grown $YBa_2Cu_3O_x$.–Donglu Shi, K. Lahiri, D. Qu, S. Sagar, V. F. Solovjov, and V. M. Pan; **12** (11), 3036–3045.

Shi, Dongxia–Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers.–Dongxia Shi, Ning Liu, Haiqiang Yang, Juning Gao, Yueshan Jiang, Shijin Pang, Xubiao Wu, and Zhen Ji; **12** (10), 2543–2547.

Shi, Y. H.–Controlled processing and properties of large Pt-doped Y–Ba–Cu–O pseudocrystals for electromagnetic applications.–Wai Lo, D. A. Cardwell, C. D. Dewhurst, H-T. Leung, J. C. L. Chow, and Y. H. Shi; **12** (11), 2889–2900.

Shi, Y. J.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K. Y. Chen, Q. Xiong, Y. Q. Tang, G. J. Salamo, F. T. Chan, J. Cooksey, S. Scott, Y. J. Shi, S. Ang, W. D. Brown, and L. W. Schaper; **12** (11), 2947–2951.

Shield, J. E.–Deformation-induced planar defects in Al–Cu–Fe quasicrystals.–J. E. Shield and M. J. Kramer; **12** (2), 300–303(L).

–Deformation characteristics of quasicrystalline Al–Cu–Fe alloys.–J. E. Shield and M. J. Kramer; **12** (8), 2043–2047.

Shimamura, Kiyoshi–Determination of equilibrium cations for the $KTiOPO_4$ structure.–Valery I. Chani, Kiyoshi Shimamura, and Tsuguo Fukuda; **12** (9), 2470–2474.

Shimizu, K.–Anodic film formation on a sputter-deposited amorphous Al–40 at.% Sm alloy.–H. Habazaki, P. Skeldon, G. E. Thompson, G. C. Wood, and K. Shimizu; **12** (7), 1885–1891.

Shinozaki, Kazuo–Effect of calcium modification on the microstructure and oxidation property of submicron spherical palladium powders.–Shenglei Che, Osamu Sakurai, Hiroshi Funakubo, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (2), 392–397.

–Preparation of semiconductive $SrTiO_3$ thin films by metal-organic chemical vapor deposition and their electrical properties.–Daisuke Nagano, Hiroshi Funakubo, Osamu Sakurai, Kazuo Shinozaki, and Nobuyasu Mizutani; **12** (6), 1655–1660.

Shiohara, Yuh–Periodic fluctuation of Ba/Nd ratio in single crystals of high-J_c $NdBa_2Cu_3O_{7-\delta}$ superconductor.–Tsukasa Hirayama, Yuichi Ikuhara, Masaru Nakamura, Yasuji Yamada, and Yuh Shiohara; **12** (2), 293–295(L).

–Unidirectional partial melting and solidification of SmBCO superconductor.–M. Sumida, Y. Nakamura, Y. Shiohara, and T. Umeda; **12** (8), 1979–1989.

–Introduction.–Julia M. Phillips, Koichi Kugimiya, Shoji Tanaka, and Yuh Shiohara; **12** (11), 2823–2824.

–Fabrication of NdBCO single crystal oxide superconductor with enhanced superconductive properties.–M. Kambara, X. Yao, M. Nakamura, Y. Shiohara, and T. Umeda; **12** (11), 2866–2872.

–Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors.–M. Kambara, Y. Watanabe, K. Miyake, A. Endo, K. Murata, Y. Shiohara, and T. Umeda; **12** (11), 2873–2879.

–Diffusion model for the crystal growth of $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ by the top seeded crystal pulling method.–Minoru Tagami, Takateru Umeda, and Yuh Shiohara; **12** (11), 2880–2888.

Shiue, Sham-Tsong–Thermal stresses in carbon-coated optical fibers at low temperature.–Sham-Tsong Shiue and Wen-Hao Lee; **12** (9), 2493–2498.

Shohet, J. L.–Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4.–J. H. Booske, L. Zhang, W. Wang, K. Mente, N. Zjaba, C. Baum, and J. L. Shohet; **12** (5), 1356–1366.

Shores, David A.–Plastic deformation of oxide scales at elevated temperatures.–Yifan Zhang, William W. Gerberich, and David A. Shores; **12** (3), 697–705.

Shoup, Shara S.–Sol-gel synthesis of $LaAlO_3$; Epitaxial growth of $LaAlO_3$ thin films on $SrTiO_3$ (100).–Shara S. Shoup, Mariappan Paranthaman, David B. Beach, E. D. Specht, and Robert K. Williams; **12** (4), 1017–1021.

Shrout, T. R.–The effect of ferroelastic coupling in controlling the abnormal aging behavior in lead magnesium niobate-lead titanate relaxor ferroelectrics.–Q. M. Zhang, J. Zhao, T. R. Shrout, and L. E. Cross; **12** (7), 1777–1784.

–A study of the frequency dependence of the dielectrophoretic effect in thermoset polymers.–C. P. Bowen, T. R. Shrout, R. E. Newnham, and C. A. Randall; **12** (9), 2345–2356.

Shu, Li–Structure and properties of carbon nitride films synthesized by low energy ion bombardment.–Xiao-Ming He, Li Shu, Wen-Zhi Li, and Heng-De Li; **12** (6), 1595–1602.

Sibille, Laurent–Neural net formulations for organically modified, hydrophobic silica aerogel.–David Noever, Laurent Sibille, Raymond Cronise, Subbiah Baskaran, and Arlon Hunt; **12** (7), 1837–1843.

Sickafus, Kurt E.–Radiation-induced phase transformations in $MgAl_2O_4$ spinel.–Ning Yu, Ram Devanathan, Kurt E. Sickafus, and Michael Nastasi; **12** (7), 1766–1770.

Siconolfi, D. J.–Materials reliability issues with coaxial cable systems for the information superhighway.–R. B. Comizzoli, G. R. Crane, M. E. Fiorino, R. P. Frankenthal, H. W. Krautter, G. A. Peins, D. J. Siconolfi, and J. D. Sinclair; **12** (3), 857–865(R).

Siegal, M. P.–Synthesis and properties of Tl–Ba–Ca–Cu–O superconductors.–M. P. Siegal, E. L. Venturini, B. Morosin, and T. L. Aselage; **12** (11), 2825–2854.

Siegrist, T.–Single crystal growth of cuprates from hydroxide fluxes.–S. A. Sunshine, T. Siegrist, and L. F. Schneemeyer; **12** (5), 1210–1213.

Sigmund, W.–Low temperature synthesis of ultrafine $Pb(Zr, Ti)O_3$ powder by sol-gel combustion.–J. Schäfer, W. Sigmund, S. Roy, and F. Aldinger; **12** (10), 2518–2521(L).

Simwonis, D.–Material characterization in support of the development of an anode substrate for solid oxide fuel cells.–D. Simwonis, A. Naoumidis, F. J. Dias, J. Linke, and A. Moropoulou; **12** (6), 1508–1518.

Sinclair, J. D.–Materials reliability issues with coaxial cable systems for the information superhighway.–R. B. Comizzoli, G. R. Crane, M. E. Fiorino, R. P. Frankenthal, H. W. Krautter, G. A. Peins, D. J. Siconolfi, and J. D. Sinclair; **12** (3), 857–865(R).

Sinclair, Michael B.–Waveguide refractometry as a probe of thin film optical uniformity.–B. G. Potter, Jr., D. Dimos, and M. B. Sinclair; **12** (2), 546–551.

–Aging characteristics of a hybrid sol-gel $Pb(Zr, Ti)O_3$ precursor solution.–Timothy J. Boyle, Duane B. Dimos, Robert W. Schwartz, Todd M. Alam, Michael B. Sinclair, and Catherine D. Buchheit; **12** (4), 1022–1030.

Singer, I. L.–The origin of an anomalous, low 2θ peak in x-ray diffraction spectra of MoS_2 films grown by ion beam assisted deposition.–D. N. Dunn, L. E. Seitzman, and I. L. Singer; **12** (5), 1191–1194(L).

Singer, Johannes–Doping high T_c superconductors with oxygen and metallic atoms: A molecular dynamics study.–Erich Stoll, Christian Stern, Johannes Singer, and Peter Stucki; **12** (11), 2901–2906.

Singh, M.–SiC (SCS-6) fiber reinforced-reaction formed SiC matrix composites: Microstructure and interfacial properties.–M. Singh, R. M. Dickerson, Forrest A. Olmstead, and J. I. Eldridge; **12** (3), 706–713.

Singh, Rajiv–Surface composites: A new class of engineered materials.–Rajiv Singh and James Fitz-Gerald; **12** (3), 769–773.

Sinkler, W.–A transmission electron microscopy investigation of inverse melting in $Nb_{45}Cr_{55}$.–W. Sinkler, C. Michaelsen, and R. Bormann; **12** (7), 1872–1884.

Sitar, Z.–*In situ* mass spectrometry during diamond chemical vapor deposition using a low pressure flat flame.–C. A. Wolden, R. F. Davis, Z. Sitar, and J. T. Prater; **12** (10), 2733–2742.

Skamser, Daniel J.–Model of chemical vapor infiltration using temperature gradients.–Daniel J. Skamser, Hamlin M. Jennings, and D. Lynn Johnson; **12** (3), 724–737.

Skeldon, P.–Anodic film formation on a sputter-deposited amorphous Al–40 at. % Sm alloy.–H. Habazaki, P. Skeldon, G. E. Thompson, G. C. Wood, and K. Shimizu; **12** (7), 1885–1891.

Slama, C.–Aging of the Inconel 718 alloy between 500 and 750 °C.–C. Slama, C. Servant, and G. Cizeron; **12** (9), 2298–2316.

Smith, David S.–Factors controlling carbon retention in $YBa_2Cu_3O_{7-\delta}$.–Evelyne Cazy, Ali Khalfi, David S. Smith, and Jean Pierre Bonnet; **12** (6), 1451–1455.

Smith, Guy A.–Effects of gravity on processing heavy metal fluoride fibers.–Dennis S. Tucker, Gary L. Workman, and Guy A. Smith; **12** (9), 2223–2225(L).

Smith, L. L.–Microstructure, electrical properties, and thermal stability of Au-based ohmic contacts to *p*-GaN.–L. L. Smith, R. F. Davis, M. J. Kim, R. W. Carpenter, and Y. Huang; **12** (9), 2249–2254.

Smolin, A. A.–Structural studies of diamond thin films grown from dc arc plasma.–L. C. Nistor, J. Van Landuyt, V. G. Ralchenko, A. A. Smolin, K. G. Korotushenko, and E. D. Obraztsova; **12** (10), 2533–2542.

Soares, J. C.–Lattice site and photoluminescence of erbium implanted in α–Al_2O_3.–G. N. van den Hoven, A. Polman, E. Alves, M. F. da Silva, A. A. Melo, and J. C. Soares; **12** (5), 1401–1404.

–Strain compensation by heavy boron doping in $Si_{1-x}Ge_x$ layers grown by solid phase epitaxy.–A. Rodríguez, T. Rodríguez, A. Sanz-Hervás, A. Kling, J. C. Soares, M. F. da Silva, C. Ballesteros, and R. M. Gwilliam; **12** (7), 1698–1705.

Soboyejo, W. O.–Fatigue of *in situ* reinforced Ti–8.5Al–1B–1Si.–S. Rangarajan, P. B. Aswath, and W. O. Soboyejo; **12** (4), 1102–1111.

Solayappan, N.–Role of antimony sulfide buffer layers in the growth of ferroelectric antimony sulfo-iodide thin films.–N. Solayappan, K. K. Raina, R. K. Pandey, and U. Varshney; **12** (3), 825–832.

Solovjov, V. F.–Surface nucleation, domain growth mechanisms, and factors dominating superconducting properties in seeded melt grown $YBa_2Cu_3O_x$.–Donglu Shi, K. Lahiri, D. Qu, S. Sagar, V. F. Solovjov, and V. M. Pan; **12** (11), 3036–3045.

Song, Xiao-ping–Characterization of the disproportionated NdFeCoZrB alloy by means of electron microscopy.–Jian-rong Gao, Xiao-ping Song, and Xiao-tian Wang; **12** (3), 581–584(L).

Sora, I. Natali–Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder.–L. E. Depero, R. Bertoncello, T. Boni, P. Levrangi, I. Natali Sora, E. Tempesti, and F. Parmigiani; **12** (5), 1376–1384.

–Crystalline phases and electronic structures in superconducting Bi–Sr–Ca–Cu oxides.–M. D. Giardina, R. Feduzi, D. Inzaghi, H. Chiba, C. Giori, I. Natali Sora, and V. Dallacasa; **12** (8), 2009–2013.

Sparks, Barbara–Comparison of C_2F_6 and FASi-4 as fluorine dopant sources in plasma enhanced chemical vapor deposited fluorinated silica glass films.–Woo Sik Yoo, Richard Swope, Barbara Sparks, and David Mordo; **12** (1), 70–74.

Specht, E. D.–Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique.–M. Paranthaman, F. A. List, A. Goyal, E. D. Specht, C. E. Vallet, D. M. Kroeger, and D. K. Christen; **12** (3), 619–623.

–Sol-gel synthesis of $LaAlO_3$; Epitaxial growth of $LaAlO_3$ thin films on $SrTiO_3$ (100).–Shara S. Shoup, Mariappan Paranthaman, David B. Beach, E. D. Specht, and Robert K. Williams; **12** (4), 1017–1021.

–Conductors with controlled grain boundaries: An approach to the next generation, high temperature superconducting wire.–A. Goyal, D. P. Norton, D. M. Kroeger, D. K. Christen, M. Paranthaman, E. D. Specht, J. D. Budai, Q. He, B. Saffian, F. A. List, D. F. Lee, E. Hatfield, C. E. Klabunde, P. M. Martin, J. Mathis, and C. Park; **12** (11), 2924–2940.

Speck, J. S.–Hydrothermal synthesis of heteroepitaxial $Pb(Zr_xTi_{1-x})O_3$ thin films at 90–150 °C.–A. T. Chien, J. S. Speck, and F. F. Lange; **12** (5), 1176–1178(L).

–Effect of lattice mismatch on the epitaxy of sol-gel $LiNbO_3$ thin films.–T. A. Derouin, C. D. E. Lakeman, X. H. Wu, J. S. Speck, and F. F. Lange; **12** (5), 1391–1400.

Speel, Rodney–Direct current electrical conductivity of Versicon™ blended in poly(vinyl chloride).–Rodney Speel and Peter K. LeMaire; **12** (5), 1183–1186(L).

Speyer, Robert F.–Aluminothermic reaction path in the synthesis of a TiB_2–Al_2O_3 composite.–V. Sundaram, K. V. Logan, and R. F. Speyer; **12** (7), 1681–1684(L).

–Effect of rate controlled sintering on microstructure and electrical properties of ZnO doped with bismuth and antimony oxides.–Gaurav Agarwal and Robert F. Speyer; **12** (9), 2447–2454.

–Reaction path in the magnesium thermite reaction to synthesize titanium diboride.–V. Sundaram, K. V. Logan, and R. F. Speyer; **12** (10), 2657–2664.

Sporken, R.–Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses.–F. Malengreau, M. Vermeersch, S. Hagège, R. Sporken, M. D. Lange, and R. Caudano; **12** (1), 175–188.

Srikant, V.–Anomalous behavior of the optical band gap of nanocrystalline zinc oxide thin films.–V. Srikant and D. R. Clarke; **12** (6), 1425–1428(L).

Srividya, C.–Resistance of plasma-deposited a-C:H/fluorocarbon films to anodic breakdown in aqueous electrolytes.–C. Srividya, M. Sunkara, and S. V. Babu; **12** (8), 2099–2103.

Staiger, W.–Structural properties of molecular beam epitaxy grown Ni/Pt superlattices.–W. Staiger, A. Michel, V. Pierron-Bohnes, N. Hermann, and M. C. Cadeville; **12** (1), 161–174.

Stangle, Gregory C.–Electrical properties of ultrafine-grained yttria-stabilized zirconia ceramics.–Shusheng Jiang, Walter A. Schulze, Vasantha R. W. Amarakoon, and Gregory C. Stangle; **12** (9), 2374–2380.

Stanis, C.–The stability of $Si_{1-x}Ge_x$ strained layers on small-area trench-isolated silicon.–K. Schonenberg, Siu-Wai Chan, D. Harame, M. Gilbert, C. Stanis, and L. Gignac; **12** (2), 364–370.

Stauf, Gregory T.–Influence of substrate annealing on the epitaxial growth of $BaTiO_3$ thin films by metal-organic chemical vapor deposition.–Cheol Seong Hwang, Mark D. Vaudin, and Gregory T. Stauf; **12** (6), 1625–1633.

St. Clair, A. K.–Supercritical fluid infusion of silver into polyimide films of varying chemical composition.–J. Rosolovsky, R. K. Boggess, A. F. Rubira, L. T. Taylor, D. M. Stoakley, and A. K. St. Clair; **12** (11), 3127–3133.

Stemmer, Susanne–The fracture toughness of polysilicon microdevices: A first report.–R. Ballarini, R. L. Mullen, Y. Yin, H. Kahn, S. Stemmer, and A. H. Heuer; **12** (4), 915–922.

–The reaction between a TiNi shape memory thin film and silicon.–Susanne Stemmer, Gerd Duscher, Christina Scheu, Arthur H. Heuer, and Manfred Rühle; **12** (7), 1734–1740.

Stern, Christian–Doping high T_c superconductors with oxygen and metallic atoms: A molecular dynamics study.–Erich Stoll, Christian Stern, Johannes Singer, and Peter Stucki; **12** (11), 2901–2906.

Steurer, W.–The growth of decagonal Al–Co–Ni single crystals as a function of chemical composition.–B. Zhang, M. Estermann, and W. Steurer; **12** (9), 2274–2280.

Stewart, L. M.–Development of flat, smooth (100) faceted diamond thin films using microwave plasma chemical vapor deposition.–Andrew L. Yee, H. C. Ong, L. M. Stewart, and R. P. H. Chang; **12** (7), 1796–1805.

Stoakley, D. M.–Supercritical fluid infusion of silver into polyimide films of varying chemical composition.–J. Rosolovsky, R. K. Boggess, A. F. Rubira, L. T. Taylor, D. M. Stoakley, and A. K. St. Clair; **12** (11), 3127–3133.

Stoffer, James O.–Optically transparent polymethyl methacrylate composites made with glass fibers of varying refractive index.–Seunggu Kang, Hongy Lin, Delbert E. Day, and James O. Stoffer; **12** (4), 1091–1101.

Stoll, Erich–Doping high T_c superconductors with oxygen and metallic atoms: A molecular dynamics study.–Erich Stoll, Christian Stern, Johannes Singer, and Peter Stucki; **12** (11), 2901–2906.

Stoneham, A. Marshall–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Strongin, Myron–*In situ* x-ray investigation of hydrogen charging in thin film bimetallic electrodes.–Najeh M. Jisrawi, Harold Wiesmann, M. W. Ruckman, T. R. Thurston, G. Reisfeld, B. M. Ocko, and Myron Strongin; **12** (8), 2091–2098.

Stroud, R. M.–High temperature x-ray and calorimetric studies of phase transformations in quasicrystalline Ti–Zr–Ni alloys.–R. M. Stroud, K. F. Kelton, and S. T. Misture; **12** (2), 434–438.

Stucki, Peter–Doping high T_c superconductors with oxygen and metallic atoms: A molecular dynamics study.–Erich Stoll, Christian Stern, Johannes Singer, and Peter Stucki; **12** (11), 2901–2906.

Studebaker, Daniel B.–Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

Su, Qing-Xin–Sol-gel derived $Ba(Mg_{1/3}Ta_{2/3})O_3$ thin films: Preparation and structure.–Ji Zhou, Qing-Xin Su, K. M. Moulding, and D. J. Barber; **12** (3), 596–599(L).

Subbanna, G. N.–Nanoparticles of Ag, Au, Pd, and Cu produced by alcohol reduction of the salts.–S. Ayyappan, R. Srinivasa Gopalan, G. N. Subbanna, and C. N. R. Rao; **12** (2), 398–401.

Subramanian, R.–Melt-infiltration processing of TiC/Ni_3Al composites.–K. P. Plucknett, P. F. Becher, and R. Subramanian; **12** (10), 2515–2517(L).

Subramanian, Vidya–Phase instability in ZrO_2–NiAl functionally graded materials.–Yi-Rong He, Vidya Subramanian, and John J. Lannutti; **12** (10), 2589–2593.

Suematsu, Hisayuki–High temperature strength of silicon nitride ceramics with ytterbium silicon oxynitride.–Toshiyuki Nishimura, Mamoru Mitomo, and Hisayuki Suematsu; **12** (1), 203–209.

Suenaga, M.–*In situ* measurements of texture and phase development in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes.–T. R. Thurston, P. Haldar, Y-L. Wang, M. Suenaga, N. M. Jisrawi, and U. Wildgruber; **12** (4), 891–905.

–Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes.–Li-jun Wu, Y-L. Wang, Weimin Bian, Yimei Zhu, T. R. Thurston, R. L. Sabatini, P. Haldar, and M. Suenaga; **12** (11), 3055–3073.

Suga, T.–Microstructure and strength of Al-sapphire interface by means of the surface activated bonding method.–T. Akatsu, G. Sasaki, N. Hosoda, and T. Suga; **12** (3), 852–856.

Sugimoto, Naoki–Quantum size effect of ZnSe microcrystal-doped SiO_2 glass thin films prepared by RF-sputtering method.–Masayuki Hayashi, Takafumi Iwano, Hiroyuki Nasu, Naoki Sugimoto, Kanichi Kamiya, and Kazuyuki Hirao; **12** (10), 2552–2558.

Sugiura, H.–Growth and structures of C_{60} shells.–H. Sakuma, M. Tachibana, H. Sugiura, K. Kojima, S. Ito, T. Sekiguchi, and Y. Achiba; **12** (6), 1545–1550.

Sumida, M.–Unidirectional partial melting and solidification of SmBCO superconductor.–M. Sumida, Y. Nakamura, Y. Shiohara, and T. Umeda; **12** (8), 1979–1989.

Sun, B. N.–Elastic properties of tetragonal $PbTiO_3$ single crystals by Brillouin scattering.–A. G. Kalinichev, J. D. Bass, B. N. Sun, and D. A. Payne; **12** (10), 2623–2627.

Sun, Li–Conductive $LaNiO_3$ electrode grown by pulsed laser ablation on Si substrate.–Li Sun, Tao Yu, Yan-Feng Chen, Jun Zhou, and Nai-Ben Ming; **12** (4), 931–935.

Sundaram, V.–Aluminothermic reaction path in the synthesis of a TiB_2–Al_2O_3 composite.–V. Sundaram, K. V. Logan, and R. F. Speyer; **12** (7), 1681–1684(L).

–Reaction path in the magnesium thermite reaction to synthesize titanium diboride.–V. Sundaram, K. V. Logan, and R. F. Speyer; **12** (10), 2657–2664.

Sundgren, J-E.–Microstructure evolution in amorphous Ge/Si multilayers grown by magnetron sputter deposition.–K. Järrendahl, I. Ivanov, J-E. Sundgren, G. Radnóczi, Zs. Czigány, and J. E. Greene; **12** (7), 1806–1815.

–Annealing induced interdiffusion and crystallization in sputtered amorphous Si/Ge multilayers.–Zs. Czigány, G. Radnóczi, K. Järrendahl, and J-E. Sundgren; **12** (9), 2255–2261.

Sung, T.–Boron diffusion into diamond under electric bias.–T. Sung, G. Popovici, M. A. Prelas, R. G. Wilson, and S. K. Loyalka; **12** (5), 1169–1171(L).

Sung, T. H.–Seeded crystal growth of $YBa_2Cu_3O_{6.5}$ in semisolid melts.–S. Honjo, Michael J. Cima, M. C. Flemings, T. Ohkuma, H. Shen, K. Rigby, and T. H. Sung; **12** (4), 880–890.

Sunkara, M.–Resistance of plasma-deposited *a*-C : H/fluorocarbon films to anodic breakdown in aqueous electrolytes.–C. Srividya, M. Sunkara, and S. V. Babu; **12** (8), 2099–2103.

Sunshine, S. A.–Single crystal growth of cuprates from hydroxide fluxes.–S. A. Sunshine, T. Siegrist, and L. F. Schneemeyer; **12** (5), 1210–1213.

Surappa, M. K.–Studies on age-hardening characteristics of ceramic particle/matrix interfaces in Al–Cu–SiC_p composites using ultra low-load-dynamic microhardness measurements.–B. Dutta and M. K. Surappa; **12** (10), 2773–2778.

Suriñach, S.–Crystallization mechanisms of some $Se_{100-x}Te_x$ glassy alloys.–Y. Calventus, S. Suriñach, and M. D. Baró; **12** (4), 1069–1075.

Suter, Ulrich W.–High refractive index materials of iron sulfides and poly(ethylene oxide).–Tasoula Kyprianidou-Leodidou, Hans-Jörg Althaus, Yves Wyser, Daniel Vetter, Michele Büchler, Walter Caseri, and Ulrich W. Suter; **12** (8), 2198–2206.

Suvorov, D.–Extended x-ray absorption fine structure study of incorporation of Bi and Pb atoms into the crystal structure of $Ba_{4.5}Nd_9Ti_{18}O_{54}$.–M. Valant, I. Arčon, D. Suvorov, A. Kodre, T. Negas, and R. Frahm; **12** (3), 799–804.

Suzuki, Takakazu–The influence of total pressure in the reactor and carrier gas on the chemical vapor deposition of Al from tri-isobutyl aluminum.–Takakazu Suzuki; **12** (7), 1866–1871.

Svetík, Stefan–Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels.–Ján Majling, Peter Znáik, Angela Palová, Stefan Svetík, Stefan Kovalík, Dinesh K. Agrawal, and Rustum Roy; **12** (1), 198–202.

Švorčík, V.–Polyimide degradation induced by irradiation with N^+ ions.–V. Švorčík, I. Miček, V. Rybka, V. Hnatowicz, and F. Černý; **12** (6), 1661–1665.

Swain, Michael V.–Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate.–Michael V. Swain, Anthony J. Perry,

James R. Treglio, Alex Elkind, and J. Derek Demaree; **12** (7), 1917–1926.

–Determination of elastic modulus of thin layers using nanoindentation.–J. Menčík, D. Munz, E. Quandt, E. R. Weppelmann, and M. V. Swain; **12** (9), 2475–2484.

Swope, Richard–Comparison of C_2F_6 and FASi-4 as fluorine dopant sources in plasma enhanced chemical vapor deposited fluorinated silica glass films.–Woo Sik Yoo, Richard Swope, Barbara Sparks, and David Mordo; **12** (1), 70–74.

Syono, Y.–Growth of high-quality $Bi_2Sr_2CaCu_2O_z$ crystal and characterization.–H. Faqir, G. Vacquier, H. Chiba, M. Kikuchi, Y. Muraoka, and Y. Syono; **12** (10), 2522–2525.

Szabó, D. V.–Synthesis and magnetic properties of nanostructured maghemite.–D. Vollath, D. V. Szabó, R. D. Taylor, and J. O. Willis; **12** (8), 2175–2182.

T

Tachibana, M.–Growth and structures of C_{60} shells.–H. Sakuma, M. Tachibana, H. Sugiura, K. Kojima, S. Ito, T. Sekiguchi, and Y. Achiba; **12** (6), 1545–1550.

Tagami, Minoru–Diffusion model for the crystal growth of $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ by the top seeded crystal pulling method.–Minoru Tagami, Takateru Umeda, and Yuh Shiohara; **12** (11), 2880–2888.

Takahashi, Hiroki–Influence of Ar impurities on optical refractive index of sputter deposited a–Si films.–Hiroki Takahashi, Haruki Kataoka, and Hirotoshi Nagata; **12** (7), 1722–1726.

Takeda, K.–Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition.–Y. Iijima, M. Hosaka, N. Tanabe, N. Sadakata, T. Saitoh, O. Kohno, and K. Takeda; **12** (11), 2913–2923.

Taljat, B.–Analysis of ball-indentation load-depth data: Part I. Determining elastic modulus.–B. Taljat, T. Zacharia, and F. M. Haggag; **12** (4), 965–974.

Talvacchio, John–Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q. X. Jia, and D. Reagor; **12** (11), 2958–2975.

Tamada, Hideki–Superconducting properties and structural stability of $Bi_2Sr_2CaCu_2O_{8+\delta}$ compound prepared by electrochemical reduction in protogenic electrolyte.–Motohide Matsuda, Hideki Tamada, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (12), 3214–3218.

Tanabe, N.–Biaxial alignment control of $YBa_2Cu_3O_{7-x}$ films on random Ni-based alloy with textured yttrium stabilized-zirconia films formed by ion-beam-assisted deposition.–Y. Iijima, M. Hosaka, N. Tanabe, N. Sadakata, T. Saitoh, O. Kohno, and K. Takeda; **12** (11), 2913–2923.

Tanaka, Shoji–Introduction.–Julia M. Phillips, Koichi Kugimiya, Shoji Tanaka, and Yuh Shiohara; **12** (11), 2823–2824.

Tang, Y. Q.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K. Y. Chen, Q. Xiong, Y. Q. Tang, G. J. Salamo, F. T. Chan, J. Cooksey, S. Scott, Y. J. Shi, S. Ang, W. D. Brown, and L. W. Schaper; **12** (11), 2947–2951.

Tao, Kun–Investigation of the interface reactions of Ti thin films with AlN substrate.–Xiangjun He, Si-Ze Yang, Kun Tao, and Yudian Fan; **12** (3), 846–851.

Tata, M. E.–Internal friction and Mössbauer study of C–Cr associates in MANET steel.–P. Gondi, R. Gupta, R. Montanari, G. Principi, and M. E. Tata; **12** (2), 296–299(L).

Taylor, L. T.–Supercritical fluid infusion of silver into polyimide films of varying chemical composition.–J. Rosolovsky, R. K. Boggess, A. F. Rubira, L. T. Taylor, D. M. Stoakley, and A. K. St. Clair; **12** (11), 3127–3133.

Taylor, R. D.–Synthesis and magnetic properties of nanostructured maghemite.–D. Vollath, D. V. Szabó, R. D. Taylor, and J. O. Willis; **12** (8), 2175–2182.

Tcheliebou, F.–Preparation of fine-grained MgO and Gd_2O_3 stabilized ZrO_2 thin films by electron beam physical vapor deposition co-evaporation.–F. Tcheliebou, M. Boulouz, and A. Boyer; **12** (12), 3260–3265.

Tempesti, E.–Surface and bulk characterization of Rh/ZrO_2 prepared by absorption of $Rh_4(CO)_{12}$ clusters on ZrO_2 powder.–L. E. Depero, R. Bertoncello, T. Boni, P. Levrangi, I. Natali Sora, E. Tempesti, and F. Parmigiani; **12** (5), 1376–1384.

Teng, M. H.–Computer simulations of interactions between ultrafine alumina particles produced by an arc discharge.–M. H. Teng, L. D. Marks, and D. L. Johnson; **12** (1), 235–243.

–Magnetic properties of graphitically encapsulated nickel nanocrystals.–J-H. Hwang, Vinayak P. Dravid, M. H. Teng, Jonathon J. Host, B. R. Elliott, D. L. Johnson, and Thomas O. Mason; **12** (4), 1076–1082.

–A descriptive model linking possible formation mechanisms for graphite-encapsulated nanocrystals to processing parameters.–B. R. Elliott, J. J. Host, V. P. Dravid, M. H. Teng, and J-H. Hwang; **12** (12), 3328–3344.

Teng, Mao H.–Graphite encapsulated nanocrystals produced using a low carbon : metal ratio.–Jonathon J. Host, Mao H. Teng, Brian R. Elliott, Jin-Ha Hwang, Thomas O. Mason, D. Lynn Johnson, and Vinayak P. Dravid; **12** (5), 1268–1273.

Tennis, Paul D.–Mathematical modeling of cement paste microstructure by mosaic pattern. Part II. Application.–Paul D. Tennis, Yunping Xi, and Hamlin M. Jennings; **12** (7), 1741–1746.

Teplitsky, M.–Connectivity and flux pinning improvements in Ag-clad BSCCO-2223 tapes produced by changes in the cooling rate.–J. A. Parrell, D. C. Larbalestier, G. N. Riley, Jr., Q. Li, W. L. Carter, R. D. Parrella, and M. Teplitsky; **12** (11), 2997–3008.

Terborg, R.–Modeling of peritectic $YBa_2Cu_3O_{7-x}$ growth using transparent organic analogues.–R. Terborg and G. J. Schmitz; **12** (8), 2002–2008.

Theis, C. D.–Domain structure of epitaxial $PbTiO_3$ films grown on vicinal (001) $SrTiO_3$.–C. D. Theis and D. G. Schlom; **12** (5), 1297–1305.

Thierry, B.–*In situ* sputter deposition of $PbTiO_3$ thin films on different substrates: Influence of the growth temperature and the sputtered lead flux on the perovskite phase formation.–B. Jaber, D. Rèmiens, and B. Thierry; **12** (4), 997–1007.

Thio, Chai-Liang–Impedance spectroscopy of $SrBi_2Ta_2O_9$ and $SrBi_2Nb_2O_9$ ceramics correlation with fatigue behavior.–Tze-Chiun Chen, Chai-Liang Thio, and Seshu B. Desu; **12** (10), 2628–2637.

Thomas, D. K.–Ag : Sb and Sb : Ag implantations into high purity silica.–T. S. Anderson, R. H. Magruder, III, L. Kinser, J. E. Wittig, R. A. Zuhr, and D. K. Thomas; **12** (12), 3316–3321.

Thompson, G. E.–Anodic film formation on a sputter-deposited amorphous Al–40 at. % Sm alloy.–H. Habazaki, P. Skeldon, G. E. Thompson, G. C. Wood, and K. Shimizu; **12** (7), 1885–1891.

Thurston, T. R.–*In situ* measurements of texture and phase development in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes.–T. R. Thurston, P. Haldar, Y-L. Wang, M. Suenaga, N. M. Jisrawi, and U. Wildgruber; **12** (4), 891–905.

–*In situ* x-ray investigation of hydrogen charging in thin film bimetallic electrodes.–Najeh M. Jisrawi, Harold Wiesmann, M. W. Ruckman, T. R. Thurston, G. Reisfeld, B. M. Ocko, and Myron Strongin; **12** (8), 2091–2098.

–Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes.–Li-jun Wu, Y-L. Wang, Weimin Bian, Yimei Zhu, T. R. Thurston, R. L. Sabatini, P. Haldar, and M. Suenaga; **12** (11), 3055–3073.

Todt, Volk R.–From meandering to straight grain boundaries: Improving the structures of artificially induced grain boundaries in

superconducting $YBa_2Cu_3O_y$ bicrystals.–Xiao-Feng Zhang, Volk R. Todt, and Dean J. Miller; **12** (11), 3029–3035.

Tolt, Z. Li–Hot filament assisted diamond growth at low temperatures with oxygen addition.–Z. Li Tolt, L. Heatherly, R. E. Clausing, and C. S. Feigerle; **12** (5), 1344–1350.

Tomaszkiewicz, Iwona–The standard molar enthalpies of formation of α–Si_3N_4 and β–Si_3N_4 by combustion calorimetry in fluorine, and the enthalpy of the α-to-β transition at the temperature 298.15 K.–P. A. G. O'Hare, Iwona Tomaszkiewicz, and H. J. Seifert; **12** (12), 3203–3205(L).

Tong, W. S.–Impact of boundary nucleation on product grain size distribution.–W. S. Tong, J. M. Rickman, and K. Barmak; **12** (6), 1501–1507.

Torardi, C. C.–Vapor-deposited $CaWO_4$ phosphor.–P. F. Carcia, M. Reilly, C. C. Torardi, M. K. Crawford, C. R. Miao, and B. D. Jones; **12** (5), 1385–1390.

Torii, Shunsuke–Mullite precursor I. Characterization of mullite precursor formed by a reaction of monosilicic acid on aluminum hydroxide.–Takushi Yokoyama, Keisuki Nishu, Shunsuke Torii, Yoshio Ikeda, and Tokuko Watanabe; **12** (8), 2111–2116.

Tournier, R.–Ac irreversibility line of bismuth-based high temperature superconductors.–A. Mehdaoui, J. Beille, D. Berling, B. Loegel, J. G. Noudem, and R. Tournier; **12** (9), 2226–2233.

Toyoda, Koichi–Pulsed laser deposition of carbon nitride thin films in nitrogen gas ambient.–Masayuki Okoshi, Hiroshi Kumagai, and Koichi Toyoda; **12** (12), 3376–3379.

Treglio, James R.–Influence of implantation of heavy metallic ions on the mechanical properties of two polymers, polystyrene and polyethylene terephthalate.–Michael V. Swain, Anthony J. Perry, James R. Treglio, Alex Elkind, and J. Derek Demaree; **12** (7), 1917–1926.

Tribillon, G.–Two interferometric methods for the mechanical characterization of thin films by bulging tests. Application to single crystal of silicon.–E. Bonnotte, P. Delobelle, L. Bornier, B. Trolard, and G. Tribillon; **12** (9), 2234–2248.

Trolard, B.–Two interferometric methods for the mechanical characterization of thin films by bulging tests. Application to single crystal of silicon.–E. Bonnotte, P. Delobelle, L. Bornier, B. Trolard, and G. Tribillon; **12** (9), 2234–2248.

Tsai, A. P.–Stoichiometric icosahedral phase in the Zn–Mg–Y system.–A. P. Tsai, A. Niikura, A. Inoue, and T. Masumoto; **12** (6), 1468–1471.

Tsakmakis, Ch.–Determination of Young's modulus by spherical indentation.–N. Huber, D. Munz, and Ch. Tsakmakis; **12** (9), 2459–2469.

Tsukuma, Koji–Deposition process and property of silica films containing organic groups from aqueous solution of alkoxides.–Junrok Oh, Hiroaki Imai, Hiroshi Hirashima, and Koji Tsukuma; **12** (4), 1008–1016.

Tsunekawa, S.–Computer simulation of ferroelastic phase transition in $LaNbO_4$.–K. Parlinski, Y. Hashi, S. Tsunekawa, and Y. Kawazoe; **12** (9), 2428–2437.

Tucker, Dennis S.–Effects of gravity on processing heavy metal fluoride fibers.–Dennis S. Tucker, Gary L. Workman, and Guy A. Smith; **12** (9), 2223–2225(L).

Turchinskaya, Marina–Effect of filament architecture on magnetic flux distributions in multifilamentary $(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$/Ag composites.–Debra L. Kaiser, Marina Turchinskaya, Gilbert N. Riley, Jr., and Craig Christopherson; **12** (11), 3074–3084.

Turtù, S.–Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

–Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815(E).

Tuttle, B. A.–Metallization schemes for dielectric thin film capacitors.–H. N. Al-Shareef, D. Dimos, B. A. Tuttle, and M. V. Raymond; **12** (2), 347–354.

–Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films.–R. W. Schwartz, J. A. Voigt, B. A. Tuttle, D. A. Payne, T. L. Reichert, and R. S. DaSalla; **12** (2), 444–456.

Tymiak, N. I.–The mechanical behavior of a passivating surface under potentiostatic control.–D. F. Bahr, J. C. Nelson, N. I. Tymiak, and W. W. Gerberich; **12** (12), 3345–3353.

U

Uchino, K.–Change of the weak-field properties of $Pb(ZrTi)O_3$ piezoceramics with compressive uniaxial stresses and its links to the effect of dopants on the stability of the polarizations in the materials.–Q. M. Zhang, Jianzhong Zhao, K. Uchino, and Jiehui Zheng; **12** (1), 226–234.

Ueki, Masanori–Copper-boron nitride interaction in hot-pressed ceramics.–Milan Hubáček, Tadao Sato, and Masanori Ueki; **12** (1), 113–118.

Uematsu, Keizo–High strength, electrically conductive pore-free TiO_2 ceramics made by hot isostatic pressing.–Yukio Kishi, Katsuhiko Ogura, Kiichiro Kamata, Hidetoshi Saitoh, and Keizo Uematsu; **12** (4), 1056–1061.

Ukalski, K.–Investigation of growth conditions of fibrous deposits in carbon arc.–P. Byszewski, K. Ukalski, E. Mizera, and E. Kowalska; **12** (6), 1551–1557.

Umeda, Takateru–Unidirectional partial melting and solidification of SmBCO superconductor.–M. Sumida, Y. Nakamura, Y. Shiohara, and T. Umeda; **12** (8), 1979–1989.

–Fabrication of NdBCO single crystal oxide superconductor with enhanced superconductive properties.–M. Kambara, X. Yao, M. Nakamura, Y. Shiohara, and T. Umeda; **12** (11), 2866–2872.

–Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors.–M. Kambara, Y. Watanabe, K. Miyake, A. Endo, K. Murata, Y. Shiohara, and T. Umeda; **12** (11), 2873–2879.

–Diffusion model for the crystal growth of $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ by the top seeded crystal pulling method.–Minoru Tagami, Takateru Umeda, and Yuh Shiohara; **12** (11), 2880–2888.

Umegaki, Takao–Two-stage sintering of dense superconducting $YBa_2Cu_4O_8$ ceramics.–Motohide Matsuda, Yoshihisa Ogawa, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (5), 1205–1209.

–Superconducting properties and structural stability of $Bi_2Sr_2CaCu_2O_{8+\delta}$ compound prepared by electrochemical reduction in protogenic electrolyte.–Motohide Matsuda, Hideki Tamada, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (12), 3214–3218.

Umemoto, M.–Characterization of mechanical nanocrystallization process of amorphous Fe–Mo–Si–B alloy by transmission Mössbauer spectroscopy.–X. D. Liu, F. Q. Guo, K. Lu, and M. Umemoto; **12** (3), 681–687.

V

Vacquier, G.–Growth of high-quality $Bi_2Sr_2CaCu_2O_z$ crystal and characterization.–H. Faqir, G. Vacquier, H. Chiba, M. Kikuchi, Y. Muraoka, and Y. Syono; **12** (10), 2522–2525.

Vaidhyanathan, B.–Microwave assisted synthesis of technologically important transition metal silicides.–B. Vaidhyanathan and K. J. Rao; **12** (12), 3225–3229.

Vailhé, C.–Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics.–D. Farkas, S. J. Zhou, C. Vailhé, B. Mutasa, and J. Panova; **12** (1), 93–99.

–Shear faults and dislocation core structures in B2 CoAl.–C. Vailhé and D. Farkas; **12** (10), 2559–2570.

Valant, M.–Extended x-ray absorption fine structure study of incorporation of Bi and Pb atoms into the crystal structure of $Ba_{4.5}Nd_9Ti_{18}O_{54}$.–M. Valant, I. Arčon, D. Suvorov, A. Kodre, T. Negas, and R. Frahm; **12** (3), 799–804.

Vallet, C.E.–Growth of $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films with local biaxial alignment extending up to 5 mm on Ag substrates using a spray-pyrolysis technique.–M. Paranthaman, F.A. List, A. Goyal, E.D. Specht, C.E. Vallet, D.M. Kroeger, and D.K. Christen; **12** (3), 619–623.

Vallet-Regí, M.–Synthesis, structure, and gas sensitivity properties of SnO_2–CuO mixture phase obtained by pyrolysis of an aerosol.–J. Román, J.C. Fabian, M. Labeau, G. Delabouglise, and M. Vallet-Regí; **12** (2), 560–565.

–Phase indentification and superconductivity transitions in Sr-doped $Pr_{1.85}Ce_{0.15}CuO_{4+\delta}$.–A. Varela, M. Vallet-Regí, and J.M. González-Calbet; **12** (10), 2526–2532.

van den Hoven, G.N.–Lattice site and photoluminescence of erbium implanted in α–Al_2O_3.–G.N. van den Hoven, A. Polman, E. Alves, M.F. da Silva, A.A. Melo, and J.C. Soares; **12** (5), 1401–1404.

Vandewalle, N.–Directional solidification by appropriate chemically active single crystal seed: An alternative way of generating large superconducting 123 single domain.–R. Cloots, Fr. Auguste, A. Rulmont, N. Vandewalle, and M. Ausloos; **12** (12), 3199–3202(L).

Van Landuyt, J.–Structural studies of diamond thin films grown from dc arc plasma.–L.C. Nistor, J. Van Landuyt, V.G. Ralchenko, A.A. Smolin, K.G. Korotushenko, and E.D. Obraztsova; **12** (10), 2533–2542.

Varela, A.–Phase indentification and superconductivity transitions in Sr-doped $Pr_{1.85}Ce_{0.15}CuO_{4+\delta}$.–A. Varela, M. Vallet-Regí, and J.M. González-Calbet; **12** (10), 2526–2532.

Varela, M.–Oxygen content and inhomogeneity effects on the electrical properties of $YBa_2Cu_3O_y$ thin films.–R. Aguiar, F. Sánchez, and M. Varela; **12** (1), 47–53.

Vargas, S.–Modification of the phase transition temperatures in titania doped with various cations.–R. Rodríguez-Talavera, S. Vargas, R. Arroyo-Murillo, R. Montiel-Campos, and E. Haro-Poniatowski; **12** (2), 439–443.

Varma, A.–A time-resolved x-ray diffraction study of Ti_5Si_3 product formation during combustion synthesis.–C.R. Kachelmyer, I.O. Khomenko, A.S. Rogachev, and A. Varma; **12** (12), 3230–3240.

Varshney, U.–Role of antimony sulfide buffer layers in the growth of ferroelectric antimony sulfo-iodide thin films.–N. Solayappan, K.K. Raina, R.K. Pandey, and U. Varshney; **12** (3), 825–832.

Vasseur, J.O.–Propagation of acoustic waves in periodic and random two-dimensional composite media.–J.O. Vasseur and P.A. Deymier; **12** (8), 2207–2212.

Vassiliou, J.K.–Equation of state of polycrystalline $Ni_{50}Al_{50}$.–J.W. Otto, J.K. Vassiliou, and G. Frommeyer; **12** (11), 3106–3108(L).

Vaudin, Mark D.–Influence of substrate annealing on the epitaxial growth of $BaTiO_3$ thin films by metal-organic chemical vapor deposition.–Cheol Seong Hwang, Mark D. Vaudin, and Gregory T. Stauf; **12** (6), 1625–1633.

Vélez, M.–On the fluctuation field in multidomain barium hexaferrite particles.–J.M. González, Anit K. Giri, C. de Julián, M. Vélez, and J.L. Vicent; **12** (10), 2643–2647.

Vemury, Srinivas–Electrically controlled flame synthesis of nanophase TiO_2, SiO_2, and SnO_2 powders.–Srinivas Vemury, Sotiris E. Pratsinis, and Lowinn Kibbey; **12** (4), 1031–1042.

Venkatesan, T.–Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack.–A.M. Dhote, S. Madhukar, D. Young, T. Venkatesan, R. Ramesh, C.M. Cotell, and Joseph M. Benedetto; **12** (6), 1589–1594.

Venturini, E.L.–Synthesis and properties of Tl–Ba–Ca–Cu–O Superconductors.–M.P. Siegal, E.L. Venturini, B. Morosin, and T.L. Aselage; **12** (11), 2825–2854.

Vermeersch, M.–Epitaxial growth of aluminum nitride layers on Si(111) at high temperature and for different thicknesses.–F. Malengreau, M. Vermeersch, S. Hagège, R. Sporken, M.D. Lange, and R. Caudano; **12** (1), 175–188.

Vetter, Daniel–High refractive index materials of iron sulfides and poly(ethylene oxide).–Tasoula Kyprianidou-Leodidou, Hans-Jörg Althaus, Yves Wyser, Daniel Vetter, Michele Büchler, Walter Caseri, and Ulrich W. Suter; **12** (8), 2198–2206.

Vicent, J.L.–On the fluctuation field in multidomain barium hexaferrite particles.–J.M. González, Anit K. Giri, C. de Julián, M. Vélez, and J.L. Vicent; **12** (10), 2643–2647.

Vilalta, N.–Precipitate size refinement by CeO_2 and Y_2BaCuO_5 additions in directionally solidified $YBa_2Cu_3O_7$.–N. Vilalta, F. Sandiumenge, S. Piñol, and X. Obradors; **12** (1), 38–46.

Vilar, R.–Laser micromachining of Al_2O_3–TiC ceramics.–V. Oliveira, R. Vilar, O. Conde, and P. Freitas; **12** (12), 3206–3209(L).

Villa-García, María A.–Synthesis and characterization of the inorganic ion exchanger based on titanium 2-carboxyethylphosphonate.–Anatoly I. Bortun, Lyudmila Bortun, Abraham Clearfield, Enrique Jaimez, María A. Villa-García, José R. García, and Julio Rodríguez; **12** (4), 1122–1130.

Vlaev, E.–Rapid thermal recrystallization of amorphous silicon films.–G.D. Beshkov, D.B. Dimitrov, V. Lazarova, J. Koprinarova, K. Gesheva, and E. Vlaev; **12** (10), 2511–2514(L).

Vlassak, Joost J.–A simple technique for measuring the adhesion of brittle films to ductile substrates with application to diamond-coated titanium.–Joost J. Vlassak, M.D. Drory, and W.D. Nix; **12** (7), 1900–1910.

Vogl, Erasmus M.–Oxide nanotubes prepared using carbon nanotubes as templates.–B.C. Satishkumar, A. Govindaraj, Erasmus M. Vogl, Lipika Basumallick, and C.N.R. Rao; **12** (3), 604–606(L).

Voigt, J.A.–Comments on the effects of solution precursor characteristics and thermal processing conditions on the crystallization behavior of sol-gel derived lead zirconate titanate thin films.–R.W. Schwartz, J.A. Voigt, B.A. Tuttle, D.A. Payne, T.L. Reichert, and R.S. DaSalla; **12** (2), 444–456.

Vollath, D.–Synthesis and magnetic properties of nanostructured maghemite.–D. Vollath, D.V. Szabó, R.D. Taylor, and J.O. Willis; **12** (8), 2175–2182.

W

Wada, H.–The oxygen deficiency effect of VO_2 thin films prepared by laser ablation.–M. Nagashima and H. Wada; **12** (2), 416–422.

Wada, Takahiro–Growth of $CuInSe_2$ crystals in Cu-rich Cu–In–Se thin films.–Takahiro Wada, Naoki Kohara, Takayuki Negami, and Mikihiko Nishitani; **12** (6), 1456–1462.

Wagner, M.–The thermal stability of thin copper films deposited on TiO_2(110) studied by scanning tunneling microscopy.–D.L. Carroll, M. Wagner, M. Rühle, and D.A. Bonnell; **12** (4), 975–983.

Wagner, T.–Glass transformation, heat capacity, and structure of Ge_xSe_{100-x} glasses studied by temperature-modulated differential scanning calorimetry experiments.–T. Wagner, S.O. Kasap, and Kouji Maeda; **12** (7), 1892–1899.

–Epitaxial growth of β–SiC thin films on a 6H–SiC substrate using the chemical solution deposition method.–D. Heimann, T. Wagner, J. Bill, F. Aldinger, and F.F. Lange; **12** (11), 3099–3101(L).

Wan, Yong-Zhong–Thermodynamic coupling effect and catalyst effect for the artificial diamond growth.–Ji-Tao Wang, Zhong-Qiang Huang, Yong-Zhong Wan, David Wei Zhang, and Hong-Yong Jia; **12** (6), 1530–1535.

–Calculated phase diagrams for activated low pressure diamond growth from C–H, C–O, and C–H–O systems.–Ji-Tao Wang, Yong-Zhong Wan, David Wei Zhang, Zhi-Jie Liu, and Zhong-Qiang Huang; **12** (12), 3250–3253.

Wang, Aimin–The syntheses of SiC_p/Al nanocomposites under high pressure.–Haozhe Liu, Aimin Wang, Luhong Wang, Bingzhe Ding, Zhuangqi Hu, and Hongying Peng; **12** (5), 1187–1190(L).

Wang, Chong-Min–Microstructure of liquid phase sintered superplastic silicon carbide ceramics.–Chong-Min Wang, Mamoru Mitomo, and Hideyuki Emoto; **12** (12), 3266–3270.

Wang, H. R.–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Wang, Hao–Pulsed electrodeposition of diamond-like carbon films.–Hao Wang, Ming-Rong Shen, Zhao-Yuan Ning, Chao Ye, and He-Sun Zhu; **12** (11), 3102–3105(L).

Wang, Ji-Tao–Thermodynamic coupling effect and catalyst effect for the artificial diamond growth.–Ji-Tao Wang, Zhong-Qiang Huang, Yong-Zhong Wan, David Wei Zhang, and Hong-Yong Jia; **12** (6), 1530–1535.

–Calculated phase diagrams for activated low pressure diamond growth from C–H, C–O, and C–H–O systems.–Ji-Tao Wang, Yong-Zhong Wan, David Wei Zhang, Zhi-Jie Liu, and Zhong-Qiang Huang; **12** (12), 3250–3253.

Wang, Luhong–The syntheses of SiC_p/Al nanocomposites under high pressure.–Haozhe Liu, Aimin Wang, Luhong Wang, Bingzhe Ding, Zhuangqi Hu, and Hongying Peng; **12** (5), 1187–1190(L).

Wang, Moo-Chin–Crystallization behavior and microstructure of lithium-calcium aluminogermanate glasses.–Moo-Chin Wang; **12** (11), 3158–3164.

Wang, Q.–Microstructure of ruthenium dioxide films grown on α–Al_2O_3 (0001), α–Al_2O_3 ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering.–Q. Wang, Dave Gilmer, Yue Fan, Alfonso Franciosi, D. Fennell Evans, Wayne L. Gladfelter, and Xiao-Feng Zhang; **12** (4), 984–996.

Wang, Q. J.–Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy.–J. F. Lei, Q. J. Wang, Y. Y. Liu, S. X. Guan, Z. G. Wang, D. Li, and Z. Q. Hu; **12** (10), 2571–2574.

Wang, W.–Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4.–J. H. Booske, L. Zhang, W. Wang, K. Mente, N. Zjaba, C. Baum, and J. L. Shohet; **12** (5), 1356–1366.

Wang, Xiaoli–Phase transformation in $Sr_{1-x}Ba_xNb_2O_6$ ceramics.–Xiaoli Wang; **12** (3), 600–603(L).

Wang, Xiao-tian–Characterization of the disproportionated NdFeCoZrB alloy by means of electron microscopy.–Jian-rong Gao, Xiao-ping Song, and Xiao-tian Wang; **12** (3), 581–584(L).

Wang, Y-L.–*In situ* measurements of texture and phase development in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes.–T. R. Thurston, P. Haldar, Y-L. Wang, M. Suenaga, N. M. Jisrawi, and U. Wildgruber; **12** (4), 891–905.

–Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes.–Li-jun Wu, Y-L. Wang, Weimin Bian, Yimei Zhu, T. R. Thurston, R. L. Sabatini, P. Haldar, and M. Suenaga; **12** (11), 3055–3073.

Wang, Z. G.–Fatigue crack initiation at Nd-rich particles in an Nd containing high temperature titanium alloy.–J. F. Lei, Q. J. Wang, Y. Y. Liu, S. X. Guan, Z. G. Wang, D. Li, and Z. Q. Hu; **12** (10), 2571–2574.

Wang, Zhi–Deposition of mullite and mullite-like coatings on silicon carbide by dual-source metal plasma immersion.–Othon R. Monteiro, Zhi Wang, and Ian G. Brown; **12** (9), 2401–2410.

Wanping, Chen–Effects of electroless nickel plating on resistivity-temperature characteristics of $(Ba_{1-x}Pb_x)TiO_3$ thermistor.–Chen Wanping, Li Longtu, and Gui Zhilun; **12** (4), 877–879(L).

Watanabe, Tokuko–Mullite precursor I. Characterization of mullite precursor formed by a reaction of monosilicic acid on aluminum hydroxide.–Takushi Yokoyama, Keisuki Nishu, Shunsuke Torii, Yoshio Ikeda, and Tokuko Watanabe; **12** (8), 2111–2116.

Watanabe, Y.–Effect of initial composition on distribution of RE211 (422) particles in RE123 superconductors.–M. Kambara, Y. Watanabe, K. Miyake, A. Endo, K. Murata, Y. Shiohara, and T. Umeda; **12** (11), 2873–2879.

Wayman, C. Marvin–Determination of displacement vector on 180° domain boundary and polarization arrangements in lead titanate crystals.–Chen-Chia Chou and C. Marvin Wayman; **12** (2), 457–466.

Webb, Steven W.–Influence of substitutional nitrogen in synthetic saw-grade diamond on crystal strength.–W. E. Jackson and Steven W. Webb; **12** (6), 1646–1654.

Weber, William J.–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price. A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Wei, Lanhua–Thermal diffusivity maps: Case studies in ceramics.–Lanhua Wei and Grady S. White; **12** (9), 2381–2387.

Weidenhof, V.–Morphological investigations on mesostructured metal oxides.–V. Weidenhof, F. Gropper, U. Müller, L. Marosi, G. Cox, R. Houbertz, and U. Hartmann; **12** (6), 1634–1639.

Weinberg, Michael C.–Radiation effects in glasses used for immobilization of high-level waste and plutonium disposition.–William J. Weber, Rodney C. Ewing, C. Austen Angell, George W. Arnold, Alastair N. Cormack, Jean Marc Delaye, David L. Griscom, Linn W. Hobbs, Alexandra Navrotsky, David L. Price, A. Marshall Stoneham, and Michael C. Weinberg; **12** (8), 1946–1978(R).

Weiner, Anita M.–Selective chemical etching of hexagonal boron nitride compared to cubic boron nitride.–Stephen J. Harris, Anita M. Weiner, Gary L. Doll, and Wen-Jin Meng; **12** (2), 412–415.

Weirauch Jr., Douglas A.–The spreading kinetics of $Ag–28Cu_{(L)}$ on $nickel_{(S)}$: Part II. Area of spread on surfaces plated with electrolytic Ni.–Douglas A. Weirauch, Jr. and Stephen F. Horvath; **12** (4), 953–964.

Weppelmann, E. R.–Determination of elastic modulus of thin layers using nanoindentation.–J. Menčík, D. Munz, E. Quandt, E. R. Weppelmann, and M. V. Swain; **12** (9), 2475–2484.

Werwa, E.–Influence of nanostructure size on the luminescence behavior of silicon nanoparticle thin films.–A. A. Seraphin, E. Werwa, and K. D. Kolenbrander; **12** (12), 3386–3392.

Wheeler, Donald R.–The influence of binders on interfacial failure in sapphire fiber-reinforced NiAl composites.–Jeffrey I. Eldridge, Donald R. Wheeler, Randy R. Bowman, and Andras Korenyi-Both; **12** (8), 2191–2197.

White, Grady S.–Thermal diffusivity maps: Case studies in ceramics.–Lanhua Wei and Grady S. White; **12** (9), 2381–2387.

White, W. B.–Synthesis and characterization of sol-gel derived hexaaluminate phosphors.–D. Ravichandran, R. Roy, W. B. White, and S. Erdei; **12** (3), 819–824.

Widjaja, Sujanto–Residual surface stress by localized contact-creep.–Sujanto Widjaja, Karl Jakus, Revti Atri, John E. Ritter, and Sandeepan Bhattacharya; **12** (1), 210–217.

Wiedenmann, A.–Fractal morphologies from decomposition of Fe–Ni–Invar alloys.–Q. Li, A. Wiedenmann, and H. Wollenberger; **12** (1), 83–92.

Wiesmann, Harold–*In situ* x-ray investigation of hydrogen charging in thin film bimetallic electrodes.–Najeh M. Jisrawi, Harold Wiesmann, M. W. Ruckman, T. R. Thurston, G. Reisfeld, B. M. Ocko, and Myron Strongin; **12** (8), 2091–2098.

Wiesmann, J.–Biaxially textured yttria stabilized zirconia buffer layers on rotating cylindrical surfaces.–J. Hoffmann, J. Dzick, J. Wiesmann, K. Heinemann, F. Garcia-Moreno, and H. C. Freyhardt; **12** (3), 593–595(L).

Wildgruber, U.–*In situ* measurements of texture and phase development in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$–Ag tapes.–T. R. Thurston, P. Haldar, Y-L. Wang, M. Suenaga, N. M. Jisrawi, and U. Wildgruber; **12** (4), 891–905.

Williams, Robert K.–Sol-gel synthesis of $LaAlO_3$; Epitaxial growth of $LaAlO_3$ thin films on $SrTiO_3$ (100).–Shara S. Shoup, Mariappan Paranthaman, David B. Beach, E.D. Specht, and Robert K. Williams; **12** (4), 1017–1021.

Willis, J.O.–Synthesis and magnetic properties of nanostructured maghemite.–D. Vollath, D.V. Szabó, R.D. Taylor, and J.O. Willis; **12** (8), 2175–2182.

–The effects of variable oxygen partial pressures during Bi-2223 tape processing.–T.G. Holesinger, J.F. Bingert, J.O. Willis, V.A. Maroni, A.K. Fischer, and K.T. Wu; **12** (11), 3046–3054.

Wilson, R.G.–Boron diffusion into diamond under electric bias.–T. Sung, G. Popovici, M.A. Prelas, R.G. Wilson, and S.K. Loyalka; **12** (5), 1169–1171(L).

Wittig, J.E.–Ag:Sb and Sb:Ag implantations into high purity silica.–T.S. Anderson, R.H. Magruder, III, D.L. Kinser, J.E. Wittig, R.A. Zuhr, and D.K. Thomas; **12** (12), 3316–3321.

Woirgard, J.–An alternative method for penetration depth determination in nanoindentation measurements.–J. Woirgard and J-C. Dargenton; **12** (9), 2455–2458.

Wolden, C.A.–*In situ* mass spectrometry during diamond chemical vapor deposition using a low pressure flat flame.–C.A. Wolden, R.F. Davis, Z. Sitar, and J.T. Prater; **12** (10), 2733–2742.

Wolfenstine, Jeffrey–Superplastic behavior of a kappa carbide material (Fe_3AlC_x).–Woo-Jin Kim, Oscar A. Ruano, Jeffrey Wolfenstine, Georg Frommeyer, and Oleg D. Sherby; **12** (9), 2317–2324.

Wollenberger, H.–Fractal morphologies from decomposition of Fe–Ni–Invar alloys.–Q. Li, A. Wiedenmann, and H. Wollenberger; **12** (1), 83–92.

Wong, C.K.H.–Fatigue in hydrazone-based xerographic photoreceptors: Effect of ultraviolet irradiation.–C.K.H. Wong, Y.C. Chan, J. Pfleger, Y.W. Lam, K.M. Leung, and D.S. Chiu; **12** (1), 106–112.

Wong, Man–On the formation of solid state crystallized intrinsic polycrystalline germanium thin films.–Zhiguo Meng, Zhonghe Jin, Bhat A. Gururaj, Paul Chu, Hoi S. Kwok, and Man Wong; **12** (10), 2548–2551.

Wong, Peter Y.–The viscosity of germanium during substrate relaxation upon thermal anneal.–Sara E. Rosenberg, Cynthia G. Madras, Peter Y. Wong, and Ioannis N. Miaoulis; **12** (7), 1706–1710.

Wong-Ng, W.–Processing and characterization of compositionally modified $PbTiO_3$ thin films prepared by pulsed laser deposition.–B.W. Lee, L.P. Cook, P.K. Schenck, W. Wong-Ng, C.K. Chiang, P.S. Brody, and K.W. Bennett; **12** (2), 509–517.

–Subsolidus phase equilibria of coexisting high-T_c Pb-2223 and 2212 superconductors in the (Bi, Pb)–Sr–Ca–Cu–O system under 7.5% O_2.–W. Wong-Ng, L.P. Cook, F. Jiang, W. Greenwood, U. Balachandran, and M. Lanagan; **12** (11), 2855–2865.

Wood, G.C.–Anodic film formation on a sputter-deposited amorphous Al–40 at.% Sm alloy.–H. Habazaki, P. Skeldon, G.E. Thompson, G.C. Wood, and K. Shimizu; **12** (7), 1885–1891.

Woodall, J.M.–Electrical and microstructural characteristics of Ge/Cu ohmic contacts to *n*-type GaAs.–M.O. Aboelfotoh, S. Oktyabrsky, J. Narayan, and J.M. Woodall; **12** (9), 2325–2331.

Workman, Gary L.–Effects of gravity on processing heavy metal fluoride fibers.–Dennis S. Tucker, Gary L. Workman, and Guy A. Smith; **12** (9), 2223–2225(L).

Wu, Chang Yu–Characterization of iron oxide-silica nanocomposites in flames: Part II. Comparison of discrete-sectional model predictions to experimental data.–Pratim Biswas, Chang Yu Wu, Michael R. Zachariah, and Brian McMillin; **12** (3), 714–723.

Wu, Chii-Ming–Effects of (100)-textured $LaNiO_3$ electrode on the deposition and characteristics of $PbTiO_3$ thin films prepared by rf magnetron sputtering.–Chii-Ming Wu, Tian-Jue Hong, and Tai-Bor Wu; **12** (8), 2158–2164.

Wu, K.T.–Raman microscopy examination of phase evolution in Bi(Pb)–Sr–Ca–Cu–O superconducting ceramics.–K.T. Wu, A.K. Fischer, V.A. Maroni, and M.W. Rupich; **12** (5), 1195–1204.

–The effects of variable oxygen partial pressures during Bi-2223 tape processing.–T.G. Holesinger, J.F. Bingert, J.O. Willis, V.A. Maroni, A.K. Fischer, and K.T. Wu; **12** (11), 3046–3054.

Wu, Li-jun–Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes.–Li-jun Wu, Y-L. Wang, Weimin Bian, Yimei Zhu, T.R. Thurston, R.L. Sabatini, P. Haldar, and M. Suenaga; **12** (11), 3055–3073.

Wu, Suxing–Alumina platelet reinforced reaction bonded aluminum oxide composites: Textured and random.–Linan An, Suxing Wu, Helen M. Chan, Martin P. Harmer, and David G. Brandon; **12** (12), 3300–3306.

Wu, T.W.–Contact area evolution during an indentation process.–Kangjie Li, T.W. Wu, and J.C.M. Li; **12** (8), 2064–2071.

Wu, Tai-Bor–Effects of (100)-textured $LaNiO_3$ electrode on the deposition and characteristics of $PbTiO_3$ thin films prepared by rf magnetron sputtering.–Chii-Ming Wu, Tian-Jue Hong, and Tai-Bor Wu; **12** (8), 2158–2164.

–Structural characterization of sputter-deposited $LaNiO_3$ thin films on Si substrate by x-ray reflectivity and diffraction.–Hsin-Yi Lee and Tai-Bor Wu; **12** (11), 3165–3173.

Wu, X.D.–Influence of deposition rate on the properties of thick $YBa_2Cu_3O_{7-\delta}$ films produced by pulsed laser deposition.–S.R. Foltyn, E.J. Peterson, J.Y. Coulter, P.N. Arendt, Q.X. Jia, P.C. Dowden, M.P. Maley, X.D. Wu, and D.E. Peterson; **12** (11), 2941–2946.

Wu, X.H.–Effect of lattice mismatch on the epitaxy of sol-gel $LiNbO_3$ thin films.–T.A. Derouin, C.D.E. Lakeman, X.H. Wu, J.S. Speck, and F.F. Lange; **12** (5), 1391–1400.

Wu, Xubiao–Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers.–Dongxia Shi, Ning Liu, Haiqiang Yang, Juning Gao, Yueshan Jiang, Shijin Pang, Xubiao Wu, and Zhen Ji; **12** (10), 2543–2547.

Wu, Y.K.–Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying.–J.Y. Huang, Y.D. Yu, Y.K. Wu, D.X. Li, and H.Q. Ye; **12** (4), 936–946.

Wyser, Yves–High refractive index materials of iron sulfides and poly(ethylene oxide).–Tasoula Kyprianidou-Leodidou, Hans-Jörg Althaus, Yves Wyser, Daniel Vetter, Michele Büchler, Walter Caseri, and Ulrich W. Suter; **12** (8), 2198–2206.

X

Xi, Yunping–Mathematical modeling of cement paste microstructure by mosaic pattern. Part II. Application.–Paul D. Tennis, Yunping Xi, and Hamlin M. Jennings; **12** (7), 1741–1746.

Xiao, J.Z.–Grain refinement mechanism in undercooled $Cu_{30}Ni_{70}$.–J.Z. Xiao, K.K. Leung, and H.W. Kui; **12** (4), 873–876(L).

Xing, Z.P.–Investigation of NiAl–TiB_2 *in situ* composites.–J.T. Guo and Z.P. Xing; **12** (4), 1083–1090.

–High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates.–L.G. Yu, J.Y. Dai, Z.P. Xing, D.X. Li, J.T. Guo, and H.Q. Ye; **12** (7), 1790–1795.

–Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)].–L.G. Yu, J.Y. Dai, Z.P. Xing, D.X. Li, J.T. Guo, H.Q. Ye, J.C. Rao, and Y. Zhou; **12** (11), 3182(E).

Xiong, Q.–$Y_1Ba_2Cu_3O_{7-x}$ multilayer structures with a thick SiO_2 interlayer for multichip modules.–S. Afonso, K.Y. Chen, Q. Xiong, Y.Q. Tang, G.J. Salamo, F.T. Chan, J. Cooksey, S. Scott, Y.J. Shi, S. Ang, W.D. Brown, and L.W. Schaper; **12** (11), 2947–2951.

Xu, D. M.–Martensite transition in rapidly solidified Ti_3Al–2Nb alloy.–R. Xu, Y. Y. Cui, D. M. Xu, D. Li, Q. C. Li, and Z. Q. Hu; **12** (1), 5–8(L).

Xu, Fei–Study of fluoride induced dissimilar metal corrosion in a microelectromechanical system.–Jagdish Prasad, Oliver M. R. Chyan, Jin-Jian Chen, Min Liu, Ligang Chen, and Fei Xu; **12** (12), 3241–3245.

Xu, G.–New microstructural model of polymer-ceramic nanocomposite materials.–C. E. Becze and G. Xu; **12** (2), 566–571.

Xu, Ning–Diamond nucleation on smooth Si_3N_4-coated substrate.–Ning Xu, Zhihao Zheng, and Yuancheng Du; **12** (12), 3373–3375.

Xu, R.–Martensite transition in rapidly solidified Ti_3Al–2Nb alloy.–R. Xu, Y. Y. Cui, D. M. Xu, D. Li, Q. C. Li, and Z. Q. Hu; **12** (1), 5–8(L).

Xu, W-ping–Excimer laser deposition of *c*-axis oriented $Pb(Zr, Ti)O_3$ thin films on silicon substrates with direct-current glow discharge.–Lirong Zheng, Xuhong Hu, Pingxiong Yang, W-ping Xu, and Chenglu Lin; **12** (5), 1179–1182(L).

Xue, Z. Q.–Scanning tunneling microscopy and atomic force microscopy investigation of organic tetracyanoquinodimethane thin films.–H. J. Gao, H. X. Zhang, Z. Q. Xue, and S. J. Pang; **12** (8), 1942–1945(L).

Y

Yamada, Yasuji–Periodic fluctuation of Ba/Nd ratio in single crystals of high-J_c $NdBa_2Cu_3O_{7-\delta}$ superconductor.–Tsukasa Hirayama, Yuichi Ikuhara, Masaru Nakamura, Yasuji Yamada, and Yuh Shiohara; **12** (2), 293–295(L).

Yamaguchi, I.–Preparation of epitaxial $La_{1-x}Sr_xMnO_3$ films on $SrTiO_3$(001) by dipping-pyrolysis process.–T. Manabe, I. Yamaguchi, W. Kondo, S. Mizuta, and T. Kumagai; **12** (2), 541–545.

–Preparation of epitaxial $BaTiO_3$ thin films by the dipping-pyrolysis process.–S. Kim, T. Manabe, I. Yamaguchi, T. Kumagai, and S. Mizuta; **12** (4), 1141–1144.

Yamamoto, Kazuo–Nucleation and growth of oriented diamond on Si(100) by bias-assisted chemical vapor deposition.–Mikka Nishitani-Gamo, Toshihiro Ando, Kazuo Yamamoto, Paul A. Dennig, and Yoichiro Sato; **12** (5), 1351–1355.

Yamashita, Kimihiro–Two-stage sintering of dense superconducting $YBa_2Cu_4O_8$ ceramics.–Motohide Matsuda, Yoshihisa Ogawa, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (5), 1205–1209.

–Superconducting properties and structural stability of $Bi_2Sr_2CaCu_2O_{8+\delta}$ compound prepared by electrochemical reduction in protogenic electrolyte.–Motohide Matsuda, Hideki Tamada, Kimihiro Yamashita, Takao Umegaki, and Michihiro Miyake; **12** (12), 3214–3218.

Yamashita, T.–Microstructural characterization of quenched melt-textured $YBa_2Cu_3O_{7-\delta}$ materials.–J. A. Alarco, E. Olsson, S. J. Golden, A. Bhargava, T. Yamashita, J. Barry, and I. D. R. Mackinnon; **12** (3), 624–635.

Yan, Y.–Structure of grain boundaries: Correlation to supercurrent transport in textured $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ bulk material.–Y. Yan, M. A. Kirk, and J. E. Evetts; **12** (11), 3009–3028.

Yang, D. Z.–Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope.–J. F. Mao, H. Q. Ye, X. G. Ning, L. L. He, and D. Z. Yang; **12** (2), 377–384.

Yang, Fuqian–Impression recovery of PMMA.–Fuqian Yang and J. C. M. Li; **12** (10), 2809–2814.

Yang, Haiqiang–Scanning tunneling microscope study of polyacrylonitrile-based carbon fibers.–Dongxia Shi, Ning Liu, Haiqiang Yang, Juning Gao, Yueshan Jiang, Shijin Pang, Xubiao Wu, and Zhen Ji; **12** (10), 2543–2547.

Yang, Hung-Ming–*In situ* growth of fatigue-free $SrBi_2Ta_2O_9$ films by pulsed laser ablation.–Hung-Ming Yang, Jian-Shing Luo, and Wen-Tai Lin; **12** (4), 1145–1151.

Yang, Peidong–Nanostructured high-temperature superconductors: Creation of strong-pinning columnar defects in nanorod/superconductor composites.–Peidong Yang and Charles M. Lieber; **12** (11), 2981–2996.

Yang, Pingxiong–Excimer laser deposition of *c*-axis oriented $Pb(Zr, Ti)O_3$ thin films on silicon substrates with direct-current glow discharge.–Lirong Zheng, Xuhong Hu, Pingxiong Yang, W-ping Xu, and Chenglu Lin; **12** (5), 1179–1182(L).

Yang, Si-Ze–Investigation of the interface reactions of Ti thin films with AlN substrate.–Xiangjun He, Si-Ze Yang, Kun Tao, and Yudian Fan; **12** (3), 846–851.

Yang, W. S.–Enhanced nucleation density of chemical vapor deposition diamonds by using interlayer.–J. J. Lee, W. S. Yang, and Jung Ho Je; **12** (3), 657–664.

Yao, Kui–Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics.–Kui Yao, Weiguang Zhu, Liangying Zhang, and Xi Yao; **12** (4), 1131–1140.

Yao, X.–Fabrication of NdBCO single crystal oxide superconductor with enhanced superconductive properties.–M. Kambara, X. Yao, M. Nakamura, Y. Shiohara, and T. Umeda; **12** (11), 2866–2872.

Yao, Xi–Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics.–Kui Yao, Weiguang Zhu, Liangying Zhang, and Xi Yao; **12** (4), 1131–1140.

–A study on magnesium diffusion into $LiNbO_3$ single crystal by x-ray diffraction, differential thermal analysis, and scanning electron microscopy.–Wenxiu Que, Siakpiang Lim, Xi Yao, and A. Q. Liu; **12** (12), 3380–3385.

Yashima, Masatomo–Crystallization of hafnia and zirconia during the pyrolysis of acetate gels.–Masatomo Yashima, Taka-aki Kato, Masato Kakihana, Mehmet Ali Gulgun, Yohtaro Matsuo, and Masahiro Yoshimura; **12** (10), 2575–2583.

Ye, Chao–Pulsed electrodeposition of diamond-like carbon films.–Hao Wang, Ming-Rong Shen, Zhao-Yuan Ning, Chao Ye, and He-Sun Zhu; **12** (11), 3102–3105(L).

Ye, H. Q.–Crystal structure and defects of $Zr_4Co_4Si_7$ (V-phase) investigated by high resolution transmission electron microscope.–J. F. Mao, H. Q. Ye, X. G. Ning, L. L. He, and D. Z. Yang; **12** (2), 377–384.

–Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying.–J. Y. Huang, Y. D. Yu, Y. K. Wu, D. X. Li, and H. Q. Ye; **12** (4), 936–946.

–High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates.–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, and H. Q. Ye; **12** (7), 1790–1795.

–Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)].–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, H. Q. Ye, J. C. Rao, and Y. Zhou; **12** (11), 3182(E).

Ye, L. L.–Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying.–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (3), 616–618(L).

–Erratum: "Thermochemistry of combustion reaction in Al–Ti–C system during mechanical alloying" [J. Mater. Res. **12**, 616–618 (1997)].–L. L. Ye, Z. G. Liu, S. D. Li, M. X. Quan, and Z. Q. Hu; **12** (10), 2815(E).

Yeatman, E. M.–Growth and characterization of semiconductor nanoparticles in porous sol-gel films.–E. J. C. Dawnay, M. A. Fardad, Mino Green, and E. M. Yeatman; **12** (11), 3115–3126.

Yee, Andrew L.–Development of flat, smooth (100) faceted diamond thin films using microwave plasma chemical vapor deposition.–Andrew L. Yee, H. C. Ong, L. M. Stewart, and R. P. H. Chang; **12** (7), 1796–1805.

Yeh, Shun-Fen–Adsorption of poly(vinyl butyral) in nonaqueous ferrite suspensions.–Jau-Ho Jean, Shun-Fen Yeh, and Chi-Jen Chen; **12** (4), 1062–1068.

Yin, Y.–The fracture toughness of polysilicon microdevices: A first report.–R. Ballarini, R. L. Mullen, Y. Yin, H. Kahn, S. Stemmer, and A. H. Heuer; **12** (4), 915–922.

Yokoyama, Takushi–Mullite precursor I. Characterization of mullite precursor formed by a reaction of monosilicic acid on aluminum hydroxide.–Takushi Yokoyama, Keisuki Nishu, Shunsuke Torii, Yoshio Ikeda, and Tokuko Watanabe; **12** (8), 2111–2116.

Yoo, S. I.–Refinement of Nd-422 phase trapped in a $Nd_{1+\delta}Ba_{2-\delta}Cu_3O_{7-y}$ superconducting matrix.–F. Frangi, S. I. Yoo, N. Sakai, and M. Murakami; **12** (8), 1990–2001.

Yoo, Woo Sik–Comparison of C_2F_6 and FASi-4 as fluorine dopant sources in plasma enhanced chemical vapor deposited fluorinated silica glass films.–Woo Sik Yoo, Richard Swope, Barbara Sparks, and David Mordo; **12** (1), 70–74.

Yoon, Dae Sung–Effect of heat treatment on formation of sol-gel $(Pb,La)TiO_3$ films for optical application.–Junmo Koo, Sung-Uk Kim, Dae Sung Yoon, Kwangsoo No, and Byeong-Soo Bae; **12** (3), 812–818.

–A study on the microstructure of preferred orientation of lead zirconate titanate (PZT) thin films.–Chang Jung Kim, Dae Sung Yoon, Joon Sung Lee, Chaun Gi Choi, and Kwangsoo No; **12** (4), 1043–1047.

Yoon, Ki Hyun–Effect of oxygen gas on polycarbonate surface in keV energy Ar^+ ion irradiation.–Jun-Sik Cho, Won-Kook Choi, Ki Hyun Yoon, Hyung-Jin Jung, and Seok-Keun Koh; **12** (1), 277–282.

Yoon, Soon-Gil–Electrical and structural properties of $SrTiO_3$ thin films deposited by plasma-enhanced metalorganic chemical vapor deposition.–Nam-Kyeong Kim, Soon-Gil Yoon, Won-Jae Lee, and Ho-Gi Kim; **12** (4), 1160–1164.

Yoon, Young-Soo–Bonding behavior of Cu/CuO thick film on a low-firing ceramic substrate.–Sang-Jin Lee, Waltraud M. Kriven, Jeong-Hyun Park, and Young-Soo Yoon; **12** (9), 2411–2418.

Yoshida, Haruo–Very high pressure sintering of cBN fine particles coated with TiN–TiB_2 layer formed by disproportionation reaction in molten salts.–Haruo Yoshida and Shoichi Kume; **12** (3), 585–588(L).

Yoshimura, Masahiro–Hydrothermal synthesis of $PbTiO_3$ films.–Woo-Seok Cho and Masahiro Yoshimura; **12** (3), 833–839.

–Crystallization of hafnia and zirconia during the pyrolysis of acetate gels.–Masatomo Yashima, Taka-aki Kato, Masato Kakihana, Mehmet Ali Gulgun, Yohtaro Matsuo, and Masahiro Yoshimura; **12** (10), 2575–2583.

Youn, Hyuk-Joon–Coexistence of 1 : 2 and 1 : 1 long-range ordering types in La-modified $Ba(Mg_{0.33}Ta_{0.67})O_3$ ceramics.–Hyuk-Joon Youn, Kug-Sun Hong, and Hwan Kim; **12** (3), 589–592(L).

–A new microwave dielectric ceramics based on the solid solution system between $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$.–Seo-Yong Cho, Hyuk-Joon Youn, Kug-Sun Hong, In-Tae Kim, and Yoon-Ho Kim; **12** (6), 1558–1562.

Young, D.–Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack.–A. M. Dhote, S. Madhukar, D. Young, T. Venkatesan, R. Ramesh, C. M. Cotell, and Joseph M. Benedetto; **12** (6), 1589–1594.

Yu, L. G.–High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates.–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, and H. Q. Ye; **12** (7), 1790–1795.

–Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)].–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, H. Q. Ye, J. C. Rao, and Y. Zhou; **12** (11), 3182(E).

Yu, Ning–Radiation-induced phase transformations in $MgAl_2O_4$ spinel.–Ning Yu, Ram Devanathan, Kurt E. Sickafus, and Michael Nastasi; **12** (7), 1766–1770.

Yu, Tao–Conductive $LaNiO_3$ electrode grown by pulsed laser ablation on Si substrate.–Li Sun, Tao Yu, Yan-Feng Chen, Jun Zhou, and Nai-Ben Ming; **12** (4), 931–935.

Yu, Y. D.–Microstructure and homogeneity of nanocrystalline Co–Cu supersaturated solid solutions prepared by mechanical alloying.–J. Y. Huang, Y. D. Yu, Y. K. Wu, D. X. Li, and H. Q. Ye; **12** (4), 936–946.

–A novel method for synthesis of carbon nanotubes: Low temperature solid pyrolysis.–Y. L. Li, Y. D. Yu, and Y. Liang; **12** (7), 1678–1680(L).

Yuan, D.-W.–Influence of powder characteristics on the properties of green compacts of Bi-2212 powders.–D.-W. Yuan, M. D. Aesoph, and J. Kajuch; **12** (1), 21–27.

Yuan, S. L.–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Yuen, C. W.–Metastable liquid phase separation in undercooled molten $Pd_{40.5}Ni_{40.5}P_{19}$.–C. W. Yuen, K. L. Lee, and H. W. Kui; **12** (2), 314–317(L).

Yun, Jungheum–Momentum and thermal boundary-layer thickness in a stagnation flow chemical vapor deposition reactor.–David S. Dandy and Jungheum Yun; **12** (4), 1112–1121.

Z

Zacharia, T.–Analysis of ball-indentation load-depth data: Part I. Determining elastic modulus.–B. Taljat, T. Zacharia, and F. M. Haggag; **12** (4), 965–974.

Zachariah, Michael R.–Characterization of iron oxide-silica nanocomposites in flames: Part II. Comparison of discrete-sectional model predictions to experimental data.–Pratim Biswas, Chang Yu Wu, Michael R. Zachariah, and Brian McMillin; **12** (3), 714–723.

Zaldo, C.–Pulsed laser deposition of $KNbO_3$ thin films.–M. J. Martín, J. E. Alfonso, J. Mendiola, C. Zaldo, D. S. Gill, R. W. Eason, and P. J. Chandler; **12** (10), 2699–2706.

Zallen, R.–Characterization of nanophase titania particles synthesized using *in situ* steric stabilization.–A. G. Gaynor, R. J. Gonzalez, R. M. Davis, and R. Zallen; **12** (7), 1755–1765.

Zanghellini, E.–Rietveld analysis of the cubic crystal structure of Na-stabilized zirconia.–G. Fagherazzi, P. Canton, A. Benedetti, F. Pinna, G. Mariotto, and E. Zanghellini; **12** (2), 318–321(L).

Zappa, G.–Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors.–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (3), 774–782.

–Erratum: "Synthesis of aluminum oxide-based ceramics by laser photoinduced reactions from gaseous precursors" [J. Mater. Res. **12**, 774–782 (1997)].–R. Alexandrescu, E. Borsella, S. Botti, M. P. Cesile, S. Martelli, R. Giorgi, S. Turtù, and G. Zappa; **12** (10), 2815(E).

Zeatoun, Lua'y A.–Optimizing diamond growth for an atmospheric oxyacetylene torch.–Lua'y A. Zeatoun and Philip W. Morrison, Jr.; **12** (5), 1237–1252.

Zedda, Daniela–Iron-silica and nickel-silica nanocomposites prepared by high energy ball milling.–Anna Corrias, Guido Ennas, Anna Musinu, Giorgio Paschina, and Daniela Zedda; **12** (10), 2767–2772.

Zhang, B.–The growth of decagonal Al–Co–Ni single crystals as a function of chemical composition.–B. Zhang, M. Estermann, and W. Steurer; **12** (9), 2274–2280.

Zhang, David Wei–Thermodynamic coupling effect and catalyst effect for the artificial diamond growth.–Ji-Tao Wang, Zhong-Qiang Huang, Yong-Zhong Wan, David Wei Zhang, and Hong-Yong Jia; **12** (6), 1530–1535.

–Calculated phase diagrams for activated low pressure diamond growth from C–H, C–O, and C–H–O systems.–Ji-Tao Wang, Yong-Zhong Wan, David Wei Zhang, Zhi-Jie Liu, and Zhong-Qiang Huang; **12** (12), 3250–3253.

Zhang, H. X.–Scanning tunneling microscopy and atomic force microscopy investigation of organic tetracyanoquinodimethane thin films.–H. J. Gao, H. X. Zhang, Z. Q. Xue, and S. J. Pang; **12** (8), 1942–1945(L).

Zhang, H. Y.–Grain size dependence of mechanical properties in nanocrystalline selenium.–K. Lu, H. Y. Zhang, Y. Zhong, and H. J. Fecht; **12** (4), 923–930.

Zhang, J. H.–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Zhang, L.–Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4.–J. H. Booske, L. Zhang, W. Wang, K. Mente, N. Zjaba, C. Baum, and J. L. Shohet; **12** (5), 1356–1366.

Zhang, Liangying–Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics.–Kui Yao, Weiguang Zhu, Liangying Zhang, and Xi Yao; **12** (4), 1131–1140.

Zhang, Q. M.–Change of the weak-field properties of $Pb(ZrTi)O_3$ piezoceramics with compressive uniaxial stresses and its links to the effect of dopants on the stability of the polarizations in the materials.–Q. M. Zhang, Jianzhong Zhao, K. Uchino, and Jiehui Zheng; **12** (1), 226–234.

–The effect of ferroelastic coupling in controlling the abnormal aging behavior in lead magnesium niobate-lead titanate relaxor ferroelectrics.–Q. M. Zhang, J. Zhao, T. R. Shrout, and L. E. Cross; **12** (7), 1777–1784.

Zhang, Xiao-Feng–Microstructure of ruthenium dioxide films grown on α–Al_2O_3 (0001), α–Al_2O_3 ($1\bar{1}02$), and $SrTiO_3$ (100) using reactive sputtering.–Q. Wang, Dave Gilmer, Yue Fan, Alfonso Franciosi, D. Fennell Evans, Wayne L. Gladfelter, and Xiao-Feng Zhang; **12** (4), 984–996.

–Thin films for superconducting electronics: Precursor performance issues, deposition mechanisms, and superconducting phase formation-processing strategies in the growth of $Tl_2Ba_2CaCu_2O_8$ films by metal-organic chemical vapor deposition.–Bruce J. Hinds, Richard J. McNeely, Daniel B. Studebaker, Tobin J. Marks, Timothy P. Hogan, Jon L. Schindler, Carl R. Kannewurf, Xiao-Feng Zhang, and Dean J. Miller; **12** (5), 1214–1236.

–From meandering to straight grain boundaries: Improving the structures of artificially induced grain boundaries in superconducting $YBa_2Cu_3O_y$ bicrystals.–Xiao-Feng Zhang, Volk R. Todt, and Dean J. Miller; **12** (11), 3029–3035.

Zhang, Xubai–The effect of excess bismuth on the ferroelectric properties of $SrBi_2Ta_2O_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (6), 1569–1575.

–Structure development studies of $SrBi_2(Ta_{1-x}Nb_x)_9$ thin films.–Tze-Chiun Chen, Tingkai Li, Xubai Zhang, and Seshu B. Desu; **12** (8), 2165–2174.

Zhang, Yifan–Plastic deformation of oxide scales at elevated temperatures.–Yifan Zhang, William W. Gerberich, and David A. Shores; **12** (3), 697–705.

Zhang, Z.–A high-resolution electron microscopy study of blue-light emitting β–SiC nanoparticles in C^+-implanted silicon.–Y. H. Gao, Z. Zhang, L. S. Liao, and X. M. Bao; **12** (6), 1640–1645.

Zhao, Jianzhong–Change of the weak-field properties of $Pb(ZrTi)O_3$ piezoceramics with compressive uniaxial stresses and its links to the effect of dopants on the stability of the polarizations in the materials.–Q. M. Zhang, Jianzhong Zhao, K. Uchino, and Jiehui Zheng; **12** (1), 226–234.

–The effect of ferroelastic coupling in controlling the abnormal aging behavior in lead magnesium niobate-lead titanate relaxor ferroelectrics.–Q. M. Zhang, J. Zhao, T. R. Shrout, and L. E. Cross; **12** (7), 1777–1784.

Zheng, Jiehui–Change of the weak-field properties of $Pb(ZrTi)O_3$ piezoceramics with compressive uniaxial stresses and its links to the effect of dopants on the stability of the polarizations in the materials.–Q. M. Zhang, Jianzhong Zhao, K. Uchino, and Jiehui Zheng; **12** (1), 226–234.

Zheng, Lirong–Excimer laser deposition of *c*-axis oriented $Pb(Zr,Ti)O_3$ thin films on silicon substrates with direct-current glow discharge.–Lirong Zheng, Xuhong Hu, Pingxiong Yang, W-ping Xu, and Chenglu Lin; **12** (5), 1179–1182(L).

Zheng, Zhihao–Diamond nucleation on smooth Si_3N_4-coated substrate.–Ning Xu, Zhihao Zheng, and Yuancheng Du; **12** (12), 3373–3375.

Zhilun, Gui–Effects of electroless nickel plating on resistivity-temperature characteristics of $(Ba_{1-x}Pb_x)TiO_3$ thermistor.–Chen Wanping, Li Longtu, and Gui Zhilun; **12** (4), 877–879(L).

Zhong, Y.–Grain size dependence of mechanical properties in nanocrystalline selenium.–K. Lu, H. Y. Zhang, Y. Zhong, and H. J. Fecht; **12** (4), 923–930.

Zhou, J.–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Zhou, Ji–Sol-gel derived $Ba(Mg_{1/3}Ta_{2/3})O_3$ thin films: Preparation and structure.–Ji Zhou, Qing-Xin Su, K. M. Moulding, and D. J. Barber; **12** (3), 596–599(L).

Zhou, JiPing–Development of a reliable materials base for superconducting electronics.–JiPing Zhou, Rung-Kuang Lo, John T. McDevitt, John Talvacchio, Martin G. Forrester, Brian D. Hunt, Q. X. Jia, and D. Reagor; **12** (11), 2958–2975.

Zhou, Jun–Conductive $LaNiO_3$ electrode grown by pulsed laser ablation on Si substrate.–Li Sun, Tao Yu, Yan-Feng Chen, Jun Zhou, and Nai-Ben Ming; **12** (4), 931–935.

Zhou, S. J.–Embedded atom calculations of unstable stacking fault energies and surface energies in intermetallics.–D. Farkas, S. J. Zhou, C. Vailhé, B. Mutasa, and J. Panova; **12** (1), 93–99.

Zhou, Y.–Erratum: "High resolution electron microscopy observation of interfacial structures in NiAl-matrix *in situ* composites reinforced by TiC particulates" [J. Mater. Res. **12**, 1790–1795 (1997)].–L. G. Yu, J. Y. Dai, Z. P. Xing, D. X. Li, J. T. Guo, H. Q. Ye, J. C. Rao, and Y. Zhou; **12** (11), 3182(E).

Zhu, C. F.–Giant magnetoresistance in bulk $La_{0.6}Mg_{0.4}MnO_3$.–Yadong Li, X. F. Duan, J. H. Zhang, H. R. Wang, Y. T. Qian, Z. Huang, J. Zhou, S. L. Yuan, W. Liu, and C. F. Zhu; **12** (10), 2648–2650.

Zhu, He-Sun–Pulsed electrodeposition of diamond-like carbon films.–Hao Wang, Ming-Rong Shen, Zhao-Yuan Ning, Chao Ye, and He-Sun Zhu; **12** (11), 3102–3105(L).

Zhu, Weiguang–Effects of glass elements on the structural evolution of *in situ* grown ferroelectric perovskite crystals in sol-gel derived glass-ceramics.–Kui Yao, Weiguang Zhu, Liangying Zhang, and Xi Yao; **12** (4), 1131–1140.

Zhu, Yimei–Kinetics of the alignment and the formation of the Bi(2223) platelets in the powder-in-tube processed Bi(2223)/Ag composite tapes.–Li-jun Wu, Y-L. Wang, Weimin Bian, Yimei Zhu, T. R. Thurston, R. L. Sabatini, P. Haldar, and M. Suenaga; **12** (11), 3055–3073.

Zhu, Yongfei–$SrBi_2Ta_2O_9$ thin films made by liquid source metal-organic chemical vapor deposition.–Yongfei Zhu, Seshu B. Desu, Tingkai Li, Sasangan Ramanathan, and Masaya Nagata; **12** (3), 783–792.

Zingaro, R. A.–Formation of *p*-type Cu_3BiS_3 absorber thin films by annealing chemically deposited Bi_2S_3–CuS thin films.–P. K. Nair, L. Huang, M. T. S. Nair, Hailin Hu, E. A. Meyers, and R. A. Zingaro; **12** (3), 651–656.

Zjaba, N.–Nitrogen plasma source ion implantation for corrosion protection of aluminum 6061-T4.–J. H. Booske, L. Zhang, W. Wang, K. Mente, N. Zjaba, C. Baum, and J. L. Shohet; **12** (5), 1356–1366.

Znáik, Peter–Sintering of the ultrahigh pressure densified hydroxyapatite monolithic xerogels.–Ján Majling, Peter Znáik, Angela Palová, Stefan Svetík, Stefan Kovalík, Dinesh K. Agrawal, and Rustum Roy; **12** (1), 198–202.

Zuhr, R. A.–Ag:Sb and Sb:Ag implantations into high purity silica.–T. S. Anderson, R. H. Magruder, III, D. L. Kinser, J. E. Wittig, R. A. Zuhr, and D. K. Thomas; **12** (12), 3316–3321.